

Appendix of bachelor thesis written by Kateřina Půlkrabová

1) Tables exhibiting data of all occurrences in all newspapers in COCA corpora

	Addict Addiction	ADHD, attention- deficit, Hyperactivity disorder	Alcoholism alcoholic	Asperger's Asperger's syndrome	Autism Autism spectrum disorder Autistic	Behavioral health	Bipolar disorder	Catatonia Catatonic	Dementia	Depression	Developmental disabilities, Developmental disability	Dissociative identity disorder multiple personality disorder	Dyslexia Dyslexic
2019	163	0	24	0	16	20	5	1	33	47	22	1	1
2018	114	1	19	0	29	38	9	1	16	79	3	0	1
2017	107	1	31	1	46	9	6	1	45	45	5	1	1
2016	105	5	14	2	28	17	9	0	21	97	6	1	0
2015	106	3	43	1	26	9	3	2	31	166	5	0	2
2014	49	1	22	1	71	20	21	0	34	94	5	0	8
2013	79	34	32	9	73	14	11	3	40	93	9	0	2
2012	92	3	43	4	44	8	3	2	25	59	11	3	7
2011	47	33	32	2	58	5	6	0	30	58	6	0	3
2010	66	15	24	6	40	1	2	2	21	58	7	1	3
2009	49	1	32	1	36	10	6	2	10	60	14	1	2
2008	41	6	25	4	42	2	8	0	5	41	3	0	1
2007	45	5	46	2	62	0	6	0	7	67	4	0	16
2006	63	7	42	0	11	2	5	0	8	66	1	0	7
2005	42	3	30	0	8	1	12	1	8	59	0	1	6
2004	72	8	46	1	23	1	10	1	7	83	2	1	3
2003	59	41	19	1	54	1	12	0	4	43	2	0	2
2002	48	2	21	0	35	1	1	1	15	42	1	0	2
2001	40	7	30	0	15	2	3	1	8	51	3	0	5
2000	34	0	28	0	61	2	3	0	5	75	1	0	3
1999	66	5	50	0	17	1	3	1	17	86	22	0	5
1998	31	0	30	0	15	0	0	0	6	83	3	3	4
1997	39	0	44	0	11	1	2	0	5	52	10	0	2
1996	50	2	31	0	7	0	1	0	9	49	3	2	3
1995	63	11	52	1	3	1	0	1	3	74	2	0	4
1994	70	1	71	0	25	0	0	1	11	72	1	0	1
1993	44	0	61	0	28	0	0	1	7	101	0	2	0
1992	44	0	72	0	0	2	0	1	1	78	1	0	2
1991	58	0	65	0	3	0	0	1	5	49	1	0	3
1990	71	0	86	0	0	0	0	0	0	33	1	1	1

Table 1 - Words and their frequency in all newspapers – part 1 (Source: COCA)

	Insanity	Intellectual disabilities Intellectually disabled	Learning disability	Mental illness Mental disorder	Mentally deranged	Obsessive- compulsive disorder OCD	Post- traumatic stress disorder PTSD	Psycho Psychotic	Psychosis	Retarded	Senility	Schizophreni a Schizophreni c	Tourette syndrom e Tourette' s syndrom
2019	10	0	4	58	8	0	12	6	2	2	0	20	0
2018	15	3	1	76	1	0	24	2	1	4	0	25	0
2017	13	3	0	62	8	0	20	4	2	0	0	11	0
2016	20	2	0	72	5	0	34	7	5	1	0	13	0
2015	61	9	1	102	2	1	43	60	13	1	1	53	1
2014	13	2	1	124	5	4	59	9	4	1	1	27	0
2013	54	6	0	126	1	3	39	19	9	0	0	30	0
2012	21	1	0	26	3	4	40	2	3	2	0	8	0
2011	20	2	2	27	7	14	20	4	3	1	0	10	0
2010	7	1	0	33	7	4	24	4	2	0	0	10	0
2009	10	1	6	34	1	1	15	2	3	0	0	11	1
2008	5	5	5	43	1	2	42	3	2	1	0	9	1
2007	6	0	1	25	7	0	16	2	2	6	0	15	0
2006	7	0	4	24	2	1	4	3	1	3	1	5	3
2005	3	0	2	22	6	0	44	13	7	2	1	11	3
2004	4	0	2	33	4	0	5	8	4	4	0	27	1
2003	6	0	2	30	3	0	5	5	2	32	0	20	1
2002	8	0	0	25	5	1	9	10	1	6	0	16	0
2001	12	0	0	17	8	0	5	7	2	10	1	11	0
2000	7	0	3	15	1	0	4	1	0	11	1	11	0
1999	20	0	2	56	5	0	0	9	3	11	0	15	2
1998	12	0	1	22	3	0	4	1	3	28	0	15	0
1997	14	0	0	30	5	1	3	4	0	25	2	18	0
1996	7	0	5	15	0	0	0	4	3	15	0	9	1
1995	16	0	0	25	8	0	0	14	8	34	1	29	0
1994	24	0	2	16	2	0	0	13	0	26	0	14	1
1993	17	0	2	21	1	0	2	5	1	28	1	15	1
1992	5	0	0	11	1	1	1	7	3	29	2	17	0
1991	18	1	1	13	1	2	6	4	2	20	0	8	0
1990	7	0	1	16	1	0	0	7	5	44	0	6	0

Table 2 - Words and their frequency in all newspapers – part 2 (Source: COCA)

2) Tables exhibiting data of normalized frequency in three chosen newspapers in COCA corpora

	Addict Addiction	ADHD, attention- deficit, Hyperacti- vity disorder	Alcoholism alcoholic	Asperger's Asperger's syndrome	Autism Autism spectrum disorder Autistic	Behavioral health	Bipolar disorder	Catonia Catatonic	Dementia	Depression	Developmental disabilities, Developmental disability	Dissociative identity disorder multiple personality disorder
2019	7,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,8	7,8	0,0	0,0
2018	18,3	0,0	0,0	0,0	9,1	4,6	0,0	0,0	0,0	27,4	0,0	0,0
2017	19,5	0,0	0,0	0,0	4,9	0,0	0,0	0,0	0,0	9,8	0,0	0,0
2016	6,3	0,0	0,0	0,0	0,0	0,0	6,3	0,0	6,3	94,2	6,3	0,0
2015	49,8	0,0	4,7	0,0	9,5	0,0	0,0	0,0	7,1	35,6	0,0	0,0
2014	4,7	0,0	9,4	0,0	4,7	2,3	16,4	0,0	7,0	37,5	4,7	0,0
2013	7,1	2,4	7,1	2,4	7,1	2,4	2,4	0,0	2,4	14,1	4,7	0,0
2012	74,3	0,0	20,3	0,0	74,3	13,5	0,0	2,3	2,3	20,3	0,0	0,0
2011	23,2	0,0	13,9	2,3	13,9	4,6	0,0	0,0	13,9	18,5	2,3	0,0
2010	10,2	0,0	2,5	0,0	0,0	0,0	0,0	0,0	10,2	7,6	0,0	0,0
2009	9,1	0,0	11,4	0,0	11,4	0,0	0,0	0,0	0,0	22,8	0,0	0,0
2008	11,5	2,9	0,0	0,0	0,0	0,0	0,0	0,0	2,9	11,5	0,0	0,0
2007	19,0	7,6	3,8	0,0	9,5	0,0	1,9	0,0	0,0	7,6	0,0	0,0
2006	13,1	2,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	15,7	0,0	0,0
2005	16,9	2,8	2,8	0,0	2,8	0,0	0,0	0,0	0,0	11,2	0,0	0,0
2004	14,4	2,9	11,5	0,0	0,0	0,0	0,0	0,0	2,9	25,9	0,0	0,0
2003	3,1	3,1	3,1	0,0	24,8	0,0	12,4	0,0	0,0	21,7	0,0	0,0
2002	21,9	0,0	3,1	0,0	0,0	0,0	0,0	3,1	0,0	21,9	0,0	0,0
2001	17,9	0,0	6,0	0,0	17,9	0,0	0,0	0,0	6,0	3,0	0,0	0,0
2000	5,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,1	17,9	0,0	0,0
1999	37,1	0,0	17,3	0,0	5,0	0,0	2,5	0,0	9,9	32,2	0,0	0,0
1998	36,9	0,0	10,5	0,0	13,2	0,0	0,0	0,0	10,5	26,3	0,0	0,0
1997	2,6	0,0	2,6	0,0	2,6	0,0	0,0	0,0	0,0	13,1	0,0	0,0
1996	26,4	2,9	5,9	0,0	0,0	0,0	0,0	0,0	0,0	14,7	0,0	0,0
1995	8,4	30,8	5,6	0,0	2,8	0,0	0,0	0,0	2,8	16,8	2,8	0,0
1994	23,3	3,3	33,3	0,0	6,7	0,0	0,0	0,0	6,7	23,3	0,0	0,0
1993	14,3	0,0	9,5	0,0	0,0	0,0	0,0	0,0	0,0	28,5	0,0	0,0
1992	4,5	0,0	4,5	0,0	0,0	4,5	0,0	2,2	0,0	11,2	0,0	0,0
1991	11,1	0,0	7,4	0,0	3,7	0,0	0,0	0,0	0,0	5,6	0,0	0,0
1990	9,6	0,0	12,8	0,0	0,0	0,0	0,0	0,0	0,0	9,6	0,0	0,0

Table 3 - normalized frequency in USAToday – part 1 (Source: COCA)

	Dyslexia Dyslexic	Insanity	Intellectual disabilities Intellectually disabled	Learning disability	Mental illness Mental disorder	Mentally deranged	Obsessive- compulsive disorder OCD	Post- traumatic stress disorder PTSD	Psycho Psychotic	Psychosis	Retarded	Senility	Schizophrenia Schizophrenic	Tourette syndrome Tourette's syndrome
2019	0,0	0,0	0,0	0,0	3,9	0,0	0,0	7,8	0,0	0,0	0,0	0,0	0,0	0,0
2018	4,6	0,0	0,0	0,0	4,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2017	0,0	0,0	0,0	0,0	9,8	4,9	0,0	0,0	4,9	0,0	0,0	0,0	0,0	0,0
2016	0,0	0,0	6,3	0,0	18,8	6,3	0,0	44,0	6,3	0,0	0,0	0,0	0,0	0,0
2015	0,0	0,0	2,4	0,0	7,1	0,0	0,0	11,9	2,4	0,0	0,0	0,0	0,0	0,0
2014	4,7	0,0	0,0	0,0	98,5	0,0	0,0	0,0	9,4	2,3	0,0	0,0	16,4	0,0
2013	0,0	0,0	0,0	0,0	40,0	0,0	2,4	7,1	4,7	2,4	0,0	0,0	4,7	0,0
2012	0,0	0,0	0,0	0,0	4,5	2,3	2,3	18,0	0,0	0,0	0,0	0,0	0,0	0,0
2011	0,0	2,3	0,0	0,0	2,3	0,0	4,6	11,6	2,3	2,3	0,0	0,0	0,0	0,0
2010	0,0	5,1	0,0	0,0	0,0	0,0	0,0	2,5	0,0	0,0	0,0	0,0	0,0	0,0
2009	0,0	0,0	0,0	0,0	0,0	0,0	0,0	9,1	0,0	0,0	0,0	0,0	0,0	0,0
2008	2,9	2,9	0,0	0,0	0,0	0,0	0,0	20,2	0,0	0,0	0,0	0,0	2,9	0,0
2007	1,9	3,8	0,0	0,0	1,9	0,0	0,0	1,9	0,0	0,0	0,0	0,0	7,6	0,0
2006	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2005	5,6	2,8	0,0	5,6	2,8	0,0	0,0	8,4	0,0	0,0	0,0	0,0	0,0	0,0
2004	0,0	11,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	0,0	0,0	0,0	8,6
2003	0,0	0,0	0,0	0,0	3,1	0,0	0,0	3,1	0,0	0,0	0,0	0,0	6,2	0,0
2002	0,0	6,3	0,0	0,0	6,3	3,1	3,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2001	6,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,0	0,0
2000	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1999	0,0	2,5	0,0	0,0	24,8	2,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1998	0,0	2,6	0,0	0,0	5,3	2,6	0,0	0,0	0,0	0,0	0,0	0,0	13,2	0,0
1997	0,0	0,0	0,0	0,0	0,0	2,6	0,0	5,2	5,2	0,0	0,0	5,2	0,0	0,0
1996	0,0	0,0	0,0	0,0	2,9	0,0	0,0	0,0	5,9	0,0	0,0	0,0	0,0	0,0
1995	0,0	5,6	0,0	0,0	0,0	2,8	0,0	0,0	2,8	0,0	0,0	0,0	5,6	0,0
1994	0,0	6,7	0,0	0,0	6,7	0,0	0,0	0,0	3,3	0,0	0,0	0,0	3,3	0,0
1993	0,0	4,8	0,0	0,0	11,9	0,0	0,0	2,4	2,4	0,0	0,0	0,0	7,1	0,0
1992	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,5	0,0	0,0	2,2	4,5	0,0
1991	0,0	1,9	0,0	0,0	0,0	0,0	0,0	1,9	1,9	0,0	0,0	0,0	1,9	0,0
1990	0,0	0,0	0,0	0,0	0,0	1,6	0,0	0,0	1,6	0,0	1,6	1,6	1,6	0,0

Table 4 - normalized frequency in USAToday – part 2 (Source: COCA)

	Addict Addiction	ADHD, attention- deficit, Hyperacti- vity disorder	Alcoholism alcoholic	Asperger's Asperger's syndrome	Autism Autism spectrum disorder Autistic	Behavioral health	Bipolar disorder	Catatonia Catatonic	Dementia	Depression	Developmental disabilities, Developmental disability	Dissociative identity disorder multiple personality disorder
2019	23,5	0,0	3,9	0,0	0,0	0,0	0,0	0,0	0,0	23,5	0,0	0,0
2018	4,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,4	0,0	0,0
2017	22,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	13,7	4,6	0,0
2016	6,2	0,0	12,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,2	0,0
2015	21,4	0,0	2,7	0,0	18,8	0,0	0,0	0,0	42,9	265,3	0,0	0,0
2014	10,0	0,0	2,5	0,0	32,6	10,0	0,0	0,0	10,0	7,5	5,0	0,0
2013	12,8	2,6	2,6	2,6	7,7	0,0	2,6	0,0	40,9	46,0	0,0	7,7
2012	2,4	4,9	0,0	0,0	4,9	2,4	0,0	0,0	14,6	19,5	0,0	17,1
2011	15,2	78,5	10,1	0,0	7,6	0,0	0,0	0,0	5,1	2,5	5,1	0,0
2010	11,9	0,0	9,5	0,0	7,1	0,0	0,0	0,0	2,4	19,0	0,0	4,8
2009	7,4	2,5	4,9	0,0	19,7	0,0	2,5	0,0	19,7	4,9	0,0	4,9
2008	17,0	9,7	7,3	9,7	31,6	2,4	0,0	0,0	0,0	31,6	0,0	0,0
2007	14,4	4,8	4,8	0,0	14,4	0,0	4,8	0,0	9,6	38,3	0,0	4,8
2006	5,2	2,6	7,8	0,0	5,2	0,0	0,0	0,0	2,6	10,4	0,0	0,0
2005	0,0	2,4	12,1	0,0	0,0	2,4	4,8	0,0	2,4	31,5	2,4	0,0
2004	2,4	0,0	12,1	0,0	0,0	0,0	0,0	0,0	4,8	14,5	0,0	0,0
2003	7,5	0,0	7,5	0,0	0,0	0,0	0,0	0,0	0,0	2,5	5,0	0,0
2002	0,0	2,6	0,0	0,0	0,0	2,6	0,0	0,0	0,0	5,2	0,0	0,0
2001	7,7	2,6	0,0	0,0	0,0	0,0	0,0	0,0	2,6	10,2	0,0	0,0
2000	0,0	0,0	14,8	0,0	135,8	2,5	0,0	0,0	0,0	19,7	0,0	0,0
1999	8,6	0,0	21,5	0,0	0,0	0,0	0,0	0,0	0,0	8,6	2,1	12,9
1998	0,0	0,0	4,4	0,0	2,2	0,0	0,0	0,0	0,0	19,6	0,0	0,0
1997	11,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	11,1	2,2	0,0
1996	10,8	0,0	4,3	0,0	2,2	0,0	0,0	0,0	0,0	8,6	0,0	0,0
1995	4,1	0,0	18,3	0,0	0,0	0,0	0,0	0,0	0,0	4,1	2,0	0,0
1994	13,2	0,0	11,7	0,0	7,3	0,0	0,0	0,0	11,7	24,9	0,0	0,0
1993	10,4	0,0	28,4	0,0	0,0	0,0	0,0	0,0	1,5	50,7	0,0	0,0
1992	4,7	0,0	28,1	0,0	0,0	0,0	0,0	0,0	0,0	48,3	0,0	0,0
1991	19,6	0,0	34,8	0,0	0,0	0,0	0,0	0,0	4,5	16,6	0,0	0,0
1990	24,9	0,0	44,7	0,0	0,0	0,0	0,0	0,0	0,0	9,9	0,0	0,0

Table 5 - normalized frequency in Washington Post – part 1 (Source: COCA)

	Dyslexia Dyslexic	Insanity	Intellectual disabilities Intellectually disabled	Learning disability	Mental illness Mental disorder	Mentally deranged	Obsessive- compulsive disorder OCD	Post- traumatic stress disorder PTSD	Psycho Psychotic	Psychosis	Retarded	Senility	Schizophrenia Schizophrenic	Tourette syndrome Tourette's syndrome
2019	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,9	0,0	0,0	0,0	0,0	0,0
2018	0,0	0,0	4,4	0,0	0,0	13,3	0,0	22,2	0,0	0,0	0,0	0,0	4,4	0,0
2017	4,6	0,0	0,0	0,0	0,0	22,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2016	0,0	0,0	6,2	0,0	0,0	0,0	0,0	6,2	0,0	0,0	0,0	0,0	0,0	0,0
2015	0,0	2,7	2,7	0,0	0,0	16,1	0,0	2,7	2,7	0,0	0,0	0,0	0,0	0,0
2014	0,0	0,0	5,0	0,0	0,0	32,6	0,0	0,0	0,0	0,0	0,0	0,0	2,5	0,0
2013	0,0	0,0	2,6	2,6	0,0	33,3	0,0	0,0	2,6	7,7	0,0	0,0	12,8	0,0
2012	4,9	0,0	0,0	2,4	0,0	9,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2011	0,0	0,0	7,6	2,5	5,1	5,1	17,7	0,0	2,5	0,0	0,0	0,0	5,1	0,0
2010	0,0	0,0	2,4	0,0	0,0	16,6	9,5	2,4	0,0	0,0	0,0	0,0	0,0	0,0
2009	2,5	2,5	0,0	2,5	0,0	22,1	0,0	2,5	0,0	2,5	0,0	0,0	2,5	0,0
2008	0,0	0,0	0,0	12,2	12,2	60,8	0,0	2,4	2,4	0,0	0,0	0,0	9,7	0,0
2007	0,0	0,0	0,0	0,0	0,0	19,2	0,0	28,8	0,0	0,0	0,0	0,0	0,0	0,0
2006	0,0	0,0	0,0	0,0	0,0	2,6	0,0	0,0	0,0	0,0	2,6	0,0	0,0	0,0
2005	0,0	2,4	2,4	0,0	0,0	12,1	0,0	0,0	7,3	0,0	0,0	0,0	12,1	0,0
2004	0,0	2,4	0,0	0,0	2,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,4	0,0
2003	0,0	0,0	5,0	0,0	0,0	5,0	0,0	0,0	2,5	0,0	0,0	0,0	10,0	0,0
2002	0,0	2,6	0,0	0,0	0,0	5,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2001	0,0	0,0	2,6	0,0	0,0	2,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2000	0,0	0,0	0,0	0,0	0,0	2,5	0,0	2,5	0,0	0,0	2,5	0,0	9,9	0,0
1999	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	10,7	0,0	2,1	0,0
1998	0,0	2,2	2,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	0,0	4,4	0,0
1997	0,0	0,0	15,5	0,0	0,0	4,4	0,0	0,0	0,0	0,0	0,0	0,0	8,9	0,0
1996	4,3	0,0	2,2	0,0	4,3	2,2	0,0	0,2	2,2	2,2	0,0	0,0	0,0	0,0
1995	0,0	2,0	2,0	0,0	0,0	10,2	0,0	0,0	0,0	0,0	6,1	0,0	0,0	0,0
1994	0,0	1,5	2,9	0,0	0,0	1,5	0,0	0,0	0,0	0,0	8,8	0,0	4,4	1,5
1993	0,0	0,0	9,0	0,0	1,5	4,5	0,0	0,0	1,5	0,0	4,5	0,0	3,0	0,0
1992	0,0	0,0	0,0	0,0	0,0	4,7	0,0	0,0	0,0	1,6	9,4	0,0	6,2	0,0
1991	0,0	4,5	10,6	0,0	1,5	4,5	0,0	1,5	0,0	0,0	12,1	0,0	1,5	0,0
1990	0,0	0,0	2,5	0,0	0,0	7,5	1,2	0,0	0,0	3,7	11,2	0,0	2,5	0,0

Table 6 - normalized frequency in Washington Post – part 2 (Source: COCA)

	Addict Addiction	ADHD, attention- deficit, Hyperacti vity disorder	Alcoholism alcoholic	Asperger's Asperger's syndrome	Autism Autism spectrum disorder Autistic	Behavioral health	Bipolar disorder	Catatonia Catatonic	Dementia	Depression	Developmental disabilities, Developmental disability	Dissociative identity disorder multiple personality disorder
2019	50,4	0,0	7,2	0,0	7,2	0,0	0,0	0,0	3,6	25,2	0,0	0,0
2018	24,8	0,0	3,5	0,0	3,5	0,0	0,0	0,0	0,0	31,9	0,0	0,0
2017	4,8	0,0	9,5	0,0	9,5	9,5	0,0	0,0	9,5	4,8	0,0	0,0
2016	6,5	0,0	0,0	0,0	6,5	0,0	0,0	0,0	19,4	38,7	0,0	0,0
2015	9,5	0,0	9,5	0,0	2,4	2,4	0,0	0,0	0,0	19,1	2,4	0,0
2014	16,6	2,4	7,1	0,0	4,7	2,4	4,7	0,0	4,7	16,6	0,0	0,0
2013	23,5	2,4	11,8	0,0	0,0	0,0	0,0	0,0	9,4	14,1	0,0	0,0
2012	8,9	0,0	13,3	4,4	6,7	0,0	2,2	0,0	6,7	11,1	0,0	0,0
2011	20,1	0,0	4,5	0,0	13,4	0,0	0,0	0,0	8,9	35,8	8,9	0,0
2010	15,2	0,0	4,4	0,0	2,2	0,0	0,0	0,0	0,0	19,6	0,0	0,0
2009	14,3	0,0	19,1	0,0	40,6	0,0	4,8	0,0	0,0	31,1	0,0	0,0
2008	9,5	0,0	7,1	0,0	4,7	0,0	0,0	0,0	0,0	4,7	0,0	0,0
2007	9,7	0,0	21,3	0,0	87,1	0,0	5,8	0,0	1,9	42,6	3,9	0,0
2006	18,2	2,0	6,1	0,0	0,0	0,0	6,1	0,0	6,1	30,4	0,0	0,0
2005	12,7	0,0	2,1	0,0	0,0	0,0	8,5	0,0	6,3	6,3	0,0	0,0
2004	12,1	0,0	6,1	0,0	0,0	0,0	0,0	0,0	0,0	8,1	0,0	0,0
2003	26,2	0,0	0,0	0,0	6,1	0,0	2,0	0,0	2,0	8,1	0,0	0,0
2002	10,5	0,0	0,0	0,0	6,1	0,0	2,0	0,0	2,0	8,1	0,0	0,0
2001	17,7	0,0	13,7	0,0	0,0	0,0	0,0	0,0	0,0	15,7	0,0	0,0
2000	23,8	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	19,9	0,0	0,0
1999	18,0	0,0	6,0	0,0	0,0	0,0	0,0	0,0	6,0	24,0	0,0	0,0
1998	2,0	0,0	2,0	0,0	0,0	0,0	0,0	0,0	0,0	21,7	0,0	0,0
1997	11,8	0,0	3,9	0,0	0,0	0,0	0,0	0,0	3,9	5,9	0,0	0,0
1996	2,0	0,0	4,0	0,0	0,0	0,0	0,0	0,0	0,0	6,0	0,0	0,0
1995	27,6	0,0	11,8	0,0	0,0	0,0	0,0	0,0	0,0	35,5	0,0	0,0
1994	22,5	0,0	16,4	0,0	28,6	0,0	0,0	0,0	0,0	30,7	2,0	0,0
1993	9,4	0,0	7,5	0,0	0,0	0,0	0,0	1,9	1,9	18,7	0,0	0,0
1992	9,9	0,0	29,6	0,0	0,0	0,0	0,0	0,0	0,0	9,9	0,0	0,0
1991	14,7	0,0	16,4	0,0	0,0	0,0	0,0	1,6	0,0	6,6	0,0	0,0
1990	18,9	0,0	13,7	0,0	0,0	0,0	0,0	0,0	0,0	10,3	0,0	0,0

Table 8 - normalized frequency in New York Times – part 1 (Source: COCA)

	Dyslexia Dyslexic	Insanity	Intellectual disabilities Intellectually disabled	Learning disability	Mental illness Mental disorder	Mentally deranged	Obsessive- compulsive disorder OCD	Post- traumatic stress disorder PTSD	Psycho Psychotic	Psychosis	Retarded	Senility	Schizophrenia Schizophrenic	Tourette syndrome Tourette's syndrome
2019	0,0	0,0	0,0	0,0	10,8	3,6	0,0	0,0	0,0	0,0	7,2	0,0	3,6	0,0
2018	0,0	3,5	0,0	0,0	3,5	0,0	0,0	3,5	3,5	0,0	0,0	0,0	0,0	0,0
2017	0,0	0,0	0,0	0,0	23,8	9,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
2016	0,0	0,0	0,0	0,0	25,8	0,0	0,0	45,2	12,9	6,5	0,0	0,0	0,0	0,0
2015	0,0	2,4	4,8	2,4	7,1	4,8	0,0	2,4	0,0	0,0	0,0	2,4	0,0	0,0
2014	0,0	0,0	0,0	0,0	7,1	2,4	2,4	9,5	0,0	2,4	2,4	0,0	9,5	0,0
2013	0,0	25,9	0,0	0,0	11,8	0,0	0,0	2,4	0,0	0,0	0,0	0,0	9,4	0,0
2012	2,2	2,2	0,0	0,0	4,4	0,0	0,0	2,2	0,0	4,4	2,2	0,0	4,4	0,0
2011	0,0	4,5	0,0	0,0	2,2	0,0	0,0	8,9	0,0	0,0	0,0	0,0	2,2	0,0
2010	0,0	0,0	0,0	0,0	2,2	2,2	0,0	2,2	4,4	0,0	0,0	0,0	0,0	0,0
2009	0,0	2,4	0,0	2,4	23,9	0,0	0,0	4,8	0,0	0,0	0,0	0,0	2,4	0,0
2008	0,0	0,0	0,0	0,0	4,7	0,0	2,4	0,0	0,0	2,4	0,0	0,0	4,7	0,0
2007	0,0	3,9	0,0	0,0	5,8	1,9	0,0	0,0	0,0	0,0	0,0	0,0	5,8	0,0
2006	8,1	2,0	0,0	4,1	8,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,0
2005	0,0	2,1	0,0	0,0	2,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,1	0,0
2004	0,0	0,0	0,0	0,0	2,0	0,0	0,0	0,0	0,0	0,0	2,0	0,0	0,0	0,0
2003	2,0	2,0	0,0	0,0	12,1	0,0	0,0	0,0	0,0	2,0	0,0	0,0	2,0	0,0
2002	2,0	2,0	0,0	0,0	12,1	0,0	0,0	0,0	0,0	2,0	0,0	0,0	2,0	0,0
2001	0,0	0,0	0,0	0,0	0,0	2,0	0,0	2,0	0,0	0,0	0,0	0,0	2,0	0,0
2000	0,0	4,0	0,0	0,0	4,0	0,0	0,0	0,0	0,0	0,0	2,0	0,0	4,0	0,0
1999	0,0	0,0	0,0	0,0	36,0	2,0	0,0	0,0	0,0	0,0	6,0	0,0	8,0	0,0
1998	2,0	0,0	0,0	0,0	3,9	0,0	0,0	2,0	0,0	2,0	9,9	0,0	0,0	0,0
1997	2,0	2,0	0,0	0,0	5,9	0,0	0,0	0,0	3,9	0,0	5,9	0,0	3,9	0,0
1996	0,0	0,0	0,0	4,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,0
1995	0,0	7,9	0,0	0,0	13,8	2,0	0,0	0,0	3,9	2,0	35,5	0,0	35,5	0,0
1994	0,0	0,0	0,0	0,0	14,3	2,0	0,0	0,0	2,0	0,0	6,1	0,0	6,1	0,0
1993	0,0	1,9	0,0	0,0	7,5	0,0	0,0	1,9	0,0	0,0	3,7	1,9	1,9	0,0
1992	2,0	0,0	0,0	0,0	3,9	0,0	0,0	0,0	3,9	2,0	9,9	0,0	0,0	0,0
1991	0,0	9,8	1,6	0,0	4,9	0,0	0,0	1,6	0,0	0,0	1,6	0,0	3,3	0,0
1990	0,0	3,4	0,0	0,0	3,4	0,0	0,0	0,0	0,0	0,0	36,0	0,0	3,4	0,0

Table 7 - normalized frequency in New York Times – part 2 (Source: COCA)