

6 Seznam literatury

Abulhasan, J. F., & Grey, M. J. (2017). Anatomy and physiology of knee stability. *Journal of Functional Morphology and Kinesiology*, 2(4), 34. <https://doi.org/10.3390/jfmk2040034>

Adie, S., Naylor, J. M., & Harris, I. A. (2010). Cryotherapy after total knee arthroplasty: A systematic review and meta-analysis of randomized controlled trials. *Journal of Arthroplasty*, 709-715. <https://doi.org/10.1016/j.arth.2009.07.010>

Agarwala, S., Jadia, C., & Vijayvargiya, M. (2020). Is obesity a contra-indication for a successful total knee arthroplasty? *Journal of Clinical Orthopaedics and Trauma*, 11(1), 136-139. <https://doi.org/10.1016/j.jcot.2018.08.004>

Bade, M. J., Christensen, J. C., Zeni, J. A. Jr., Christiansen, C. L., Dayton, M. R., Forster, J. E., Cheuy, V. A., & Stevens-Lapsley, J. E. (2020). Movement pattern biofeedback training after total knee arthroplasty: Randomized clinical trial protocol. *Contemporary Clinical Trials*, 91. <https://doi.org/10.1016/j.cct.2020.105973>

Batailler, C., Swan, J., Sappey Marinier, E., Servien, E., & Lustig, S. (2021). New technologies in knee arthroplasty: Current concepts. *Journal of Clinical Medicine*, 10(1), 47. <https://doi.org/10.3390/jcm10010047>

Castrodad, C. M., Recai, T. M., Abraham, M. M., Etcheson, J. I., Mohamed, N. S., Edalatpour, A., & Delanois, R. E. (2019). Rehabilitation protocols following total knee arthroplasty: A review of study designs and outcome measures. *Annals of Translational Medicine*, 7(7). <https://doi.org/10.21037/atm.2019.08.15>

Chen, K., Dai, X., Li, L., Chen, Z., Cui, H., & Lv, S. (2021). Patellar resurfacing versus nonresurfacing in total knee arthroplasty: An updated meta-analysis of randomized controlled trials. *Journal of Orthopaedic Surgery and Research*, 16, 83. <https://doi.org/10.1186/s13018-020-02185-5>

Chen, L., Ye, L., Liu, H., Yang, P., & Yang, B. (2020). Extracorporeal shock wave therapy for the treatment of osteoarthritis: A systematic review and meta-analysis. *Biomed Research International*. <https://doi.org/10.1155/2020/1907821>

Čapek, L., Hájek, P., Henyš, P. et al. (2018). *Biomechanika člověka*. Grada.

Černý, J., & Novotný, T. (2022). Totální endoprotéza kolenního kloubu – aktuální trendy a role praktického lékaře v perioperační péči. *Medical Tribune*. <https://www.tribune.cz/archiv/totalni-endoproteza-kolenniho-kloubu-aktualni-trendy-a-role-praktickeho-lekare-v-perioperacni-peci/>

Čihák, R. (2011). *Anatomie 1. Třetí, upravené a doplněné vydání*. Grada.

Domínguez-Navarro, F., Igual-Camacho, C., & Silvestre-Muñoz, A. (2018). Effects of balance and proprioceptive training on total hip and knee replacement rehabilitation: A systematic review and meta-analysis. *Gait & Posture*, 62. <https://doi.org/10.1016/j.gaitpost.2018.03.003>

Donec, V. (2014). The effectiveness of Kinesio Taping® after total knee replacement in early postoperative rehabilitation period. A randomized controlled trial. *European Journal of Physical and Rehabilitation Medicine*, 50(4), 363-371. <https://pubmed.ncbi.nlm.nih.gov/24819349/>

Dousa, P. (2021). *Vybrané Kapitoly Z Ortopedie a Traumatologie Pro Studenty Medicíny*. Karolinum Press.

Dungl, P. (2014). *Ortopedie 2. přepracované a doplněné vydání*. Grada.

Dylevský, I. (2009). *Funkční anatomie*. Grada.

Ferrer-Peña, R., Cuenca-Martínez, F., & Romero-Palau, M. (2021). Effects of motor imagery on strength, range of motion, physical function, and pain intensity in patients with total knee arthroplasty: A systematic review and meta-analysis. *Brazilian Journal of Physical Therapy*, 698-708. <https://doi.org/10.1016/j.bjpt.2021.11.001>

Frigo, C. A., & Donno, L. (2021). The effects of external loads and muscle forces on the knee joint ligaments during walking: A musculoskeletal model study. *Applied Sciences*, 11(5), 2356. <https://doi.org/10.3390/app11052356>

Gao, J., Xing, D., Dong, S., et al. (2020). The primary total knee arthroplasty: A global analysis. *Journal of Orthopaedic Surgery and Research*, 15(190). <https://doi.org/10.1186/s13018-020-01707-5>

Gazendam, A., Zhu, M., & Chang, Y. (2022). Virtual reality rehabilitation following total knee arthroplasty: A systematic review and meta-analysis of randomized controlled trials. *Knee Surgery, Sports Traumatology, Arthroscopy*, 30, 2548–2555. <https://doi.org/10.1007/s00167-022-06910-x>

Giorgino, R., Albano, D., & Susco, S. (2023). Knee osteoarthritis: Epidemiology, pathogenesis, and mesenchymal stem cells: What else is new? An update. *International Journal of Molecular Sciences*, 24(7), 6405. <https://doi.org/10.3390/ijms24076405>

Goh, S.-L., Persson, M. S. M., Stocks, J., Hou, Y., Lin, J., Hall, M. C., Doherty, M., & Zhang, W. (2019). Efficacy and potential determinants of exercise therapy in knee and hip osteoarthritis: A systematic review and meta-analysis. *Annals of Physical and Rehabilitation Medicine*, 62(5), 356–365. <https://doi.org/10.1016/j.rehab.2019.04.006>

Gränicher, P., Mulder, L., & Lennsen, T. (2022). Prehabilitation improves knee functioning before and within the first year after total knee arthroplasty: A systematic review with meta-analysis. *Journal of Orthopaedic & Sports Physical Therapy*, 52(11), 709-725. <https://doi.org/10.2519/jospt.2022.11160>

Gupton, M., Imonugo, O., Black, A. C., Launico, M. V., & Terreberry, R. R. (2023). Anatomy, Bony Pelvis and Lower Limb, Knee. *StatPearls Publishing*. <https://www.ncbi.nlm.nih.gov/books/NBK500017>

Hall, M., van der Esch, M., Hinman, R. S., Peat, G., de Zwart, A., Quicke, J. G., Runhaar, J., Knoop, J., van der Leeden, M., de Rooij, M., Meulenbelt, I., Vliet Vlieland, T., Lems, W. F., Holden, M. A., Foster, N. E., & Bennell, K. L. (2022). How does hip osteoarthritis differ from knee osteoarthritis? *Osteoarthritis and Cartilage*, 30(1), 32-41.

<https://doi.org/10.1016/j.joca.2021.09.010>

Hirschmann, M. T., & Müller, W. (2015). Complex function of the knee joint: the current understanding of the knee. *Knee Surgery, Sports Traumatology, Arthroscopy*, 23, 2780–2788. <https://link.springer.com/article/10.1007/s00167-015-3619-3>

Hudák, R., Kachlík, D., & Beňová, B. (2015). *Memorix anatomie* (3. vydání). Triton.

Hutchison, L., Grayson, J., Hiller, C., D'Souza, N., Kobayashi, S., & Simic, M. (2022). Relationship Between Knee Biomechanics and Pain in People With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. *American College of Rheumatology*, 75(6), 1351-1361. <https://doi.org/10.1002/acr.25001>

Jebavá, Z. (1994). *Míčkování* ([1. vyd.]). Adonis.

Jiang, C., Lou, J., & Qiang, W. W. (2017). Impact of flexion versus extension of knee position on outcomes after total knee arthroplasty: A meta-analysis. *Archives of Orthopaedic and Trauma Surgery*, 137, 257–265. <https://doi.org/10.1007/s00402-016-2613-7>

Kim, T. W., & Kim, S. H. (2023). Effectiveness of patient education on total knee arthroplasty: A systematic review and meta-analysis. *Journal of Clinical Nursing*, 32(11-12), 2383-2398. <https://doi.org/10.1111/jocn.16324>

Kolář, P. (2020). *Rehabilitace v klinické praxi* (druhé vydání). Galen.

Lai, Y.-F., Lin, P.-C., Chen, C.-H., & Chen, J.-L. (2019). Current status and changes in pain and activities of daily living in elderly patients with osteoarthritis before and after unilateral total knee replacement surgery. *Journal of Clinical Medicine*, 8(2), 221. <https://doi.org/10.3390/jcm8020221>

Lee, S. H., Kim, D. H., & Lee, Y. S. (2020). Is there an optimal age for total knee arthroplasty? A systematic review. *Knee Surgery & Related Research*, 60. <https://doi.org/10.1186/s43019-020-00080-1>

Lespasio, M. J., Piuzzi, N. S., & Husni, M. E. (2017). Knee osteoarthritis: A primer. *The Permanente Journal*, 21(4). <https://doi.org/10.7812/TPP/16-183>

Lewis, G. N., Rice, D. A., & McNair, P. J. (2015). Predictors of persistent pain after total knee arthroplasty: A systematic review and meta-analysis. *British Journal of Anaesthesia*, 114(4), 551-561. <https://doi.org/10.1093/bja/aeu441>

Lewit, K. (2003). *Manipulační léčba v myoskeletální medicíně* (5. přepracované vydání). Sdělovací technika.

Lim, W. B., & Al-Dadah, O. (2022). Conservative treatment of knee osteoarthritis: A review of the literature. *World Journal of Orthopedics*, 13(3), 212–229. <https://doi.org/10.5312/wjo.v13.i3.212>

Ma, J., Chen, X., Xin, J., Niu, X., Liu, Z., & Zhao, Q. (2022). Overall treatment effects of aquatic physical therapy in knee osteoarthritis: A systematic review and meta-analysis. *Journal of Orthopaedic Surgery and Research*, 17, 190. <https://doi.org/10.1186/s13018-022-03069-6>

Madsen, M., Larsen, K., Madsen, I. K., Søe, H., & Hansen, T. B. (2013). Late group-based rehabilitation has no advantages compared with supervised home-exercises after total knee arthroplasty. *Danish Medical Journal*, 60(4), A4607. <https://pubmed.ncbi.nlm.nih.gov/23651717/>

Maron, C., Jendre, A., & Haworth, J. (2024). Acute Knee Crutch Use Provokes Changes to Postural Strategy. *Sage Journals*. <https://doi.org/10.1177/0031512524124639>

More, S., Kotiya, A., Kotia, A., Ghosh, S. K., Spyrou, L. A., & Sarris, I. E. (2020). Rheological properties of synovial fluid due to viscosupplements: A review for osteoarthritis remedy. *Computer Methods and Programs in Biomedicine*, 196.

<https://doi.org/10.1016/j.cmpb.2020.105644>

Özden, F., & Sari, Z. (2023). The effect of mobile application-based rehabilitation in patients with total knee arthroplasty: A systematic review and meta-analysis. *Archives of Gerontology and Geriatrics*, 113. <https://doi.org/10.1016/j.archger.2023.105058>

Peng, G., Liu, M., Guan, Z., Hou, Y., Liu, Q., Sun, X., Zhu, X., Feng, W., Zeng, J., Zhong, Z., & Zeng, Y. (2021). Patellofemoral arthroplasty versus total knee arthroplasty for isolated patellofemoral osteoarthritis: A systematic review and meta-analysis. *Journal of Orthopaedic Surgery and Research*, 16, 264. <https://doi.org/10.1186/s13018-021-02414-5>

Peña, E., Calvo, B., Martínez, M. A., & Doblaré, M. (2006). A three-dimensional finite element analysis of the combined behavior of ligaments and menisci in the healthy human knee joint. *Journal of Biomechanics*, 39(9), 1686-1701. <https://doi.org/10.1016/j.jbiomech.2005.05.015>

Poděbradský, J., & Poděbradská, R. *Fyzikální terapie Manuál a algoritmy*. Grada.

Primorac, D., Molnar, V., Matišić, V., Hudetz, D., Jeleč, Ž., & Rod, E. (2021). Comprehensive review of knee osteoarthritis pharmacological treatment and the latest professional societies' guidelines. *Pharmaceuticals*, 14(3), 205. <https://doi.org/10.3390/ph14030205>

Qin, L., You, D., Zhao, G., Li, L., & Zhao, S. (2021). A comparison of analgesic techniques for total knee arthroplasty: A network meta-analysis. *Journal of Clinical Anesthesia*, 71. <https://doi.org/10.1016/j.jclinane.2021.110257>

Raoulis, V., Fyllos, A., Chytas, D., Mitrousias, V., & Zibis, A. (2022). Anterior and posterior cruciate ligaments mechanoreceptors: A review of basic science. *Diagnostics*, 12(2), 331. <https://doi.org/10.3390/diagnostics12020331>

Runge, N., Aina, A., & May, S. (2022). The benefits of adding manual therapy to exercise therapy for improving pain and function in patients with knee or hip osteoarthritis: A systematic review with meta-analysis. *Journal of Orthopaedic & Sports Physical Therapy*, 52(10), 675-A13. <https://doi.org/10.2519/jospt.2022.11062>

Sharma, L. (2021). Osteoarthritis of the knee. *The New England Journal of Medicine*, 384(1), 51-59. <https://doi.org/10.1056/NEJMcp1903768>

Schwabe, M. T., & Hannon, C. P. (2022). The Evolution, Current Indications and Outcomes of Cementless Total Knee Arthroplasty. *Journal of Clinical Medicine*, 11(22), 6608. <https://doi.org/10.3390/jcm11226608>

Skou, S. T., Ross, E. M., & Laursen, M. B. (2015). A randomized, controlled trial of total knee replacement. *The New England Journal of Medicine*, 373, 1597-1606. <https://doi.org/10.1056/NEJMoa1505467>

Stevens-Lapsley, J. E., Balter, J. E., Wolfe, P., Eckhoff, D. G., & Kohrt, W. M. (2012). Early neuromuscular electrical stimulation to improve quadriceps muscle strength after total knee arthroplasty: A randomized controlled trial. *Physical Therapy & Rehabilitation Journal*, 92(2), 210. <https://doi.org/10.2522/ptj.20110124>

Su, S., He, J., & Wang, R. (2024). The effectiveness of virtual reality, augmented reality, and mixed reality rehabilitation in total knee arthroplasty: A systematic review and meta-analysis. *Journal of Arthroplasty*, 39(3), 582-590.e4. <https://doi.org/10.1016/j.arth.2023.08.051>

Su, W., Zhou, Y., & Qui, H. (2022). The effects of preoperative rehabilitation on pain and functional outcome after total knee arthroplasty: A meta-analysis of randomized controlled trials. *Journal of Orthopaedic Surgery and Research*, 175. <https://doi.org/10.1186/s13018-022-03066-9>

Tanaka, R., Hayashizaki, T., Taniguchi, R., Kobayashi, J., & Umehara, T. (2020). Effect of an intensive functional rehabilitation program on the recovery of activities of daily living after total knee arthroplasty: A multicenter, randomized, controlled trial. *Journal of Orthopaedic Science*, 25, 285-290. <https://doi.org/10.1016/j.jos.2019.04.009>

Yang, X., Li, G.-H., & Wang, H.-J. (2019). Continuous passive motion after total knee arthroplasty: A systematic review and meta-analysis of associated effects on clinical outcomes. *Physical Medicine and Rehabilitation*, 100(9), 1763-1778. <https://doi.org/10.1016/j.apmr.2019.02.001>

Zhang, L., Liu, G., Han, B., Wang, Z., Yan, Y., Ma, J., & Wei, P. (2020). Knee joint biomechanics in physiological conditions and how pathologies can affect it: A systematic review. *Applied Bionics and Biomechanics*, Article ID 7451683. <https://doi.org/10.1155/2020/7451683>