

SEZNAM LITERATURY A ZDROJŮ

- Adamiak, S. J., Mackie, K., Watt, R. G., Webb, R., & Sinclair, K. D. (2005). Impact of Nutrition on Oocyte Quality: Cumulative Effects of Body Composition and Diet Leading to Hyperinsulinemia in Cattle1. *Biology of Reproduction*, 73(5), 918–926. <https://doi.org/10.1095/biolreprod.105.041483>
- Akhter, N., Johnson, B. W., Crane, C., Iruthayananathan, M., Zhou, Y.-H., Kudo, A., & Childs, G. V. (2007). Anterior Pituitary Leptin Expression Changes in Different Reproductive States: In Vitro Stimulation by Gonadotropin-releasing Hormone. *Journal of Histochemistry & Cytochemistry*, 55(2), 151–166. <https://doi.org/10.1369/jhc.6A7072.2006>
- Alonso-Magdalena, P., Ropero, A. B., Carrera, M. P., Cederroth, C. R., Baquié, M., Gauthier, B. R., Nef, S., Stefani, E., & Nadal, A. (2008). Pancreatic Insulin Content Regulation by the Estrogen Receptor ER α . *PLOS ONE*, 3(4), e2069. <https://doi.org/10.1371/journal.pone.0002069>
- Anjali, G., Kaur, S., Lakra, R., Taneja, J., Kalsey, G. S., Nagendra, A., Shrivastav, T. G., Gouri Devi, M., Malhotra, N., Kriplani, A., & Singh, R. (2015). FSH stimulates IRS-2 expression in human granulosa cells through cAMP/SP1, an inoperative FSH action in PCOS patients. *Cellular Signalling*, 27(12), 2452–2466. <https://doi.org/10.1016/j.cellsig.2015.09.011>
- Apparao, K. B. C., Lovely, L. P., Gui, Y., Lininger, R. A., & Lessey, B. A. (2002). Elevated Endometrial Androgen Receptor Expression in Women with Polycystic Ovarian Syndrome1. *Biology of Reproduction*, 66(2), 297–304. <https://doi.org/10.1095/biolreprod66.2.297>
- Azizian, H., Khaksari, M., Asadikaram, G., Esmailidehaj, M., & Shahrokhi, N. (2021). Progesterone eliminates 17 β -estradiol-Mediated cardioprotection against diabetic cardiovascular dysfunction in ovariectomized rats. *Biomedical Journal*, 44(4), 461–470. <https://doi.org/10.1016/j.bj.2020.03.002>
- Azziz, R., Carmina, E., Dewailly, D., Diamanti-Kandarakis, E., Escobar-Morreale, H. F., Futterweit, W., Janssen, O. E., Legro, R. S., Norman, R. J., Taylor, A. E., Witchel, S. F., & Androgen Excess Society. (2006). Positions statement: Criteria for defining polycystic ovary syndrome as a predominantly hyperandrogenic syndrome: an Androgen Excess Society guideline. *The Journal of Clinical Endocrinology and Metabolism*, 91(11), 4237–4245. <https://doi.org/10.1210/jc.2006-0178>

- Azziz, R., Carmina, E., Chen, Z., Dunaif, A., Laven, J. S. E., Legro, R. S., Lizneva, D., Natterson-Horowitz, B., Teede, H. J., & Yildiz, B. O. (2016). Polycystic ovary syndrome. *Nature Reviews Disease Primers*, 2(1), 1–18. <https://doi.org/10.1038/nrdp.2016.57>
- Bhide, P., & Homburg, R. (2016). Anti-Müllerian hormone and polycystic ovary syndrome. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 37, 38–45. <https://doi.org/10.1016/j.bpobgyn.2016.03.004>
- Billig, H., Furuta, I., & Hsueh, A. J. (1993). Estrogens inhibit and androgens enhance ovarian granulosa cell apoptosis. *Endocrinology*, 133(5), 2204–2212. <https://doi.org/10.1210/endo.133.5.8404672>
- Blank, S. K., McCartney, C. R., Chhabra, S., Helm, K. D., Eagleson, C. A., Chang, R. J., & Marshall, J. C. (2009). Modulation of Gonadotropin-Releasing Hormone Pulse Generator Sensitivity to Progesterone Inhibition in Hyperandrogenic Adolescent Girls—Implications for Regulation of Pubertal Maturation. *The Journal of Clinical Endocrinology and Metabolism*, 94(7), 2360–2366. <https://doi.org/10.1210/jc.2008-2606>
- Blüher, S., & Mantzoros, C. S. (2007). Leptin in reproduction. *Current Opinion in Endocrinology, Diabetes and Obesity*, 14(6), 458. <https://doi.org/10.1097/MED.0b013e3282f1cfdc>
- Burghen, G. A., Givens, J. R., & Kitabchi, A. E. (1980). Correlation of Hyperandrogenism with Hyperinsulinism in Polycystic Ovarian Disease. *The Journal of Clinical Endocrinology & Metabolism*, 50(1), 113–116. <https://doi.org/10.1210/jcem-50-1-113>
- Burt Solorzano, C. M., McCartney, C. R., Blank, S. K., Knudsen, K. L., & Marshall, J. C. (2010). Hyperandrogenemia in adolescent girls: Origins of abnormal GnRH secretion. *Bjog: an international journal of obstetrics and gynaecology*, 117(2), 143–149. <https://doi.org/10.1111/j.1471-0528.2009.02383.x>
- Cade, J. E., & Hanison, J. (2017). The pancreas. *Anaesthesia & Intensive Care Medicine*, 18(10), 527–531. <https://doi.org/10.1016/j.mpac.2017.06.021>
- Care, A. S., Diener, K. R., Jasper, M. J., Brown, H. M., Ingman, W. V., & Robertson, S. A. (2013). Macrophages regulate corpus luteum development during embryo implantation in mice. *The Journal of Clinical Investigation*, 123(8), 3472–3487. <https://doi.org/10.1172/JCI60561>
- Carmina, E., & Lobo, R. A. (2022). Comparing Lean and Obese PCOS in Different PCOS Phenotypes: Evidence That the Body Weight Is More Important than the Rotterdam

Phenotype in Influencing the Metabolic Status. *Diagnostics*, 12(10), 2313. <https://doi.org/10.3390/diagnostics12102313>

Cimino, I., Casoni, F., Liu, X., Messina, A., Parkash, J., Jamin, S. P., Catteau-Jonard, S., Collier, F., Baroncini, M., Dewailly, D., Pigny, P., Prescott, M., Campbell, R., Herbison, A. E., Prevot, V., & Giacobini, P. (2016). Novel role for anti-Müllerian hormone in the regulation of GnRH neuron excitability and hormone secretion. *Nature Communications*, 7(1), 10055. <https://doi.org/10.1038/ncomms10055>

Conkright, M. D., Canettieri, G., Sreaton, R., Guzman, E., Miraglia, L., Hogenesch, J. B., & Montminy, M. (2003). TORCs. *Molecular Cell*, 12(2), 413–423. <https://doi.org/10.1016/j.molcel.2003.08.013>

Cousin, P., Déchaud, H., Grenot, C., Lejeune, H., Hammond, G. L., & Pugeat, M. (1999). Influence of glycosylation on the clearance of recombinant human sex hormone-binding globulin from rabbit blood. *The Journal of Steroid Biochemistry and Molecular Biology*, 70(4), 115–121. [https://doi.org/10.1016/S0960-0760\(99\)00101-6](https://doi.org/10.1016/S0960-0760(99)00101-6)

* De Meyts, P. (2008). The insulin receptor: A prototype for dimeric, allosteric membrane receptors? *Trends in Biochemical Sciences*, 33(8), 376–384. <https://doi.org/10.1016/j.tibs.2008.06.003>

* De Meyts, P., Sajid, W., Palsgaard, J., Theede, A.-M., Gauguin, L., Aladdin, H., & Whittaker, J. (2007). *Insulin and IGF-I Receptor Structure and Binding Mechanism* (A. R. Saltiel & J. E. Pessin, Ed.). https://doi.org/10.1007/978-0-387-72204-7_1

Deswal, R., Yadav, A., & Dang, A. S. (2018). Sex hormone binding globulin - an important biomarker for predicting PCOS risk: A systematic review and meta-analysis. *Systems Biology in Reproductive Medicine*, 64(1), 12–24. <https://doi.org/10.1080/19396368.2017.1410591>

Devoto, L., Fuentes, A., Kohen, P., Céspedes, P., Palomino, A., Pommer, R., Muñoz, A., & Strauss, J. F. (2009). The human corpus luteum: Life cycle and function in natural cycles. *Fertility and Sterility*, 92(3), 1067–1079. <https://doi.org/10.1016/j.fertnstert.2008.07.1745>

Diamanti-Kandarakis, E., Argyrakopoulou, G., Economou, F., Kandaraki, E., & Koutsilieris, M. (2008). Defects in insulin signaling pathways in ovarian steroidogenesis and other tissues in polycystic ovary syndrome (PCOS). *The Journal of Steroid Biochemistry and Molecular Biology*, 109(3), 242–246. <https://doi.org/10.1016/j.jsbmb.2008.03.014>

Diamanti-Kandarakis, E., Argyrakopoulou, G., Economou, F., Kandaraki, E., & Koutsilieris, M. (2008). Defects in insulin signaling pathways in ovarian steroidogenesis and other

- tissues in polycystic ovary syndrome (PCOS). *The Journal of Steroid Biochemistry and Molecular Biology*, 109(3–5), 242–246. <https://doi.org/10.1016/j.jsbmb.2008.03.014>
- Diamanti-Kandarakis, E., Kandarakis, H., & Legro, R. S. (2006). The role of genes and environment in the etiology of PCOS. *Endocrine*, 30(1), 19–26. <https://doi.org/10.1385/ENDO:30:1:19>
- Dieudonné, M. N., Pecquery, R., Boumediene, A., Leneveu, M. C., & Giudicelli, Y. (1998). Androgen receptors in human preadipocytes and adipocytes: Regional specificities and regulation by sex steroids. *American Journal of Physiology-Cell Physiology*, 274(6), C1645–C1652. <https://doi.org/10.1152/ajpcell.1998.274.6.C1645>
- Dimitriadis, G., Mitrou, P., Lambadiari, V., Maratou, E., & Raptis, S. A. (2011). Insulin effects in muscle and adipose tissue. *Diabetes Research and Clinical Practice*, 93, 52–59. [https://doi.org/10.1016/S0168-8227\(11\)70014-6](https://doi.org/10.1016/S0168-8227(11)70014-6)
- Ding, E. L., Song, Y., Manson, J. E., Rifai, N., Buring, J. E., & Liu, S. (2007). Plasma sex steroid hormones and risk of developing type 2 diabetes in women: A prospective study. *Diabetologia*, 50(10), 2076–2084. <https://doi.org/10.1007/s00125-007-0785-y>
- Dunaif, A., Segal, K. R., Shelley, D. R., Green, G., Dobrjansky, A., & Licholai, T. (1992). Evidence for Distinctive and Intrinsic Defects in Insulin Action in Polycystic Ovary Syndrome. *Diabetes*, 41(10), 1257–1266. <https://doi.org/10.2337/diab.41.10.1257>
- Dupont, J., & Scaramuzzi, R. J. (2016). Insulin signalling and glucose transport in the ovary and ovarian function during the ovarian cycle. *Biochemical Journal*, 473(11), 1483–1501. <https://doi.org/10.1042/BCJ20160124>
- Durlinger, A. L. L., Gruijters, M. J. G., Kramer, P., Karel, B., Ingraham, H. A., Nachtigal, M. W., Uilenbroek, J. Th. J., Grootegoed, J. A., & Themmen, A. P. N. (2002). Anti-Müllerian Hormone Inhibits Initiation of Primordial Follicle Growth in the Mouse Ovary. *Endocrinology*, 143(3), 1076–1084. <https://doi.org/10.1210/endo.143.3.8691>
- Durmus, U., Duran, C., & Ecirli, S. (2017). Visceral adiposity index levels in overweight and/or obese, and non-obese patients with polycystic ovary syndrome and its relationship with metabolic and inflammatory parameters. *Journal of Endocrinological Investigation*, 40(5), 487–497. <https://doi.org/10.1007/s40618-016-0582-x>
- Eagleson, C. A., Gingrich, M. B., Pastor, C. L., Arora, T. K., Burt, C. M., Evans, W. S., & Marshall, J. C. (2000). Polycystic Ovarian Syndrome: Evidence that Flutamide Restores Sensitivity of the Gonadotropin-Releasing Hormone Pulse Generator to Inhibition by Estradiol and Progesterone1. *The Journal of Clinical Endocrinology & Metabolism*, 85(11), 4047–4052. <https://doi.org/10.1210/jcem.85.11.6992>

- el-Roeiy, A., Chen, X., Roberts, V. J., LeRoith, D., Roberts, C. T., Jr, & Yen, S. S. (1993). Expression of insulin-like growth factor-I (IGF-I) and IGF-II and the IGF-I, IGF-II, and insulin receptor genes and localization of the gene products in the human ovary. *The Journal of Clinical Endocrinology & Metabolism*, 77(5), 1411–1418.
<https://doi.org/10.1210/jcem.77.5.8077342>
- Erickson, Gregory F.; Magoffin, Denis A.; Garzo, V.Gabriel; Cheung, Anthony P. A Chang, R.Jeffrey. Granulosa cells of polycystic ovaries: are they normal or abnormal? *Human Reproduction*. 1992, 7(3), 1460-2350.
<https://doi.org/10.1093/oxfordjournals.humrep.a137638>.
- Esser, N., Utzschneider, K. M., & Kahn, S. E. (2020). Early beta cell dysfunction vs insulin hypersecretion as the primary event in the pathogenesis of dysglycaemia. *Diabetologia*, 63(10), 2007–2021. <https://doi.org/10.1007/s00125-020-05245-x>
- Franks, S., Mason, H., & Willis, D. (2000). Follicular dynamics in the polycystic ovary syndrome. *Molecular and Cellular Endocrinology*, 163(1), 49–52.
[https://doi.org/10.1016/S0303-7207\(99\)00239-7](https://doi.org/10.1016/S0303-7207(99)00239-7)
- Franks, S., Stark, J., & Hardy, K. (2008). Follicle dynamics and anovulation in polycystic ovary syndrome. *Human Reproduction Update*, 14(4), 367–378.
<https://doi.org/10.1093/humupd/dmn015>
- Frishman, G. N., Luciano, A. A., & Peluso, J. J. (1992). Effect of the ratio of follicle-stimulating hormone to luteinizing hormone on rat granulosa cell proliferation and oestradiol-17 β secretion. *Human Reproduction*, 7(8), 1073–1078.
<https://doi.org/10.1093/oxfordjournals.humrep.a137795>
- Fritzsche, L., Weigert, C., Haring, H.-U., & Lehmann, R. (2008). How Insulin Receptor Substrate Proteins Regulate the Metabolic Capacity of the Liver—Implications for Health and Disease. *Current Medicinal Chemistry*, 15(13), 1316–1329.
<https://doi.org/10.2174/092986708784534956>
- Galic, S., Oakhill, J. S., & Steinberg, G. R. (2010). Adipose tissue as an endocrine organ. *Molecular and Cellular Endocrinology*, 316(2), 129–139.
<https://doi.org/10.1016/j.mce.2009.08.018>
- Gascón, F., Valle, M., Martos, R., Ruz, F. J., Ríos, R., Montilla, P., & Cañete, R. (2000). Sex hormone-binding globulin as a marker for hyperinsulinemia and/or insulin resistance in obese children. *European Journal of Endocrinology*, 143(1), 85–89.
<https://doi.org/10.1530/eje.0.1430085>

- Genazzani, A. D., Santagni, S., Rattighieri, E., Chierchia, E., Despini, G., Marini, G., Prati, A., & Simoncini, T. (2014). Modulatory role of D-chiro-inositol (DCI) on LH and insulin secretion in obese PCOS patients. *Gynecological Endocrinology*, 30(6), 438–443. <https://doi.org/10.3109/09513590.2014.897321>
- Glueck, C. J., & Goldenberg, N. (2019). Characteristics of obesity in polycystic ovary syndrome: Etiology, treatment, and genetics. *Metabolism*, 92, 108–120. <https://doi.org/10.1016/j.metabol.2018.11.002>
- Gonzalez-Robayna, I. J., Falender, A. E., Ochsner, S., Firestone, G. L., & Richards, J. S. (2000). Follicle-Stimulating Hormone (FSH) Stimulates Phosphorylation and Activation of Protein Kinase B (PKB/Akt) and Serum and Glucocorticoid-Induced Kinase (Sgk): Evidence for A Kinase-Independent Signaling by FSH in Granulosa Cells. *Molecular Endocrinology*, 14(8), 1283–1300. <https://doi.org/10.1210/mend.14.8.0500>
- Goodarzi, M. O., Dumesic, D. A., Chazenbalk, G., & Azziz, R. (2011). Polycystic ovary syndrome: Etiology, pathogenesis and diagnosis. *Nature Reviews Endocrinology*, 7(4), 219–231. <https://doi.org/10.1038/nrendo.2010.217>
- Gordon, J. L., Girdler, S. S., Meltzer-Brody, S. E., Stika, C. S., Thurston, R. C., Clark, C. T., Prairie, B. A., Moses-Kolko, E., Joffe, H., & Wisner, K. L. (2015). Ovarian Hormone Fluctuation, Neurosteroids and HPA Axis Dysregulation in Perimenopausal Depression: A Novel Heuristic Model. *The American journal of psychiatry*, 172(3), 227–236. <https://doi.org/10.1176/appi.ajp.2014.14070918>
- Goto, M., Iwase, A., Ando, H., Kurotsuchi, S., Harata, T., & Kikkawa, F. (2007). PTEN and Akt expression during growth of human ovarian follicles. *Journal of Assisted Reproduction and Genetics*, 24(11), 541–546. <https://doi.org/10.1007/s10815-007-9156-3>
- Guzick, D. S., Wing, R., Smith, D., Berga, S. L., & Winters, S. J. (1994). Endocrine consequences of weight loss in obese, hyperandrogenic, anovulatory women. *Fertility and Sterility*, 61(4), 598–604. [https://doi.org/10.1016/S0015-0282\(16\)56632-1](https://doi.org/10.1016/S0015-0282(16)56632-1)
- Haffner, S. M., Katz, M. S., Stern, M. P., & Dunn, J. F. (1989). Association of decreased sex hormone binding globulin and cardiovascular risk factors. *Arteriosclerosis*, 9(1), 136–143. <https://doi.org/10.1161/01.atv.9.1.136>
- Harada, M. (2022). Pathophysiology of polycystic ovary syndrome revisited: Current understanding and perspectives regarding future research. *Reproductive Medicine and Biology*, 21. <https://doi.org/10.1002/rmb2.12487>

- Hill, J. W., Elias, C. F., Fukuda, M., Williams, K. W., Berglund, E. D., Holland, W. L., Cho, Y.-R., Chuang, J.-C., Xu, Y., Choi, M., Lauzon, D., Lee, C. E., Coppari, R., Richardson, J. A., Zigman, J. M., Chua, S., Scherer, P. E., Lowell, B. B., Brüning, J. C., & Elmquist, J. K. (2010). Direct Insulin and Leptin Action on Pro-opiomelanocortin Neurons Is Required for Normal Glucose Homeostasis and Fertility. *Cell Metabolism*, 11(4), 286–297. <https://doi.org/10.1016/j.cmet.2010.03.002>
- Hillier, S. G. (2001). Gonadotropic control of ovarian follicular growth and development. *Molecular and Cellular Endocrinology*, 179(1), 39–46. [https://doi.org/10.1016/S0303-7207\(01\)00469-5](https://doi.org/10.1016/S0303-7207(01)00469-5)
- * Holesh, J. E., Bass, A. N., & Lord, M. (2024). Physiology, Ovulation. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK441996/>
- Horie, K., Takakura, K., Fujiwara, H., Suginami, H., Liao, S., & Mori, T. (1992). Immunohistochemical localization of androgen receptor in the human ovary throughout the menstrual cycle in relation to oestrogen and progesterone receptor expression. *Human Reproduction*, 7(2), 184–190. <https://doi.org/10.1093/oxfordjournals.humrep.a137614>
- Chahal, N., Geethadevi, A., Kaur, S., Lakra, R., Nagendra, A., Shrivastav, T. G., De Pascali, F., Reiter, E., Crépieux, P., Devi, M. G., Malhotra, N., Muralidhar, K., & Singh, R. (2021). Direct impact of gonadotropins on glucose uptake and storage in preovulatory granulosa cells: Implications in the pathogenesis of polycystic ovary syndrome. *Metabolism*, 115, 154458. <https://doi.org/10.1016/j.metabol.2020.154458>
- Charifson, M. A., & Trumble, B. C. (2019). Evolutionary origins of polycystic ovary syndrome: An environmental mismatch disorder. *Evolution, Medicine, and Public Health*, 2019, 50–63. <https://doi.org/10.1093/emph/eoz011>
- Chattopadhyay, S., Joharapurkar, A., Das, N., Khatoon, S., Kushwaha, S., Gurjar, A. A., Singh, A. K., Shree, S., Ahmed, M. Z., China, S. P., Pal, S., Kumar, H., Ramachandran, R., Patel, V., Trivedi, A. K., Lahiri, A., Jain, M. R., Chattopadhyay, N., & Sanyal, S. (2022). Estradiol overcomes adiponectin-resistance in diabetic mice by regulating skeletal muscle adiponectin receptor 1 expression. *Molecular and Cellular Endocrinology*, 540, 111525. <https://doi.org/10.1016/j.mce.2021.111525>
- Chávez-Ross, A., Franks, S., Mason, H. D., Hardy, K., & Stark, J. (1997). Modelling the control of ovulation and polycystic ovary syndrome. *Journal of Mathematical Biology*, 36(1), 95–118. <https://doi.org/10.1007/s002850050092>

- Chen, Y.-J., Hsiao, P.-W., Lee, M.-T., Mason, J. I., Ke, F.-C., & Hwang, J.-J. (2007). Interplay of PI3K and cAMP/PKA signaling, and rapamycin-hypersensitivity in TGF β 1 enhancement of FSH-stimulated steroidogenesis in rat ovarian granulosa cells. *Journal of Endocrinology*, 192(2), 405–419. <https://doi.org/10.1677/JOE-06-0076>
- Cheng, X. B., Jimenez, M., Desai, R., Middleton, L. J., Joseph, S. R., Ning, G., Allan, C. M., Smith, J. T., Handelsman, D. J., & Walters, K. A. (2013). Characterizing the neuroendocrine and ovarian defects of androgen receptor-knockout female mice. *American Journal of Physiology-Endocrinology and Metabolism*, 305(6), E717–E726. <https://doi.org/10.1152/ajpendo.00263.2013>
- Jayagopal, V., Kilpatrick, E. S., Jennings, P. E., Hepburn, D. A., & Atkin, S. L. (2003). The Biological Variation of Testosterone and Sex Hormone-Binding Globulin (SHBG) in Polycystic Ovarian Syndrome: Implications for SHBG as a Surrogate Marker of Insulin Resistance. *The Journal of Clinical Endocrinology & Metabolism*, 88(4), 1528–1533. <https://doi.org/10.1210/jc.2002-020557>
- * Jozkowiak, M., Piotrowska-Kempisty, H., Kobylarek, D., Gorska, N., Mozdziak, P., Kempisty, B., Rachon, D., & Spaczynski, R. Z. (2023). Endocrine Disrupting Chemicals in Polycystic Ovary Syndrome: The Relevant Role of the Theca and Granulosa Cells in the Pathogenesis of the Ovarian Dysfunction. *Cells*, 12(1), Article 1. <https://doi.org/10.3390/cells12010174>
- Katulski, K., Podfigurna, A., Czyzyk, A., Meczekalski, B., & Genazzani, A. D. (2018). Kisspeptin and LH pulsatile temporal coupling in PCOS patients. *Endocrine*, 61(1), 149–157. <https://doi.org/10.1007/s12020-018-1609-1>
- Kim, H. H., DiVall, S. A., Deneau, R. M., & Wolfe, A. (2005). Insulin regulation of GnRH gene expression through MAP kinase signaling pathways. *Molecular and Cellular Endocrinology*, 242(1), 42–49. <https://doi.org/10.1016/j.mce.2005.07.002>
- Laven, J. S. E., Mulders, A. G. M. G. J., Visser, J. A., Themmen, A. P., de Jong, F. H., & Fauser, B. C. J. M. (2004). Anti-Müllerian Hormone Serum Concentrations in Normoovulatory and Anovulatory Women of Reproductive Age. *The Journal of Clinical Endocrinology & Metabolism*, 89(1), 318–323. <https://doi.org/10.1210/jc.2003-030932>
- Le May, C., Chu, K., Hu, M., Ortega, C. S., Simpson, E. R., Korach, K. S., Tsai, M.-J., & Mauvais-Jarvis, F. (2006). Estrogens protect pancreatic β -cells from apoptosis and prevent insulin-deficient diabetes mellitus in mice. *Proceedings of the National Academy of Sciences*, 103(24), 9232–9237. <https://doi.org/10.1073/pnas.0602956103>

- * Lee, S.-H., Park, S.-Y., & Choi, C. S. (2022). Insulin Resistance: From Mechanisms to Therapeutic Strategies. *Diabetes & Metabolism Journal*, 46(1), 15–37. <https://doi.org/10.4093/dmj.2021.0280>
- Legro, R. S., Kunselman, A. R., Dodson, W. C., & Dunaif, A. (1999). Prevalence and Predictors of Risk for Type 2 Diabetes Mellitus and Impaired Glucose Tolerance in Polycystic Ovary Syndrome: A Prospective, Controlled Study in 254 Affected Women1. *The Journal of Clinical Endocrinology & Metabolism*, 84(1), 165–169. <https://doi.org/10.1210/jcem.84.1.5393>
- Leroy, P., Dessolin, S., Villageois, P., Moon, B. C., Friedman, J. M., Ailhaud, G., & Dani, C. (1996). Expression of *ob* Gene in Adipose Cells. *Journal of Biological Chemistry*, 271(5), 2365–2368. <https://doi.org/10.1074/jbc.271.5.2365>
- * Liao, B., Qiao, J., & Pang, Y. (2021). Central Regulation of PCOS: Abnormal Neuronal-Reproductive-Metabolic Circuits in PCOS Pathophysiology. *Frontiers in Endocrinology*, 12. <https://doi.org/10.3389/fendo.2021.667422>
- * Lin, W., Song, H., Shen, J., Wang, J., Yang, Y., Yang, Y., Cao, J., Xue, L., Zhao, F., Xiao, T., & Ruiyi, L. (2023). Functional role of skeletal muscle-derived interleukin-6 and its effects on lipid metabolism. *Frontiers in Physiology*, 14. <https://doi.org/10.3389/fphys.2023.1110926>
- Liu, Z., Rudd, M. D., Hernandez-Gonzalez, I., Gonzalez-Robayna, I., Fan, H.-Y., Zeleznik, A. J., & Richards, J. S. (2009). FSH and FOXO1 Regulate Genes in the Sterol/Steroid and Lipid Biosynthetic Pathways in Granulosa Cells. *Molecular Endocrinology*, 23(5), 649–661. <https://doi.org/10.1210/me.2008-0412>
- * Longcope, C. (1986). 1 Adrenal and gonadal androgen secretion in normal females. *Clinics in Endocrinology and Metabolism*, 15(2), 213–228. [https://doi.org/10.1016/S0300-595X\(86\)80021-4](https://doi.org/10.1016/S0300-595X(86)80021-4)
- Louet, J.-F., LeMay, C., & Mauvais-Jarvis, F. (2004). Antidiabetic actions of estrogen: Insight from human and genetic mouse models. *Current Atherosclerosis Reports*, 6(3), 180–185. <https://doi.org/10.1007/s11883-004-0030-9>
- Louhio, H., Hovatta, O., Sjöberg, J., & Tuuri, T. (2000). The effects of insulin, and insulin-like growth factors I and II on human ovarian follicles in long-term culture. *Molecular Human Reproduction*, 6(8), 694–698. <https://doi.org/10.1093/molehr/6.8.694>
- Mason, H. D., Willis, D. S., Beard, R. W., Winston, R. M., Margara, R., & Franks, S. (1994). Estradiol production by granulosa cells of normal and polycystic ovaries: Relationship to menstrual cycle history and concentrations of gonadotropins and sex steroids in

follicular fluid. *The Journal of Clinical Endocrinology & Metabolism*, 79(5), 1355–1360. <https://doi.org/10.1210/jcem.79.5.7962330>

Matkovic, V., Ilich, J. Z., Skugor, M., Badenhop, N. E., Goel, P., Clairmont, A., Klisovic, D., Nahhas, R. W., & Landoll, J. D. (1997). Leptin Is Inversely Related to Age at Menarche in Human Females*. *The Journal of Clinical Endocrinology & Metabolism*, 82(10), 3239–3245. <https://doi.org/10.1210/jcem.82.10.4280>

Matthews, C. H., Borgato, S., Beck-Peccoz, P., Adams, M., Tone, Y., Gambino, G., Casagrande, S., Tedeschini, G., Benedetti, A., & Chatterjee, V. K. K. (1993). Primary amenorrhoea and infertility due to a mutation in the β -subunit of follicle-stimulating hormone. *Nature Genetics*, 5(1), 83–86. <https://doi.org/10.1038/ng0993-83>

* McGarry, J. D. (2002). Banting Lecture 2001: Dysregulation of Fatty Acid Metabolism in the Etiology of Type 2 Diabetes. *Diabetes*, 51(1), 7–18. <https://doi.org/10.2337/diabetes.51.1.7>

* Miller, W. L. (1988). Molecular Biology of Steroid Hormone Synthesis. *Endocrine Reviews*, 9(3), 295–318. <https://doi.org/10.1210/edrv-9-3-295>

Misra, S., Gada, J., Dhole, C., Varthakavi, P., & Bhagwat, N. (2024). Comparative Study of Insulin Sensitivity and Resistance and Their Correlation with Androgens in Lean and Obese Women with Polycystic Ovary Syndrome. *Reproductive Sciences*, 31(3), 754–763. <https://doi.org/10.1007/s43032-023-01374-x>

Mohammed, H., Russell, I. A., Stark, R., Rueda, O. M., Hickey, T. E., Tarulli, G. A., Serandour, A. A. A., Birrell, S. N., Bruna, A., Saadi, A., Menon, S., Hadfield, J., Pugh, M., Raj, G. V., Brown, G. D., D'Santos, C., Robinson, J. L. L., Silva, G., Launchbury, R., ... Carroll, J. S. (2015). Progesterone receptor modulates estrogen receptor- α action in breast cancer. *Nature*, 523(7560), 313–317. <https://doi.org/10.1038/nature14583>

Möller, M. C., Bartfai, A. B., & Rådestad, A. F. (2010). Effects of testosterone and estrogen replacement on memory function. *Menopause (New York, N.Y.)*, 17(5), 983–989. <https://doi.org/10.1097/gme.0b013e3181dc2e40>

Mong, J. A., Baker, F. C., Mahoney, M. M., Paul, K. N., Schwartz, M. D., Semba, K., & Silver, R. (2011). Sleep, Rhythms, and the Endocrine Brain: Influence of Sex and Gonadal Hormones. *The Journal of Neuroscience*, 31(45), 16107–16116. <https://doi.org/10.1523/JNEUROSCI.4175-11.2011>

Murphy, B. D. (2000). Models of Luteinization1. *Biology of Reproduction*, 63(1), 2–11. <https://doi.org/10.1095/biolreprod63.1.2>

- Naaz, A., Zakroczymski, M., Heine, P., Taylor, J., Saunders, P., Lubahn, D., & Cooke, P. S. (2002). Effect of Ovariectomy on Adipose Tissue of Mice in the Absence of Estrogen Receptor Alpha (ER α): A Potential Role for Estrogen Receptor Beta (ER β). *Hormone and Metabolic Research*, 34(11/12), 758–763. <https://doi.org/10.1055/s-2002-38259>
- Nelson, V. L., Qin, K., Rosenfield, R. L., Wood, J. R., Penning, T. M., Legro, R. S., Strauss, J. F., III, & McAllister, J. M. (2001). The Biochemical Basis for Increased Testosterone Production in Theca Cells Propagated from Patients with Polycystic Ovary Syndrome. *The Journal of Clinical Endocrinology & Metabolism*, 86(12), 5925–5933. <https://doi.org/10.1210/jcem.86.12.8088>
- Nestler, J. E., Jakubowicz, D. J., Falcon de Vargas, A., Brik, C., Quintero, N., & Medina, F. (1998). Insulin Stimulates Testosterone Biosynthesis by Human Thecal Cells from Women with Polycystic Ovary Syndrome by Activating Its Own Receptor and Using Inositoglycan Mediators as the Signal Transduction System1. *The Journal of Clinical Endocrinology & Metabolism*, 83(6), 2001–2005. <https://doi.org/10.1210/jcem.83.6.4886>
- Ofori, E. K., Conde Alonso, S., Correas-Gomez, L., Carnero, E. A., Zwygart, K., Hugues, H., Bardy, D., Hans, D., Dwyer, A. A., & Amati, F. (2019). Thigh and abdominal adipose tissue depot associations with testosterone levels in postmenopausal females. *Clinical Endocrinology*, 90(3), 433–439. <https://doi.org/10.1111/cen.13921>
- Oktay, K., Briggs, D., & Gosden, R. G. (1997). Ontogeny of Follicle-Stimulating Hormone Receptor Gene Expression in Isolated Human Ovarian Follicles1. *The Journal of Clinical Endocrinology & Metabolism*, 82(11), 3748–3751. <https://doi.org/10.1210/jcem.82.11.4346>
- Pan, T., Lee, Y.-M., Takimoto, E., Ueda, K., Liu, P.-Y., & Shen, H.-H. (2024). Inhibitory effects of naringenin on estrogen deficiency-induced obesity via regulation of mitochondrial dynamics and AMPK activation associated with white adipose tissue browning. *Life Sciences*, 340, 122453. <https://doi.org/10.1016/j.lfs.2024.122453>
- Panidis, D., Rousso, D., Koliakos, G., Kourtis, A., Katsikis, I., Farmakiotis, D., Votsi, E., & Diamanti-Kandarakis, E. (2006). Plasma metastin levels are negatively correlated with insulin resistance and free androgens in women with polycystic ovary syndrome. *Fertility and Sterility*, 85(6), 1778–1783. <https://doi.org/10.1016/j.fertnstert.2005.11.044>

- Parilla, J. H., Willard, J. R., Barrow, B. M., & Zraika, S. (2018). A Mouse Model of Beta-Cell Dysfunction as Seen in Human Type 2 Diabetes. *Journal of Diabetes Research*. 1-11. 2314-6745. <https://doi.org/10.1155/2018/6106051>
- Pasquali, R., Casimirri, F., Venturoli, S., Antonio, M., Morselli, L., Reho, S., Pezzoli, A., & Paradisi, R. (1994). Body fat distribution has weight-independent effects on clinical, hormonal, and metabolic features of women with polycystic ovary syndrome. *Metabolism*, 43(6), 706–713. [https://doi.org/10.1016/0026-0495\(94\)90118-X](https://doi.org/10.1016/0026-0495(94)90118-X)
- Pastor, C. L., Griffin-Korf, M. L., Aloia, J. A., Evans, W. S., & Marshall, J. C. (1998). Polycystic ovary syndrome: Evidence for reduced sensitivity of the gonadotropin-releasing hormone pulse generator to inhibition by estradiol and progesterone. *The Journal of Clinical Endocrinology and Metabolism*, 83(2), 582–590. <https://doi.org/10.1210/jcem.83.2.4604>
- Pellatt, L., Rice, S., Dilaver, N., Heshri, A., Galea, R., Brincat, M., Brown, K., Simpson, E. R., & Mason, H. D. (2011). Anti-Müllerian hormone reduces follicle sensitivity to follicle-stimulating hormone in human granulosa cells. *Fertility and Sterility*, 96(5), 1246-1251. <https://doi.org/10.1016/j.fertnstert.2011.08.015>
- Pierre, A., Peigné, M., Grynberg, M., Arouche, N., Taieb, J., Hesters, L., Gonzalès, J., Picard, J.-Y., Dewailly, D., Fanchin, R., Catteau-Jonard, S., & di Clemente, N. (2013). Loss of LH-induced down-regulation of anti-Müllerian hormone receptor expression may contribute to anovulation in women with polycystic ovary syndrome. *Human Reproduction*, 28(3), 762–769. <https://doi.org/10.1093/humrep/des460>
- Pigny, P., Merlen, E., Robert, Y., Cortet-Rudelli, C., Decanter, C., Jonard, S., & Dewailly, D. (2003). Elevated Serum Level of Anti-Mullerian Hormone in Patients with Polycystic Ovary Syndrome: Relationship to the Ovarian Follicle Excess and to the Follicular Arrest. *The Journal of Clinical Endocrinology & Metabolism*, 88(12), 5957–5962. <https://doi.org/10.1210/jc.2003-030727>
- Pilz, S., Scharnagl, H., Tiran, B., Seelhorst, U., Wellnitz, B., Boehm, B. O., Schaefer, J. R., & März, W. (2006). Free Fatty Acids Are Independently Associated with All-Cause and Cardiovascular Mortality in Subjects with Coronary Artery Disease. *The Journal of Clinical Endocrinology & Metabolism*, 91(7), 2542–2547. <https://doi.org/10.1210/jc.2006-0195>
- Pita, J., Barrios, V., Gavela-Pérez, T., Martos-Moreno, G. Á., Muñoz-Calvo, M. T., Pozo, J., Rovira, A., Argente, J., & Soriano-Guillén, L. (2011). Circulating kisspeptin levels exhibit sexual dimorphism in adults, are increased in obese prepubertal girls and do not

suffer modifications in girls with idiopathic central precocious puberty. *Peptides*, 32(9), 1781–1786. <https://doi.org/10.1016/j.peptides.2011.07.016>

Plewes, M. R., Cordes, C., Przgrodzka, E., Talbott, H., Wood, J., Cupp, A., & Davis, J. S. (2018). *Trafficking of Cholesterol from Lipid Droplets to Mitochondria in Bovine Luteal Cells: Acute Control of Progesterone Synthesis*. 409599. <https://doi.org/10.1101/409599>

* Pratama, G., Wiweko, B., Asmarinah, Widyahening, I. S., Andraini, T., Bayuaji, H., & Hestiantoro, A. (2024). Body Composition Parameters, Adiponectin, Leptin and Adiponectin/ Leptin Ratio are Correlated with LH/FSH Ratio in Women with PCOS but not in Women without PCOS. *Indonesian Journal of Obstetrics and Gynecology*, 12(1), 36–45. Scopus. <https://doi.org/10.32771/inajog.v12i1.2031>

* Priya, K., Setty, M., Babu, U. V., & Pai, K. S. R. (2021). Implications of environmental toxicants on ovarian follicles: How it can adversely affect the female fertility? *Environmental Science and Pollution Research*, 28(48), 67925–67939. <https://doi.org/10.1007/s11356-021-16489-4>

Pugeat, M., Nader, N., Hogeweijn, K., Raverot, G., Déchaud, H., & Grenot, C. (2010). Sex hormone-binding globulin gene expression in the liver: Drugs and the metabolic syndrome. *Molecular and Cellular Endocrinology*, 316(1), 53–59. <https://doi.org/10.1016/j.mce.2009.09.020>

Qiao, J., & Feng, H. L. (2011). Extra- and intra-ovarian factors in polycystic ovary syndrome: Impact on oocyte maturation and embryo developmental competence. *Human Reproduction Update*, 17(1), 17–33. <https://doi.org/10.1093/humupd/dmq032>

Radivojevic, U. D., Lazovic, G. B., Kravic-Stevovic, T. K., Puzigaca, Z. D., Canovic, F. M., Nikolic, R. R., & Milicevic, S. M. (2014). Differences in Anthropometric and Ultrasonographic Parameters between Adolescent Girls with Regular and Irregular Menstrual Cycles: A Case-Study of 835 Cases. *Journal of Pediatric and Adolescent Gynecology*, 27(4), 227–231. <https://doi.org/10.1016/j.jpag.2013.11.007>

Rice, S., Ojha, K., Whitehead, S., & Mason, H. (2007). Stage-Specific Expression of Androgen Receptor, Follicle-Stimulating Hormone Receptor, and Anti-Müllerian Hormone Type II Receptor in Single, Isolated, Human Preantral Follicles: Relevance to Polycystic Ovaries. *The Journal of Clinical Endocrinology & Metabolism*, 92(3), 1034–1040. <https://doi.org/10.1210/jc.2006-1697>

* Rojas, J., Chávez, M., Olivar, L., Rojas, M., Morillo, J., Mejías, J., Calvo, M., & Bermúdez, V. (2014). Polycystic Ovary Syndrome, Insulin Resistance, and Obesity: Navigating the

Pathophysiologic Labyrinth. Online. *International Journal of Reproductive Medicine*, 1(17), 2356-7104. <https://doi.org/10.1155/2014/719050>

Ropelato, M. G., García Rudaz, M. C., Escobar, M. E., Bengolea, S. V., Calcagno, M. L., Veldhuis, J. D., & Barontini, M. (2009). Acute Effects of Testosterone Infusion on the Serum Luteinizing Hormone Profile in Eumenorrheic and Polycystic Ovary Syndrome Adolescents. *The Journal of Clinical Endocrinology & Metabolism*, 94(9), 3602–3610. <https://doi.org/10.1210/jc.2009-0402>

* Rorsman, P., & Braun, M. (2013). Regulation of Insulin Secretion in Human Pancreatic Islets. *Annual Review of Physiology*, 75(1), 155–179. <https://doi.org/10.1146/annurev-physiol-030212-183754>

Rosenfield, R. L., Barnes, R. B., Cara, J. F., & Lucky, A. W. (1990). Dysregulation of cytochrome P450c17 α as the cause of polycystic ovarian syndrome. *Fertility and Sterility*, 53(5), 785–791. [https://doi.org/10.1016/S0015-0282\(16\)53510-9](https://doi.org/10.1016/S0015-0282(16)53510-9)

Rosner, W., Hryb, D. J., Kahn, S. M., Nakhla, A. M., & Romas, N. A. (2010). Interactions of sex hormone-binding globulin with target cells. *Molecular and Cellular Endocrinology*, 316(1), 79–85. <https://doi.org/10.1016/j.mce.2009.08.009>

Sacchi, S., D'Ippolito, G., Sena, P., Marsella, T., Tagliasacchi, D., Maggi, E., Argento, C., Tirelli, A., Giulini, S., & La Marca, A. (2016). The anti-Müllerian hormone (AMH) acts as a gatekeeper of ovarian steroidogenesis inhibiting the granulosa cell response to both FSH and LH. *Journal of Assisted Reproduction and Genetics*, 33(1), 95–100. <https://doi.org/10.1007/s10815-015-0615-y>

Sathi, P., Kalyan, S., Hitchcock, C. L., Pudek, M., & Prior, J. C. (2013). Progesterone therapy increases free thyroxine levels—Data from a randomized placebo-controlled 12-week hot flush trial. *Clinical Endocrinology*, 79(2), 282–287. <https://doi.org/10.1111/cen.12128>

Scientific Image and Illustration Software | BioRender. (b.r.). Získáno 17. duben 2024, z <https://www.biorender.com/>

Shekhar, B., Mittal, S., Majumdar, G., Tiwari, N., & Majumdar, A. (2023). Low serum progesterone on day of transfer adversely impacts ongoing pregnancy rates in hormonally prepared single blastocyst frozen embryo transfer cycles. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 289, 55–59. <https://doi.org/10.1016/j.ejogrb.2023.08.016>

Shin, J.-H., Hur, J.-Y., Seo, H. S., Jeong, Y.-A., Lee, J. K., Oh, M.-J., Kim, T., Saw, H. S., & Kim, S. H. (2007). The ratio of estrogen receptor α to estrogen receptor β in adipose

- tissue is associated with leptin production and obesity. *Steroids*, 72(6), 592–599. <https://doi.org/10.1016/j.steroids.2007.03.013>
- * Silva, M. S. B., & Giacobini, P. (2021). New insights into anti-Müllerian hormone role in the hypothalamic–pituitary–gonadal axis and neuroendocrine development. *Cellular and Molecular Life Sciences*, 78(1), 1–16. <https://doi.org/10.1007/s00018-020-03576-x>
- Soldani, R., Cagnacci, A., & Yen, S. S. (1994). Insulin, insulin-like growth factor I (IGF-I) and IGF-II enhance basal and gonadotrophin-releasing hormone-stimulated luteinizing hormone release from rat anterior pituitary cells in vitro. *Acta Endocrinologica*, 131(6), 641–645. <https://doi.org/10.1530/eje.0.1310641>
- Sreerangaraja Urs, D. B., Wu, W.-H., Komrskova, K., Postlerova, P., Lin, Y.-F., Tzeng, C.-R., & Kao, S.-H. (2020). Mitochondrial Function in Modulating Human Granulosa Cell Steroidogenesis and Female Fertility. *International Journal of Molecular Sciences*, 21(10), Article 10. <https://doi.org/10.3390/ijms21103592>
- Stephens, J. M., Lee, J., & Pilch, P. F. (1997). Tumor Necrosis Factor- α -induced Insulin Resistance in 3T3-L1 Adipocytes Is Accompanied by a Loss of Insulin Receptor Substrate-1 and GLUT4 Expression without a Loss of Insulin Receptor-mediated Signal Transduction. *Journal of Biological Chemistry*, 272(2), 971–976. <https://doi.org/10.1074/jbc.272.2.971>
- Stubbins, R. E., Holcomb, V. B., Hong, J., & Núñez, N. P. (2012). Estrogen modulates abdominal adiposity and protects female mice from obesity and impaired glucose tolerance. *European Journal of Nutrition*, 51(7), 861–870. <https://doi.org/10.1007/s00394-011-0266-4>
- Talavera, F., Chen, Z., & Menon, K. M. J. (1996). IRS-I expression on the luteinized rat ovary: IGF-I and cyclic AMP effects on IRS-I tyrosine phosphorylation. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1310(1), 10–18. [https://doi.org/10.1016/0167-4889\(95\)00129-8](https://doi.org/10.1016/0167-4889(95)00129-8)
- Tawfeek, M. A., Alfadhli, E. M., Alayoubi, A. M., El-Beshbishi, H. A., & Habib, F. A. (2017). Sex hormone binding globulin as a valuable biochemical marker in predicting gestational diabetes mellitus. *BMC Women's Health*, 17(1), 18. <https://doi.org/10.1186/s12905-017-0373-3>
- The Rotterdam ESHRE/ASRM-sponsored PCOS consensus workshop group. (2004). Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome (PCOS). *Human Reproduction*, 19(1), 41–47. <https://doi.org/10.1093/humrep/deh098>

- Tim, B., Kouznetsova, V. L., Kesari, S., & Tsigelny, I. F. (2023). Targeting of insulin receptor endocytosis as a treatment to insulin resistance. *Journal of Diabetes and its Complications*, 37(11), 108615. <https://doi.org/10.1016/j.jdiacomp.2023.108615>
- Tran, H., Brunet, A., Griffith, E. C., & Greenberg, M. E. (2003). The Many Forks in FOXO's Road. Online. *Science's STKE*. 172, 1525-8882. <https://doi.org/10.1126/stke.2003.172.re5>
- Trávník, P. (2022). *Klinická fyziologie lidské reprodukce*. Grada Publishing.
- * Trent, M., & Gordon, C. M. (2020). Diagnosis and Management of Polycystic Ovary Syndrome in Adolescents. Online. *Pediatrics*. 210(218), 0031-4005. <https://doi.org/10.1542/peds.2019-2056J>
- Tsutsumi, R., & Webster, N. J. G. (2009). GnRH pulsatility, the pituitary response and reproductive dysfunction. *Endocrine Journal*, 56(6), 729–737. <https://doi.org/10.1507/endocrj.k09e-185>
- Ueno, M., Carvalheira, J. B. C., Tambascia, R. C., Bezerra, R. M. N., Amaral, M. E., Carneiro, E. M., Folli, F., Franchini, K. G., & Saad, M. J. A. (2005). Regulation of insulin signalling by hyperinsulinaemia: Role of IRS-1/2 serine phosphorylation and the mTOR/p70 S6K pathway. *Diabetologia*, 48(3), 506–518. <https://doi.org/10.1007/s00125-004-1662-6>
- Vassilatou, E., Lafyani, S., Vryonidou, A., Ioannidis, D., Kosma, L., Katsoulis, K., Papavassiliou, E., & Tzavara, I. (2010). Increased androgen bioavailability is associated with non-alcoholic fatty liver disease in women with polycystic ovary syndrome. *Human Reproduction*, 25(1), 212–220. <https://doi.org/10.1093/humrep/dep380>
- Vendola, K., Zhou, J., Wang, J., & A. Bondy, C. (1999). Androgens promote insulin-like growth factor-I and insulin-like growth factor-I receptor gene expression in the primate ovary. *Human Reproduction*, 14(9), 2328–2332. <https://doi.org/10.1093/humrep/14.9.2328>
- Venturoli, S., Porcu, E., Fabbri, R., Magrini, O., Gammi, L., Paradisi, R., Forcacci, M., Bolzani, R., & Flamigni, C. (1988). Episodic Pulsatile Secretion of Fsh, Lh, Prolactin, Oestradiol, Oestrone, and Lh Circadian Variations in Polycystic Ovary Syndrome. *Clinical Endocrinology*, 28(1), 93–107. <https://doi.org/10.1111/j.1365-2265.1988.tb01208.x>
- Vink, J. M., Sadrzadeh, S., Lambalk, C. B., & Boomsma, D. I. (2006). Heritability of Polycystic Ovary Syndrome in a Dutch Twin-Family Study. *The Journal of Clinical Endocrinology & Metabolism*, 91(6), 2100–2104. <https://doi.org/10.1210/jc.2005-1494>
- Vrbíková, J., Fanta, M., & Koryntová, D. (2014). *Syndrom polycystických ovarií: [Průvodce ošetřujícího lékaře]*. Maxdorf.

- * Wajchenberg, B. L. (2000). Subcutaneous and Visceral Adipose Tissue: Their Relation to the Metabolic Syndrome. *Endocrine Reviews*, 21(6), 697–738. <https://doi.org/10.1210/edrv.21.6.0415>
- * Walters, K. A., Edwards, M. C., Tesic, D., Caldwell, A. S. L., Jimenez, M., Smith, J. T., & Handelsman, D. J. (2018). The Role of Central Androgen Receptor Actions in Regulating the Hypothalamic-Pituitary-Ovarian Axis. *Neuroendocrinology*, 106(4), 389–400. <https://doi.org/10.1159/000487762>
- Wayne, C. M., Fan, H.-Y., Cheng, X., & Richards, J. S. (2007). Follicle-Stimulating Hormone Induces Multiple Signaling Cascades: Evidence that Activation of Rous Sarcoma Oncogene, RAS, and the Epidermal Growth Factor Receptor Are Critical for Granulosa Cell Differentiation. *Molecular Endocrinology*, 21(8), 1940–1957. <https://doi.org/10.1210/me.2007-0020>
- Wild, R. A., Rizzo, M., Clifton, S., & Carmina, E. (2011). Lipid levels in polycystic ovary syndrome: Systematic review and meta-analysis. *Fertility and Sterility*, 95(3), 1073–1079.e11. <https://doi.org/10.1016/j.fertnstert.2010.12.027>
- Wildt, L., Häusler, A., Marshall, G., Hutchison, J. S., Plant, T. M., Belchetz, P. E., & Knobil, E. (1981). Frequency and Amplitude of Gonadotropin-Releasing Hormone Stimulation and Gonadotropin Secretion in the Rhesus Monkey. *Endocrinology*, 109(2), 376–385. <https://doi.org/10.1210/endo-109-2-376>
- Willis, D., & Franks, S. (1995). Insulin action in human granulosa cells from normal and polycystic ovaries is mediated by the insulin receptor and not the type-I insulin-like growth factor receptor. *The Journal of Clinical Endocrinology & Metabolism*, 80(12), 3788–3790. <https://doi.org/10.1210/jcem.80.12.8530637>
- Willis, D., Mason, H., Gilling-Smith, C., & Franks, S. (1996). Modulation by insulin of follicle-stimulating hormone and luteinizing hormone actions in human granulosa cells of normal and polycystic ovaries. *The Journal of Clinical Endocrinology & Metabolism*, 81(1), 302–309. <https://doi.org/10.1210/jcem.81.1.8550768>
- Winters, S. J., Gogineni, J., Karegar, M., Scoggins, C., Wunderlich, C. A., Baumgartner, R., & Ghooray, D. T. (2014). Sex Hormone-Binding Globulin Gene Expression and Insulin Resistance. *The Journal of Clinical Endocrinology & Metabolism*, 99(12), E2780–E2788. <https://doi.org/10.1210/jc.2014-2640>
- Wu, X. K., Zhou, S. Y., Liu, J. X., Pöllänen, P., Sallinen, K., Mäkinen, M., & Erkkola, R. (2003). Selective ovary resistance to insulin signaling in women with polycystic ovary

syndrome. *Fertility and Sterility*, 80(4), 954–965. [https://doi.org/10.1016/S0015-0282\(03\)01007-0](https://doi.org/10.1016/S0015-0282(03)01007-0)

Wu, X.-K., Sallinen, K., Anttila, L., Mäkinen, M., Luo, C., Pöllänen, P., & Erkkola, R. (2000). Expression of insulin-receptor substrate-1 and -2 in ovaries from women with insulin resistance and from controls. *Fertility and Sterility*, 74(3), 564–572. [https://doi.org/10.1016/S0015-0282\(00\)00688-9](https://doi.org/10.1016/S0015-0282(00)00688-9)

Yang, X., Zhao, Z., Fan, Q., Li, H., Zhao, L., Liu, C., & Liang, X. (2022). Cholesterol metabolism is decreased in patients with diminished ovarian reserve. *Reproductive BioMedicine Online*, 44(1), 185–192. <https://doi.org/10.1016/j.rbmo.2021.09.013>

Yu, C., Chen, Y., Cline, G. W., Zhang, D., Zong, H., Wang, Y., Bergeron, R., Kim, J. K., Cushman, S. W., Cooney, G. J., Atcheson, B., White, M. F., Kraegen, E. W., & Shulman, G. I. (2002). Mechanism by Which Fatty Acids Inhibit Insulin Activation of Insulin Receptor Substrate-1 (IRS-1)-associated Phosphatidylinositol 3-Kinase Activity in Muscle. *Journal of Biological Chemistry*, 277(52), 50230–50236. <https://doi.org/10.1074/jbc.M200958200>