

Post Hoc Comparisons - Behavior \* Actor

Comparison				Mean Difference	SE	df	t	Ptukey	
Behavior	Actor	Behavior	Actor						
Static/Photo	Male1	-	Static/Photo Male2	0.7333	0.321	29.0	2.2817	0.731	
		-	Static/Photo Male3	0.4000	0.317	29.0	1.2635	0.999	
		-	Static/Photo Male4	-1.6667	0.273	29.0	-6.1132	< .001	
		-	Static/Photo Male5	-0.3667	0.357	29.0	-1.0267	1.000	
		-	Positive Male1	-1.3000	0.288	29.0	-4.5096	0.011	
	-	Positive Male2	-0.6000	0.417	29.0	-1.4392	0.993		
	-	Positive Male3	-0.9667	0.394	29.0	-2.4543	0.622		
	-	Positive Male4	-2.3000	0.329	29.0	-6.9860	< .001		
	-	Positive Male5	-1.1667	0.393	29.0	-2.9709	0.309		
	-	Neutral Male1	-1.2333	0.257	29.0	-4.8030	0.005		
	-	Neutral Male2	-0.1000	0.405	29.0	-0.2469	1.000		
	-	Neutral Male3	-0.5667	0.321	29.0	-1.7681	0.952		
	-	Neutral Male4	-2.0667	0.321	29.0	-6.4303	< .001		
	-	Neutral Male5	-1.1000	0.347	29.0	-3.1709	0.219		
	-	Negative Male1	-1.0333	0.294	29.0	-3.5202	0.111		
	-	Negative Male2	0.5333	0.459	29.0	1.1614	0.999		
	-	Negative Male3	1.33e-15	0.352	29.0	3.78e-15	1.000		
	-	Negative Male4	-1.4333	0.328	29.0	-4.3753	0.015		
	-	Negative Male5	-0.5667	0.348	29.0	-1.6283	0.977		
	Male2	Male3	-	Static/Photo Male4	-0.3333	0.241	29.0	-1.3813	0.996
-			Static/Photo Male5	-2.4000	0.414	29.0	-5.7954	< .001	
-			Static/Photo Male1	-1.1000	0.316	29.0	-3.4845	0.119	
-			Positive Male1	-2.0333	0.370	29.0	-5.4986	< .001	
-			Positive Male2	-1.3333	0.316	29.0	-4.2245	0.022	
-		Positive Male3	-1.7000	0.300	29.0	-5.6667	< .001		
-		Positive Male4	-3.0333	0.323	29.0	-9.3808	< .001		
-		Positive Male5	-1.9000	0.264	29.0	-7.1931	< .001		
-		Neutral Male1	-1.9667	0.334	29.0	-5.8909	< .001		
-		Neutral Male2	-0.8333	0.259	29.0	-3.2229	0.199		
-		Neutral Male3	-1.3000	0.276	29.0	-4.7092	0.007		
-		Neutral Male4	-2.8000	0.323	29.0	-8.6671	< .001		
-		Neutral Male5	-1.8333	0.276	29.0	-6.6479	< .001		
-		Negative Male1	-1.7667	0.331	29.0	-5.3360	0.001		
-		Negative Male2	-0.2000	0.269	29.0	-0.7444	1.000		
-		Negative Male3	-0.7333	0.262	29.0	-2.7956	0.406		
-		Negative Male4	-2.1667	0.372	29.0	-5.8299	< .001		
-		Negative Male5	-1.3000	0.280	29.0	-4.6397	0.008		
Male3		Male4	-	Static/Photo Male5	-2.0667	0.398	29.0	-5.1916	0.002
			-	Static/Photo Male1	-0.7667	0.394	29.0	-1.9436	0.900
	-	Positive Male1	-1.7000	0.429	29.0	-3.9604	0.042		
	-	Positive Male2	-1.0000	0.418	29.0	-2.3924	0.662		
	-	Positive Male3	-1.3667	0.309	29.0	-4.4256	0.014		
	-	Positive Male4	-2.7000	0.407	29.0	-6.6296	< .001		
	-	Positive Male5	-1.5667	0.355	29.0	-4.4187	0.014		
	-	Neutral Male1	-1.6333	0.430	29.0	-3.7972	0.061		
-	Neutral Male2	-0.5000	0.335	29.0	-1.4936	0.990			

Post Hoc Comparisons - Behavior \* Actor

Comparison				Mean Difference	SE	df	t	Ptukey
Behavior	Actor	Behavior	Actor					
Positive	Male4	- Neutral	Male3	-0.9667	0.269	29.0	-3.5932	0.095
		- Neutral	Male4	-2.4667	0.412	29.0	-5.9913	< .001
		- Neutral	Male5	-1.5000	0.342	29.0	-4.3916	0.015
		- Negative	Male1	-1.4333	0.412	29.0	-3.4826	0.119
		- Negative	Male2	0.1333	0.364	29.0	0.3660	1.000
		- Negative	Male3	-0.4000	0.334	29.0	-1.1967	0.999
		- Negative	Male4	-1.8333	0.453	29.0	-4.0512	0.034
		- Negative	Male5	-0.9667	0.344	29.0	-2.8099	0.397
		- Static/Photo	Male5	1.3000	0.448	29.0	2.9044	0.344
		- Positive	Male1	0.3667	0.391	29.0	0.9379	1.000
		- Positive	Male2	1.0667	0.465	29.0	2.2954	0.723
		- Positive	Male3	0.7000	0.460	29.0	1.5209	0.988
		- Positive	Male4	-0.6333	0.313	29.0	-2.0266	0.866
		- Positive	Male5	0.5000	0.454	29.0	1.1008	1.000
		Male5	- Neutral	Male1	0.4333	0.351	29.0	1.2335
	- Neutral		Male2	1.5667	0.476	29.0	3.2893	0.175
	- Neutral		Male3	1.1000	0.388	29.0	2.8380	0.381
	- Neutral		Male4	-0.4000	0.317	29.0	-1.2635	0.999
	- Neutral		Male5	0.5667	0.400	29.0	1.4158	0.994
	- Negative		Male1	0.6333	0.373	29.0	1.6985	0.966
	- Negative		Male2	2.2000	0.524	29.0	4.1992	0.024
	- Negative		Male3	1.6667	0.427	29.0	3.9027	0.048
	- Negative		Male4	0.2333	0.345	29.0	0.6769	1.000
	- Negative		Male5	1.1000	0.422	29.0	2.6086	0.522
	- Positive		Male1	-0.9333	0.462	29.0	-2.0193	0.869
	- Positive		Male2	-0.2333	0.522	29.0	-0.4467	1.000
	- Positive		Male3	-0.6000	0.449	29.0	-1.3370	0.997
	- Positive		Male4	-1.9333	0.355	29.0	-5.4404	< .001
	- Positive		Male5	-0.8000	0.289	29.0	-2.7656	0.423
	Male1	- Neutral	Male1	-0.8667	0.380	29.0	-2.2822	0.731
- Neutral		Male2	0.2667	0.500	29.0	0.5329	1.000	
- Neutral		Male3	-0.2000	0.419	29.0	-0.4772	1.000	
- Neutral		Male4	-1.7000	0.362	29.0	-4.6901	0.007	
- Neutral		Male5	-0.7333	0.262	29.0	-2.7956	0.406	
- Negative		Male1	-0.6667	0.388	29.0	-1.7202	0.962	
- Negative		Male2	0.9000	0.501	29.0	1.7951	0.946	
- Negative		Male3	0.3667	0.403	29.0	0.9109	1.000	
- Negative		Male4	-1.0667	0.346	29.0	-3.0871	0.254	
- Negative		Male5	-0.2000	0.246	29.0	-0.8118	1.000	
- Positive		Male2	0.7000	0.343	29.0	2.0414	0.860	
- Positive		Male3	0.3333	0.424	29.0	0.7855	1.000	
- Positive		Male4	-1.0000	0.356	29.0	-2.8123	0.396	
- Positive		Male5	0.1333	0.409	29.0	0.3261	1.000	
- Neutral		Male1	0.0667	0.172	29.0	0.3866	1.000	
- Neutral	Male2	1.2000	0.379	29.0	3.1684	0.220		
- Neutral	Male3	0.7333	0.380	29.0	1.9280	0.905		
- Neutral	Male4	-0.7667	0.331	29.0	-2.3156	0.711		
- Neutral	Male5	0.2000	0.394	29.0	0.5081	1.000		

Post Hoc Comparisons - Behavior \* Actor

Comparison				Mean Difference	SE	df	t	Ptukey
Behavior	Actor	Behavior	Actor					
		- Negative	Male1	0.2667	0.239	29.0	1.1138	1.000
		- Negative	Male2	1.8333	0.421	29.0	4.3552	0.016
		- Negative	Male3	1.3000	0.393	29.0	3.3088	0.169
		- Negative	Male4	-0.1333	0.361	29.0	-0.3692	1.000
		- Negative	Male5	0.7333	0.409	29.0	1.7909	0.947
	Male2	- Positive	Male3	-0.3667	0.330	29.0	-1.1098	1.000
		- Positive	Male4	-1.7000	0.399	29.0	-4.2638	0.020
		- Positive	Male5	-0.5667	0.370	29.0	-1.5298	0.987
		- Neutral	Male1	-0.6333	0.357	29.0	-1.7734	0.951
		- Neutral	Male2	0.5000	0.178	29.0	2.8123	0.396
		- Neutral	Male3	0.0333	0.354	29.0	0.0942	1.000
		- Neutral	Male4	-1.4667	0.398	29.0	-3.6897	0.077
		- Neutral	Male5	-0.5000	0.417	29.0	-1.1982	0.999
		- Negative	Male1	-0.4333	0.367	29.0	-1.1798	0.999
		- Negative	Male2	1.1333	0.287	29.0	3.9543	0.042
		- Negative	Male3	0.6000	0.361	29.0	1.6634	0.972
		- Negative	Male4	-0.8333	0.442	29.0	-1.8843	0.920
		- Negative	Male5	0.0333	0.430	29.0	0.0775	1.000
	Male3	- Positive	Male4	-1.3333	0.385	29.0	-3.4671	0.123
		- Positive	Male5	-0.2000	0.327	29.0	-0.6124	1.000
		- Neutral	Male1	-0.2667	0.401	29.0	-0.6651	1.000
		- Neutral	Male2	0.8667	0.266	29.0	3.2606	0.185
		- Neutral	Male3	0.4000	0.212	29.0	1.8844	0.920
		- Neutral	Male4	-1.1000	0.385	29.0	-2.8600	0.369
		- Neutral	Male5	-0.1333	0.342	29.0	-0.3904	1.000
		- Negative	Male1	-0.0667	0.371	29.0	-0.1796	1.000
		- Negative	Male2	1.5000	0.342	29.0	4.3916	0.015
		- Negative	Male3	0.9667	0.237	29.0	4.0746	0.032
		- Negative	Male4	-0.4667	0.420	29.0	-1.1111	1.000
		- Negative	Male5	0.4000	0.341	29.0	1.1728	0.999
	Male4	- Positive	Male5	1.1333	0.383	29.0	2.9609	0.314
		- Neutral	Male1	1.0667	0.310	29.0	3.4355	0.132
		- Neutral	Male2	2.2000	0.411	29.0	5.3557	0.001
		- Neutral	Male3	1.7333	0.368	29.0	4.7092	0.007
		- Neutral	Male4	0.2333	0.124	29.0	1.8825	0.921
		- Neutral	Male5	1.2000	0.347	29.0	3.4575	0.126
		- Negative	Male1	1.2667	0.307	29.0	4.1292	0.028
		- Negative	Male2	2.8333	0.399	29.0	7.1098	< .001
		- Negative	Male3	2.3000	0.378	29.0	6.0849	< .001
		- Negative	Male4	0.8667	0.229	29.0	3.7911	0.062
		- Negative	Male5	1.7333	0.321	29.0	5.3931	0.001
	Male5	- Neutral	Male1	-0.0667	0.346	29.0	-0.1929	1.000
		- Neutral	Male2	1.0667	0.349	29.0	3.0578	0.267
		- Neutral	Male3	0.6000	0.309	29.0	1.9402	0.901
		- Neutral	Male4	-0.9000	0.379	29.0	-2.3772	0.672
		- Neutral	Male5	0.0667	0.159	29.0	0.4205	1.000
		- Negative	Male1	0.1333	0.367	29.0	0.3629	1.000
		- Negative	Male2	1.7000	0.378	29.0	4.4975	0.011

Post Hoc Comparisons - Behavior \* Actor

Comparison				Mean Difference	SE	df	t	Ptukey
Behavior	Actor	Behavior	Actor					
Neutral	Male1	- Negative	Male3	1.1667	0.292	29.0	3.9958	0.039
		- Negative	Male4	-0.2667	0.377	29.0	-0.7067	1.000
		- Negative	Male5	0.6000	0.207	29.0	2.9016	0.346
		- Neutral	Male2	1.1333	0.395	29.0	2.8721	0.362
		- Neutral	Male3	0.6667	0.344	29.0	1.9407	0.901
	Male2	- Neutral	Male4	-0.8333	0.296	29.0	-2.8164	0.393
		- Neutral	Male5	0.1333	0.310	29.0	0.4305	1.000
		- Negative	Male1	0.2000	0.188	29.0	1.0630	1.000
		- Negative	Male2	1.7667	0.436	29.0	4.0522	0.034
		- Negative	Male3	1.2333	0.355	29.0	3.4785	0.120
	Male3	- Negative	Male4	-0.2000	0.289	29.0	-0.6914	1.000
		- Negative	Male5	0.6667	0.333	29.0	2.0000	0.878
		- Neutral	Male3	-0.4667	0.302	29.0	-1.5441	0.986
		- Neutral	Male4	-1.9667	0.408	29.0	-4.8179	0.005
		- Neutral	Male5	-1.0000	0.384	29.0	-2.6071	0.523
	Male4	- Negative	Male1	-0.9333	0.392	29.0	-2.3794	0.671
		- Negative	Male2	0.6333	0.217	29.0	2.9186	0.336
		- Negative	Male3	0.1000	0.319	29.0	0.3132	1.000
		- Negative	Male4	-1.3333	0.473	29.0	-2.8187	0.392
		- Negative	Male5	-0.4667	0.398	29.0	-1.1740	0.999
	Male5	- Neutral	Male4	-1.5000	0.371	29.0	-4.0473	0.034
		- Neutral	Male5	-0.5333	0.298	29.0	-1.7873	0.947
		- Negative	Male1	-0.4667	0.351	29.0	-1.3278	0.997
		- Negative	Male2	1.1000	0.379	29.0	2.9055	0.344
		- Negative	Male3	0.5667	0.207	29.0	2.7343	0.442
Negative	Male1	- Negative	Male4	-0.8667	0.409	29.0	-2.1195	0.822
		- Negative	Male5	-8.88e-16	0.318	29.0	-2.79e-15	1.000
		- Neutral	Male5	0.9667	0.347	29.0	2.7830	0.413
		- Negative	Male1	1.0333	0.273	29.0	3.7814	0.063
		- Negative	Male2	2.6000	0.391	29.0	6.6448	< .001
	Male2	- Negative	Male3	2.0667	0.362	29.0	5.7126	< .001
		- Negative	Male4	0.6333	0.182	29.0	3.4709	0.122
		- Negative	Male5	1.5000	0.313	29.0	4.7848	0.006
		- Negative	Male1	0.0667	0.339	29.0	0.1968	1.000
		- Negative	Male2	1.6333	0.388	29.0	4.2097	0.023
Male3	- Negative	Male3	1.1000	0.289	29.0	3.8053	0.060	
	- Negative	Male4	-0.3333	0.340	29.0	-0.9799	1.000	
	- Negative	Male5	0.5333	0.157	29.0	3.3953	0.143	
	- Negative	Male2	1.5667	0.397	29.0	3.9427	0.044	
	- Negative	Male3	1.0333	0.354	29.0	2.9198	0.336	
Male4	- Negative	Male4	-0.4000	0.247	29.0	-1.6176	0.978	
	- Negative	Male5	0.4667	0.321	29.0	1.4552	0.993	
	- Negative	Male3	-0.5333	0.371	29.0	-1.4392	0.993	
	- Negative	Male4	-1.9667	0.461	29.0	-4.2652	0.020	
	- Negative	Male5	-1.1000	0.369	29.0	-2.9780	0.306	
Male5	- Negative	Male4	-1.4333	0.367	29.0	-3.9024	0.048	
	- Negative	Male5	-0.5667	0.310	29.0	-1.8306	0.936	

Post Hoc Comparisons - Behavior \* Actor

<b>Comparison</b>				<b>Mean Difference</b>	<b>SE</b>	<b>df</b>	<b>t</b>	<b>Ptukey</b>
<b>Behavior</b>	<b>Actor</b>	<b>Behavior</b>	<b>Actor</b>					
Male4	-	Negative	Male5	0.8667	0.302	29.0	2.8676	0.364

## Príloha II. – Deskriptíva

### Descriptives

Descriptives

	Attractiveness_Male1Pos	Attractiveness_Male1Neu	Attractiveness_Male1Neg	Attractiveness_Male1AverageBehavior	Attractiveness_Male1StaticPhoto
N	30	30	30	30	30
Mean	4.80	4.73	4.53	4.69	3.50
Std. error mean	0.385	0.339	0.313	0.327	0.317
Median	5.00	5.00	5.00	4.67	3.50
Mode	6.00*	6.00	5.00	6.33	5.00
Standard deviation	2.11	1.86	1.72	1.79	1.74
Minimum	1	1	1	1.00	1
Maximum	8	8	7	7.33	6

\* More than one mode exists, only the first is reported

Descriptives

	Attractiveness_Male2Pos	Attractiveness_Male2Neu	Attractiveness_Male2Neg	Attractiveness_Male2AverageBehavior	Attractiveness_Male2StaticPhoto
N	30	30	30	30	30
Mean	4.10	3.60	2.97	3.56	2.77
Std. error mean	0.366	0.341	0.316	0.315	0.218
Median	5.00	4.00	3.00	3.50	3.00
Mode	5.00	4.00	3.00	4.67	2.00
Standard deviation	2.01	1.87	1.73	1.72	1.19
Minimum	1	1	1	1.00	1
Maximum	7	7	7	6.67	5

Descriptives

	Attractiveness_Male3Pos	Attractiveness_Male3Neu	Attractiveness_Male3Neg	Attractiveness_Male3AverageBehavior	Attractiveness_Male3StaticPhoto
N	30	30	30	30	30
Mean	4.47	4.07	3.50	4.01	3.10
Std. error mean	0.342	0.314	0.317	0.299	0.316
Median	4.00	4.00	3.00	4.17	3.00
Mode	4.00	4.00	3.00	4.33	3.00*
Standard deviation	1.87	1.72	1.74	1.64	1.73
Minimum	1	1	1	1.00	1
Maximum	8	8	7	7.33	7

\* More than one mode exists, only the first is reported

## Descriptives

	Attractiveness_Male4Pos	Attractiveness_Male4Neu	Attractiveness_Male4Neg	Attractiveness_Male4AverageBehavior	Attractiveness_Male4StaticPhoto
N	30	30	30	30	30
Mean	5.80	5.57	4.93	5.43	5.17
Std. error mean	0.309	0.313	0.339	0.302	0.384
Median	6.00	6.00	5.00	5.50	5.50
Mode	6.00	6.00	5.00	5.33	7.00
Standard deviation	1.69	1.72	1.86	1.66	2.10
Minimum	1	1	1	1.00	1
Maximum	8	8	8	8.00	8

## Descriptives

	Attractiveness_Male5Pos	Attractiveness_Male5Neu	Attractiveness_Male5Neg	Attractiveness_Male5AverageBehavior	Attractiveness_Male5StaticPhoto
N	30	30	30	30	30
Mean	4.67	4.60	4.07	4.44	3.87
Std. error mean	0.326	0.306	0.310	0.297	0.348
Median	5.00	5.00	4.00	4.50	4.00
Mode	3.00	5.00	4.00	2.67*	3.00*
Standard deviation	1.79	1.67	1.70	1.63	1.91
Minimum	1	1	1	1.00	1
Maximum	8	8	8	8.00	8

\* More than one mode exists, only the first is reported