

## REFERENČNÍ SEZNAM

- [1] HARDIYANSAH, M. Yudhi, Yosie Yulanda PUTRA a Ahsan AULIYA. Treatment of osteoarthritis of the knee: systematic review. *Journal of Advanced Research in Medical and Health Science* [online]. 2024, 10(3), 126-132 [cit. 2024-07-24]. ISSN 2208-2425. Dostupné z: doi:10.61841/ne325a76
- [2] HUTCHISON, Laura, Nicole D'SOUZA a Jane GRAYSON. Toe-in and toe-out gait retraining interventions to reduce proxy measures of medial knee joint load in people with medial knee osteoarthritis: Protocol for a randomised placebo-controlled trial. *Contemporary clinical trials* [online]. 2023, 134 [cit. 2024-07-26]. Dostupné z: doi:10.1016/j.cct.2023.107355
- [3] CHOI, Min Sun a Dong Kyu LEE. The Effect of Knee Joint Traction Therapy on Pain, Physical Function, and Depression in Patients with Degenerative Arthritis. *The Korean Society of Physical Therapy* [online]. 2019, 31(5), 317-321 [cit. 2024-08-04]. Dostupné z: doi:10.18857/jkpt.2019.31.5.317
- [4] BRIANI, Ronaldo Valdir, Amanda Schenatto FERREIRA a Marcella PAZZINATTO. What interventions can improve quality of life or psychosocial factors of individuals with knee osteoarthritis? A systematic review with meta-analysis of primary outcomes from randomised controlled trials. *British Journal of Sports Medicine* [online]. 2018, 52(16), 1031-1038 [cit. 2024-08-05]. Dostupné z: doi:10.1136/bjsports-2017-098099
- [5] SIMIC, Milena, Rana S. HINMAN a Tim V. WRIGLEY. Gait modification strategies for altering medial knee joint load: a systematic review. *Arthritis care & research* [online]. 2011, 63(3), 405-426 [cit. 2024-07-26]. Dostupné z: doi:10.1002/acr.20380
- [6] FAVRE, Julien a Brigitte M. JOLLES. Gait analysis of patients with knee osteoarthritis highlights a pathological mechanical pathway and provides a basis for therapeutic interventions. *EFORT Open Reviews* [online]. 2016, 1(10), 368-374 [cit. 2024-07-26]. Dostupné z: doi:10.1302/2058-5241.1.000051
- [7] GÖK, Haydar, Süreyya ERGIN a Günes YAVUZER. Kinetic and kinematic characteristics of gait in patients with medial knee arthrosis. *Acta orthopaedica Scandinavica* [online]. 2002, 73(6), 647-652 [cit. 2024-07-26]. Dostupné z: doi:10.1080/000164702321039606
- [8] DIAMOND, Laura E., Tamara GRANT a Scott D. UHLRICH. Osteoarthritis year in review 2023: Biomechanics. *Osteoarthritis and Cartilage* [online]. 2023, 32(2), 138-147 [cit. 2024-07-22]. Dostupné z: doi:https://doi.org/10.1016/j.joca.2023.11.015
- [9] D'SOUZA, N., J. CHARLTON a J. GRAYSON. Are biomechanics during gait associated with the structural disease onset and progression of lower limb osteoarthritis? A systematic review and meta-analysis. *Osteoarthritis Cartilage* [online]. 2022, 30(3) [cit. 2024-07-28]. Dostupné z: doi:10.1016/j.joca.2021.10.010

- [10] ASEER, Antony Leo a Iyer Lakshmi SUBRAMANIAN. EFFECTIVENESS OF MANUAL TRACTION OF TIBIO-FEMORAL JOINT ON THE FUNCTIONAL OUTCOME IN KNEEJOINT OSTEOARTHRITIS. *Indian Journal of Physical Therapy* [online]. 2014, 2(1), 56-61 [cit. 2024-08-08]. Dostupné z: [https://www.researchgate.net/publication/299829575\\_EFFECTIVENESS\\_OF\\_MANUAL\\_TRACTION\\_OF\\_TIBIO-FEMORAL\\_JOINT\\_ON\\_THE\\_FUNCTIONAL\\_OUTCOME\\_IN\\_KNEE\\_JOINT\\_OSTEOARTHRITIS](https://www.researchgate.net/publication/299829575_EFFECTIVENESS_OF_MANUAL_TRACTION_OF_TIBIO-FEMORAL_JOINT_ON_THE_FUNCTIONAL_OUTCOME_IN_KNEE_JOINT_OSTEOARTHRITIS)
- [11] OGRODZKA, Katarzyna, Wiesław CHWAŁA a Tadeusz NIEDŹWIEDZKI. Three-dimensional pattern of knee movement in patients with gonarthrosis. *Ortopedia, traumatologia, rehabilitacja* [online]. 2007, 9(6), 318-326 [cit. 2024-07-31]. Dostupné z: <https://ortopedia.com.pl/resources/html/article/details?id=101694&language=en>
- [12] OGRODZKA, Katarzyna, Tadeusz NIEDŹWIEDZKI a Wiesław CHWAŁA. Evaluation of the kinematic parameters of normal-paced gait in subjects with gonarthrosis and the influence of gonarthrosis on the function of the ankle joint and hip joint. *Acta of bioengineering and biomechanics* [online]. 2011, 13(3), 47-54 [cit. 2024-07-31]. Dostupné z: <chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://actabio.pwr.edu.pl/fcp/sGBUKOQtTKlQhbx08SlkTUARAUWRuHQwFDBoIVURNWHpSFVZpCFghUHcKVigEQUw/302/public/publikacje/v13-3-2011/46.pdf>
- [13] LEVINGER, Pazit, Hylton B MENZ a Mohammad R FOTOOHABADI. Foot posture in people with medial compartment knee osteoarthritis. *Journal of foot and ankle research* [online]. 2010, 3(29) [cit. 2024-07-30]. Dostupné z: doi:10.1186/1757-1146-3-29
- [14] VAN DEN NOORT, Josien C, Ilse SCHAFFERS a Jasper SNIJDERS. The effectiveness of voluntary modifications of gait pattern to reduce the knee adduction moment. *Human movement science* [online]. 2013, 32(3), 412-424 [cit. 2024-07-27]. Dostupné z: doi:10.1016/j.humov.2012.02.009
- [15] METCALF, B., K. L. PATERSON a P. K. CAMPBELL. Relationship between static foot posture, in-shoe plantar forces and knee pain in people with medial knee osteoarthritis. *Osteoarthritis and Cartilage* [online]. 2019, 27(1) [cit. 2024-08-02]. Dostupné z: doi:10.1016/j.joca.2019.02.178
- [16] SILVA, M. Denika C., Diana M PERRIMAN a Angela M. FEARON. Effects of neuromuscular gait modification strategies on indicators of knee joint load in people with medial knee osteoarthritis: A systematic review and meta-analysis. *PloS one* [online]. 2022, 17(9), 402-408 [cit. 2024-07-27]. Dostupné z: doi:10.1371/journal.pone.0274874
- [17] A Biomechanical Perspective on Physical Therapy Management of Knee Osteoarthritis [online]. In: . 2013 [cit. 2024-08-12]. Dostupné z: <https://www.jospt.org/cms/10.2519/jospt.2013.4121/asset/images/large/jospt-600-fig001.jpeg>
- [18] ROSE, Jessica a James G. GAMBLE. *Human Walking*. 3. 2006. ISBN 0-7817-5954-4.

- [19] KUO, Arthur D a J Maxwell DONELAN. Dynamic principles of gait and their clinical implications. *Physical therapy* [online]. 2010, 90(2), 157-174 [cit. 2024-07-25]. Dostupné z: doi:10.2522/ptj.20090125
- [20] STERGIU, Nick. *Biomechanics and Gait Analysis*. Elsevier, 2020. ISBN 978-0-12-813372-9.
- [21] EARLS, James. *Zrozen k chůzi*. 2. 2014. ISBN 978-80-271-1749-9.
- [22] WEBSTER, Joseph B. a Douglas P. MURPHY. *Atlas of Orthoses and Assistive Devices* [online]. 5. Elsevier, 2019 [cit. 2024-07-25]. ISBN 978-0-323-48323-0. Dostupné z: doi:<https://doi.org/10.1016/C2014-0-04193-7>
- [24] ZENG, Xiaolong, Limin MA a Zefeng LIN. Relationship between KellgrenLawrence score and 3D kinematic gait analysis of patients with medial knee osteoarthritis using a new gait system. *Scientific reports* [online]. 2017, 7(1), 1-8 [cit. 2024-07-29]. Dostupné z: <https://www.nature.com/articles/s41598-017-04390-5>
- [25] ROBBINS, Shawn M, Trevor B BIRMINGHAM a Ian C JONES. Comparison of Gait Characteristics Between Patients With Nontraumatic and Posttraumatic Medial Knee Osteoarthritis. *Arthritis care & research* [online]. 2016, 68(9), 1215-1223 [cit. 2024-07-29]. Dostupné z: doi:10.1002/acr.22822
- [31] KUTZNER, Ines, Adam TREPCZYNSKI, Markus O HELLER a Georg BERGMANN. Knee adduction moment and medial contact force--facts about their correlation during gait. *PloS one* [online]. 2013, 8(12) [cit. 2024-07-26]. Dostupné z: doi:10.1371/journal.pone.0081036
- [33] ARNOLD, John, Shylie MACKINTOSH a Sara JONES. Altered dynamic foot kinematics in people with medial knee osteoarthritis during walking: a cross-sectional study. *The Knee* [online]. 2014, 21(6), 1101-1106 [cit. 2024-08-01]. Dostupné z: doi:10.1016/j.knee.2014.08.004
- [34] KLÖPFER-KRÄMER, Isabella, Andreas BRAND a Hannes WACKERLE. Gait analysis –Available platforms for outcome assessment. *Injury* [online]. 2020, 51(2), 90-96 [cit. 2024-08-02]. Dostupné z: doi:10.1016/j.injury.2019.11.011
- [35] MACRI, EM, RW SELLES, M REIJMAN a JJ STEFANI. OARSI year in review 2023: Rehabilitation and outcomes. *Osteoarthritis and cartilage* [online]. 2023, 31(12), 1534-1547 [cit. 2024-07-24]. Dostupné z: doi:10.1016/j.joca.2023.08.011
- [38] PERRUCCIO, Anthony V, James J YOUNG, Jessica M WILFONG, J Denise POWER, Mayilee CANIZARES a Elizabeth M BADLEY. Osteoarthritis year in review 2023: Epidemiology & therapy. *Osteoarthritis Cartilage* [online]. 2024, 32(2), 159-165 [cit. 2024-07-24]. Dostupné z: doi:10.1016/j.joca.2023.11.012
- [39] COTTMAYER, Daniel F, Brian H HOANG a Mark A LYLE. Can exercise interventions reduce external knee adduction moment during gait? A systematic review and

meta-analysis. *Clinical biomechanics* (Bristol, Avon) [online]. 2023, 109 [cit. 2024-08-04].  
Dostupné z: doi:10.1016/j.clinbiomech.2023.106064

[41] GOH, Siew-Li, Monica S M PERSSON a Joanne STOCKS. Efficacy and potential determinants of exercise therapy in knee and hip osteoarthritis: A systematic review and meta-analysis. *Annals of physical and rehabilitation medicine* [online]. 2019, 62(5), 356-365 [cit. 2024-08-06]. Dostupné z: doi:10.1016/j.rehab.2019.04.006

[56] BARTHOLDY, Cecilie, Carsten JUHL a Robin CHRISTENSEN. The role of muscle strengthening in exercise therapy for knee osteoarthritis: A systematic review and meta-regression analysis of randomized trials. *Seminars in arthritis and rheumatism* [online]. 2017, 47(1) [cit. 2024-08-06]. Dostupné z: doi:10.1016/j.semarthrit.2017.03.007

[57] HUSTED, R S, A TROELSEN a H HUSTED. Knee-extensor strength, symptoms, and need for surgery after two, four, or six exercise sessions/week using a home-based one-exercise program: a randomized dose-response trial of knee-extensor resistance exercise in patients eligible for knee replacement (the QUADX-1 trial). *Osteoarthritis and cartilage* [online]. 2022, 30(7), 973-986 [cit. 2024-08-06]. Dostupné z: doi:10.1016/j.joca.2022.04.001

[58] LANGE, Angela K, Benedicte VANWANSEELE a Maria A FIATARONE SINGH. Strength training for treatment of osteoarthritis of the knee: a systematic review. *Arthritis and rheumatism* [online]. 2008, 59(10), 14888-1494 [cit. 2024-08-06]. Dostupné z: doi:10.1002/art.24118

[59] BECKWÉE, David, Peter VAES a Maarten CNUUDE. Osteoarthritis of the knee: why does exercise work? A qualitative study of the literature. *Ageing research review* [online]. 2013, 12(1), 226-236 [cit. 2024-08-06]. Dostupné z: doi:10.1016/j.arr.2012.09.005

[60] FUKAYA, Takashi, Hirotaka MUTSUZAKI a Koichi MORI. Characteristics of frontal plane lower limb movement during walking in patients with knee osteoarthritis of varying severity. *Journal of orthopaedic surgery (Hong Kong)* [online]. 2019, 27(2) [cit. 2024-07-29]. Dostupné z: <https://journals.sagepub.com/doi/10.1177/2309499019848085>

[61] SUZUKI, Yuki, Yasumitsu OHKOSHI a Kensaku KAWAKAMI. Assessing knee joint biomechanics and trunk posture according to medial osteoarthritis severity. *Scientific reports* [online]. 2023, 13(1), 1-9 [cit. 2024-07-28]. Dostupné z: doi:10.1038/s41598-023-46486-1

[62] ABDEL-AAL, Nabi, Amal Hassan MOHAMMED IBRAHIM a Mohamed Mostafa KOTB. Mechanical traction from different knee joint angles in patients with knee osteoarthritis: A randomized controlled trial. *Clinical Rehabilitation* [online]. 36(8) [cit. 2024-08-04]. Dostupné z: doi:10.1177/02692155221091508

[63] LEE, Dong-Kyu a Jin-Gyu JEONG. Comparison of Effects of Non-surgical Continuous and Intermittent Traction on Pain, Balance and Physical Function in the Treatment of Knee Osteoarthritis. *The Korea Society of Physical Therapy* [online]. 2020, 32(6), 348-353 [cit. 2024-08-05]. Dostupné z: doi:10.18857/jkpt.2020.32.6.348

- [64] RYNNE, Rebecca, Gia Le TONG a Roy T H CHEUNG. Effectiveness of gait retraining interventions in individuals with hip or knee osteoarthritis: A systematic review and meta-analysis. Cheung [online]. 2022, 95, 164-175 [cit. 2024-07-27]. Dostupné z: doi:10.1016/j.gaitpost.2022.04.013
- [65] BOWD, Jake, Paul BIGGS a Cathy HOLT. Does Gait Retraining Have the Potential to Reduce Medial Compartmental Loading in Individuals With Knee Osteoarthritis While Not Adversely Affecting the Other Lower Limb Joints? A Systematic Review. Archives of rehabilitation research and clinical translation [online]. 2019, 1(3-4), 1-18 [cit. 2024-07-27]. Dostupné z: doi:10.1016/j.arrct.2019.100022
- [66] Dotazník na zhodnocení zdravotního stavu (WOMAC). In: ČESKÁ REVMATOLOGICKÁ SPOLEČNOST [online]. [cit. 2024-08-10]. Dostupné z: <https://www.revmatologicka-spolecnost.cz/resources/dokumenty/womac.pdf>
- [67] PUIG-DIVÍ, Albert, Carles ESCALONA-MARFIL a Josep Maria JOSEP MARIA. Validity and reliability of the Kinovea program in obtaining angles and distances using coordinates in 4 perspectives. PLoS One [online]. 2019, 14(6) [cit. 2024-08-03]. Dostupné z: doi:10.1371/journal.pone.0216448
- [68] CASANOVA, C., B. R. CELLI a P. BARRIA. The 6-min walk distance in healthy subjects: reference standards from seven countries. European Respiratory Journal [online]. 2011, 37, 150-156 [cit. 2024-08-10]. Dostupné z: doi:10.1183/09031936.00194909
- [69] RO, Du Hyun, Joonhee LEE a Jangyun LEE. Effects of Knee Osteoarthritis on Hip and Ankle Gait Mechanics. Effects of Knee Osteoarthritis on Hip and Ankle Gait Mechanics [online]. 2019, 2019(1) [cit. 2024-07-26]. Dostupné z: doi:10.1155/2019/9757369