

References:

* - secondary source

Abramov, E., Dolev, I., Fogel, H., Ciccotosto, G. D., Ruff, E., & Slutsky, I. (2009). Amyloid- β as a positive endogenous regulator of release probability at hippocampal synapses. *Nature neuroscience*, 12(12), 1567.

Altmann, A., Tian, L., Henderson, V. W., Greicius, M. D., & Alzheimer's Disease Neuroimaging Initiative Investigators. (2014). Sex modifies the APOE-related risk of developing Alzheimer disease. *Annals of neurology*, 75(4), 563-573.

*Alzheimer's Association. (2011). 2011 Alzheimer's disease facts and figures. *Alzheimer's & dementia: the journal of the Alzheimer's Association*, 7(2), 208.

Arriagada, P. V., Growdon, J. H., Hedley-Whyte, E. T., & Hyman, B. T. (1992). Neurofibrillary tangles but not senile plaques parallel duration and severity of Alzheimer's disease. *Neurology*, 42(3), 631-631.

Barger, S. W., DeWall, K. M., Liu, L., Mrak, R. E., & Griffin, W. S. T. (2008). Relationships between expression of apolipoprotein E and β -amyloid precursor protein are altered in proximity to Alzheimer β -amyloid plaques: Potential explanations from cell culture studies. *Journal of Neuropathology & Experimental Neurology*, 67(8), 773-783.

Bertram, L., Blacker, D., Mullin, K., Keeney, D., Jones, J., Basu, S., ... & Selkoe, D. J. (2000). Evidence for genetic linkage of Alzheimer's disease to chromosome 10q. *Science*, 290(5500), 2302-2303.

Borchelt, D. R., Thinakaran, G., Eckman, C. B., Lee, M. K., Davenport, F., Ratovitsky, T., ... & Slunt, H. H. (1996). Familial Alzheimer's disease-linked presenilin 1 variants elevate A β 1-42/1-40 ratio in vitro and in vivo. *Neuron*, 17(5), 1005-1013.

Bouras, C., Hof, P. R., Giannakopoulos, P., Michel, J. P., & Morrison, J. H. (1994). Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of elderly patients: a quantitative evaluation of a one-year autopsy population from a geriatric hospital. *Cerebral cortex*, 4(2), 138-150.

Buttini, M., Yu, G. Q., Shockley, K., Huang, Y., Jones, B., Masliah, E., ... & Mucke, L. (2002). Modulation of Alzheimer-like synaptic and cholinergic deficits in transgenic mice by human apolipoprotein E depends on isoform, aging, and overexpression of amyloid β peptides but not on plaque formation. *Journal of Neuroscience*, 22(24), 10539-10548.

Carrasquillo, M. M., Zou, F., Pankratz, V. S., Wilcox, S. L., Ma, L., Walker, L. P., ... & Ertekin-Taner, N. (2009). Genetic variation in PCDH11X is associated with susceptibility to late-onset Alzheimer's disease. *Nature genetics*, 41(2), 192.

Chartier-Harlin, M. C., Parfitt, M., Legrain, S., Pérez-Tur, J., Brousseau, T., Evans, A., ... & Fruchart, J. C. (1994). Apolipoprotein E, ϵ 4 allele as a major risk factor for sporadic early and late-onset forms of Alzheimer's disease: analysis of the 19q13. 2 chromosomal region. *Human molecular genetics*, 3(4), 569-574.

Chen, C. D., Oh, S. Y., Hinman, J. D., & Abraham, C. R. (2006). Visualization of APP dimerization and APP-Notch2 heterodimerization in living cells using bimolecular fluorescence complementation. *Journal of neurochemistry*, 97(1), 30-43.

*Chopra, K., Misra, S., & Kuhad, A. (2011). Neurobiological aspects of Alzheimer's disease. *Expert opinion on therapeutic targets*, 15(5), 535-555.

Citron, M., Westaway, D., Xia, W., Carlson, G., Diehl, T., Levesque, G., ... & Kholodenko, D. (1997). Mutant presenilins of Alzheimer's disease increase production of 42-residue amyloid β -protein in both transfected cells and transgenic mice. *Nature medicine*, 3(1), 67.

Corder, E. H., Saunders, A. M., Risch, N. J., Strittmatter, W. J., Schmechel, D. E., Gaskell, P. C., ... & Small, G. W. (1994). Protective effect of apolipoprotein E type 2 allele for late onset Alzheimer disease. *Nature genetics*, 7(2), 180-184.

Corder, E. H., Saunders, A. M., Strittmatter, W. J., Schmechel, D. E., Gaskell, P. C., Small, G., ... & Pericak-Vance, M. A. (1993). Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer's disease in late onset families. *Science*, 261(5123), 921-923.

Crawford, F. C., Freeman, M. J., Schinka, J. A., Abdullah, L. I., Gold, M., Hartman, R., ... & Anand, R. (2000). A polymorphism in the cystatin C gene is a novel risk factor for late-onset Alzheimer's disease. *Neurology*, 55(6), 763-768.

Cruchaga, C., Karch, C. M., Jin, S. C., Benitez, B. A., Cai, Y., Guerreiro, R., ... & Jeng, A. T. (2014). Rare coding variants in the phospholipase D3 gene confer risk for Alzheimer's disease. *Nature*, 505(7484), 550.

Cruts, M., van Duijn, C. M., Backhovens, H., Van den Broeck, M., Wehnert, A., Serneels, S., ... & Hofman, A. (1998). Estimation of the genetic contribution of presenilin-1 and-2 mutations in a population-based study of presenile Alzheimer disease. *Human molecular genetics*, 7(1), 43-51.

Deary, I. J., Whiteman, M. C., Pattie, A., Starr, J. M., Hayward, C., Wright, A. F., ... & Whalley, L. J. (2002). Ageing: Cognitive change and the APOE ϵ 4 allele. *Nature*, 418(6901), 932.

*Dening, T., & Sandilyan, M. B. (2015). Dementia: definitions and types. *Nursing Standard (2014+)*, 29(37), 37.

Dong, L. M., & Weisgraber, K. H. (1996). Human apolipoprotein E4 domain interaction Arginine 61 and glutamic acid 255 interact to direct the preference for very low density lipoproteins. *Journal of Biological Chemistry*, 271(32), 19053-19057.

Egan, M. F., Kost, J., Tariot, P. N., Aisen, P. S., Cummings, J. L., Vellas, B., ... & Mahoney, E. (2018). Randomized Trial of Verubecestat for Mild-to-Moderate Alzheimer's Disease. *New England Journal of Medicine*, 378(18), 1691-1703.

*Farrer, L. A., Cupples, L. A., Haines, J. L., Hyman, B., Kukull, W. A., Mayeux, R., ... & Van Duijn, C. M. (1997). Effects of age, sex, and ethnicity on the association between apolipoprotein E genotype and Alzheimer disease: a meta-analysis. *Jama*, 278(16), 1349-1356.

Fratiglioni, L., Ahlbom, A., Viitanen, M., & Winblad, B. (1993). Risk factors for late-onset Alzheimer's disease: A population-based, case-control study. *Annals of neurology*, 33(3), 258-266.

*Gatz, M., Reynolds, C. A., Fratiglioni, L., Johansson, B., Mortimer, J. A., Berg, S., ... & Pedersen, N. L. (2006). Role of genes and environments for explaining Alzheimer disease. *Archives of general psychiatry*, 63(2), 168-174.

*Geldmacher, D. S., & Whitehouse, P. J. (1997). Differential diagnosis of Alzheimer's disease. *Neurology*, 48(5 Suppl 6), 2S-9S.

Giedraitis, V., Hedlund, M., Skoglund, L., Blom, E., Ingvast, S., Brundin, R., ... & Glaser, A. (2006). New Alzheimer's disease locus on chromosome 8. *Journal of medical genetics*, 43(12), 931-935.

Green, R. C., Schneider, L. S., Amato, D. A., Beelen, A. P., Wilcock, G., Swabb, E. A., ... & Tarenflurbil Phase 3 Study Group. (2009). Effect of tarenflurbil on cognitive decline and activities of daily living in patients with mild Alzheimer disease: a randomized controlled trial. *Jama*, 302(23), 2557-2564.

Hallman, D. M., Boerwinkle, E., Saha, N., Sandholzer, C., Menzel, H. J., Csazar, A., & Utermann, G. (1991). The apolipoprotein E polymorphism: a comparison of allele frequencies and effects in nine populations. *American journal of human genetics*, 49(2), 338.

Hao, K., Di Narzo, A. F., Ho, L., Luo, W., Li, S., Chen, R., ... & Pasinetti, G. M. (2015). Shared genetic etiology underlying Alzheimer's disease and type 2 diabetes. *Molecular aspects of medicine*, 43, 66-76.

Harhangi, B. S., De Rijk, M. C., Van Duijn, C. M., Van Broeckhoven, C., Hofman, A., & Breteler, M. M. B. (2000). APOE and the risk of PD with or without dementia in a population-based study. *Neurology*, 54(6), 1272-1276.

Hermes, J., Anliker, B., Heber, S., Ring, S., Fuhrmann, M., Kretschmar, H., ... & Müller, U. (2004). Cortical dysplasia resembling human type 2 lissencephaly in mice lacking all three APP family members. *The EMBO journal*, 23(20), 4106-4115.

Ho, A., & Südhof, T. C. (2004). Binding of F-spondin to amyloid- β precursor protein: a candidate amyloid- β precursor protein ligand that modulates amyloid- β precursor protein cleavage. *Proceedings of the national academy of sciences*, 101(8), 2548-2553.

Holtzman, D. M., Bales, K. R., Tenkova, T., Fagan, A. M., Parsadanian, M., Sartorius, L. J., ... & Paul, S. M. (2000). Apolipoprotein E isoform-dependent amyloid deposition and neuritic degeneration in a mouse model of Alzheimer's disease. *Proceedings of the National Academy of Sciences*, 97(6), 2892-2897.

Honig, L. S., Vellas, B., Woodward, M., Boada, M., Bullock, R., Borrie, M., ... & Case, M. (2018). Trial of solanezumab for mild dementia due to Alzheimer's disease. *New England Journal of Medicine*, 378(4), 321-330.

Huang, Y., Liu, X. Q., Wyss-Coray, T., Brecht, W. J., Sanan, D. A., & Mahley, R. W. (2001). Apolipoprotein E fragments present in Alzheimer's disease brains induce neurofibrillary tangle-like intracellular inclusions in neurons. *Proceedings of the National Academy of Sciences*, 98(15), 8838-8843.

- Ignatius, M. J., Gebicke-Härter, P. J., Skene, J. H., Schilling, J. W., Weisgraber, K. H., Mahley, R. W., & Shooter, E. M. (1986). Expression of apolipoprotein E during nerve degeneration and regeneration. *Proceedings of the National Academy of Sciences*, 83(4), 1125-1129.
- Jonsson, T., Atwal, J. K., Steinberg, S., Snaedal, J., Jonsson, P. V., Bjornsson, S., ... & Hoyte, K. (2012). A mutation in APP protects against Alzheimer's disease and age-related cognitive decline. *Nature*, 488(7409), 96.
- Jonsson, T., Stefansson, H., Steinberg, S., Jonsdottir, I., Jonsson, P. V., Snaedal, J., ... & Rujescu, D. (2013). Variant of TREM2 associated with the risk of Alzheimer's disease. *New England Journal of Medicine*, 368(2), 107-116.
- *Joshi, A., Ringman, J. M., Lee, A. S., Juarez, K. O., & Mendez, M. F. (2012). Comparison of clinical characteristics between familial and non-familial early onset Alzheimer's disease. *Journal of neurology*, 259(10), 2182-2188.
- Kamenetz, F., Tomita, T., Hsieh, H., Seabrook, G., Borchelt, D., Iwatsubo, T., ... & Malinow, R. (2003). APP processing and synaptic function. *Neuron*, 37(6), 925-937.
- Keller, L., Xu, W., Wang, H. X., Winblad, B., Fratiglioni, L., & Graff, C. (2011). The obesity related gene, FTO, interacts with APOE, and is associated with Alzheimer's disease risk: a prospective cohort study. *Journal of Alzheimer's Disease*, 23(3), 461-469.
- Kennedy, M. E., Stamford, A. W., Chen, X., Cox, K., Cumming, J. N., Dockendorf, M. F., ... & Jhee, S. (2016). The BACE1 inhibitor verubecestat (MK-8931) reduces CNS β -amyloid in animal models and in Alzheimer's disease patients. *Science translational medicine*, 8(363), 363ra150-363ra150.
- Kim, M., Suh, J., Romano, D., Truong, M. H., Mullin, K., Hooli, B., ... & Moir, R. D. (2009). Potential late-onset Alzheimer's disease-associated mutations in the ADAM10 gene attenuate α -secretase activity. *Human molecular genetics*, 18(20), 3987-3996.
- Klein, R. C., Mace, B. E., Moore, S. D., & Sullivan, P. M. (2010). Progressive loss of synaptic integrity in human apolipoprotein E4 targeted replacement mice and attenuation by apolipoprotein E2. *Neuroscience*, 171(4), 1265-1272.
- Kovacs, D. M., Fausett, H. J., Page, K. J., Kim, T. W., Moir, R. D., Merriam, D. E., ... & Hyman, B. T. (1996). Alzheimer-associated presenilins 1 and 2: neuronal expression in brain and localization to intracellular membranes in mammalian cells. *Nature medicine*, 2(2), 224.
- LaDu, M. J., Falduto, M. T., Manelli, A. M., Reardon, C. A., Getz, G. S., & Frail, D. E. (1994). Isoform-specific binding of apolipoprotein E to beta-amyloid. *Journal of Biological Chemistry*, 269(38), 23403-23406.
- *Lambert, J. C., Ibrahim-Verbaas, C. A., Harold, D., Naj, A. C., Sims, R., Bellenguez, C., ... & Grenier-Boley, B. (2013). Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. *Nature genetics*, 45(12), 1452.
- Lambert, M. P., Barlow, A. K., Chromy, B. A., Edwards, C., Freed, R., Liosatos, M., ... & Wals, P. (1998). Diffusible, nonfibrillar ligands derived from A β 1-42 are potent central nervous system neurotoxins. *Proceedings of the National Academy of Sciences*, 95(11), 6448-6453.

- Lammich, S., Kojro, E., Postina, R., Gilbert, S., Pfeiffer, R., Jasionowski, M., ... & Fahrenholz, F. (1999). Constitutive and regulated α -secretase cleavage of Alzheimer's amyloid precursor protein by a disintegrin metalloprotease. *Proceedings of the National Academy of Sciences*, *96*(7), 3922-3927.
- Levy, B. R., Slade, M. D., Pietrzak, R. H., & Ferrucci, L. (2018). Positive age beliefs protect against dementia even among elders with high-risk gene. *PloS one*, *13*(2), e0191004.
- Levy-Lahad, E., Wasco, W., Poorkaj, P., Romano, D. M., Oshima, J., Pettingell, W. H., ... & Wang, K. (1995). Candidate gene for the chromosome 1 familial Alzheimer's disease locus. *Science*, *269*(5226), 973-977.
- Liu, F., Arias-Vásquez, A., Sleegers, K., Aulchenko, Y. S., Kayser, M., Sanchez-Juan, P., ... & Heutink, P. (2007). A genomewide screen for late-onset Alzheimer disease in a genetically isolated Dutch population. *The American Journal of Human Genetics*, *81*(1), 17-31.
- *Mahley, R. W., Nathan, B. P., & Pitas, R. E. (1996). Apolipoprotein E. Structure, Function, and Possible Roles in Alzheimer's Disease a. *Annals of the New York Academy of Sciences*, *777*(1), 139-145.
- Matrone, C. (2013). A new molecular explanation for age-related neurodegeneration: The Tyr682 residue of amyloid precursor protein. *Bioessays*, *35*(10), 847-852.
- Meyer, M. R., Tschanz, J. T., Norton, M. C., Welsh-Bohmer, K. A., Steffens, D. C., Wyse, B. W., & Breitner, J. C. (1998). APOE genotype predicts when—not whether—one is predisposed to develop Alzheimer disease. *Nature genetics*, *19*(4), 321.
- Mok, S. S., Sberna, G., Heffernan, D., Cappai, R., Galatis, D., Clarris, H. J., ... & Small, D. H. (1997). Expression and analysis of heparin-binding regions of the amyloid precursor protein of Alzheimer's disease. *FEBS letters*, *415*(3), 303-307.
- Murrell, J., Farlow, M., Ghetti, B., & Benson, M. D. (1991). A mutation in the amyloid precursor protein associated with hereditary Alzheimer's disease. *Science*, *254*(5028), 97-99.
- *Nalbantoglu, J., Gilfix, B. M., Bertrand, P., Robitaille, Y., Gauthier, S., Rosenblatt, D. S., & Poirier, J. (1994). Predictive value of apolipoprotein E genotyping in Alzheimer's disease: results of an autopsy series and an analysis of several combined studies. *Annals of Neurology: Official Journal of the American Neurological Association and the Child Neurology Society*, *36*(6), 889-895.
- Näslund, J., Haroutunian, V., Mohs, R., Davis, K. L., Davies, P., Greengard, P., & Buxbaum, J. D. (2000). Correlation between elevated levels of amyloid β -peptide in the brain and cognitive decline. *Jama*, *283*(12), 1571-1577.
- Novak, P., Schmidt, R., Kontseikova, E., Zilka, N., Kovacech, B., Skrabana, R., ... & Parrak, V. (2017). Safety and immunogenicity of the tau vaccine AADvac1 in patients with Alzheimer's disease: a randomised, double-blind, placebo-controlled, phase 1 trial. *The Lancet Neurology*, *16*(2), 123-134.
- Oh, E. S., Savonenko, A. V., King, J. F., Tucker, S. M. F., Rudow, G. L., Xu, G., ... & Troncoso, J. C. (2009). Amyloid precursor protein increases cortical neuron size in transgenic mice. *Neurobiology of aging*, *30*(8), 1238-1244.

- Perez, R. G., Zheng, H., Van der Ploeg, L. H., & Koo, E. H. (1997). The β -amyloid precursor protein of Alzheimer's disease enhances neuron viability and modulates neuronal polarity. *Journal of Neuroscience*, *17*(24), 9407-9414.
- Pericak-Vance, M. A., Bass, M. P., Yamaoka, L. H., Gaskell, P. C., Scott, W. K., Terwedow, H. A., ... & Saunders, A. M. (1997). Complete genomic screen in late-onset familial Alzheimer disease: evidence for a new locus on chromosome 12. *Jama*, *278*(15), 1237-1241.
- Pericak-Vance, M. A., Grubber, J., Bailey, L. R., Hedges, D., West, S., Santoro, L., ... & Small, G. W. (2000). Identification of novel genes in late-onset Alzheimer's disease. *Experimental gerontology*, *35*(9-10), 1343-1352.
- Poirier, J. (1994). Apolipoprotein E in animal models of CNS injury and in Alzheimer's disease. *Trends in neurosciences*, *17*(12), 525-530.
- Raber, J., Wong, D., Yu, G. Q., Buttini, M., Mahley, R. W., Pitas, R. E., & Mucke, L. (2000). Alzheimer's disease: Apolipoprotein E and cognitive performance. *Nature*, *404*(6776), 352.
- Rademakers, R., Cruts, M., Sleegers, K., Dermaut, B., Theuns, J., Aulchenko, Y., ... & De Rijk, P. (2005). Linkage and association studies identify a novel locus for Alzheimer disease at 7q36 in a Dutch population-based sample. *The American Journal of Human Genetics*, *77*(4), 643-652.
- Rao, V. S., Van Duijn, C. M., Connor-Lacke, L., Cupples, L. A., Growdon, J. H., & Farrer, L. A. (1994). Multiple etiologies for Alzheimer disease are revealed by segregation analysis. *American journal of human genetics*, *55*(5), 991.
- Refolo, L. M., Pappolla, M. A., Malester, B., LaFrancois, J., Bryant-Thomas, T., Wang, R., ... & Duff, K. (2000). Hypercholesterolemia accelerates the Alzheimer's amyloid pathology in a transgenic mouse model. *Neurobiology of disease*, *7*(4), 321-331.
- Reiman, E. M., Caselli, R. J., Chen, K., Alexander, G. E., Bandy, D., & Frost, J. (2001). Declining brain activity in cognitively normal apolipoprotein E ϵ 4 heterozygotes: a foundation for using positron emission tomography to efficiently test treatments to prevent Alzheimer's disease. *Proceedings of the National Academy of Sciences*, *98*(6), 3334-3339.
- Reiman, E. M., Caselli, R. J., Yun, L. S., Chen, K., Bandy, D., Minoshima, S., ... & Osborne, D. (1996). Preclinical evidence of Alzheimer's disease in persons homozygous for the ϵ 4 allele for apolipoprotein E. *New England Journal of Medicine*, *334*(12), 752-758.
- Reitz, C., Tosto, G., Mayeux, R., & Luchsinger, J. A. (2012). Genetic variants in the Fat and Obesity Associated (FTO) gene and risk of Alzheimer's disease. *PloS one*, *7*(12), e50354.
- Roch, J. M., Masliah, E., Roch-Levecq, A. C., Sundsmo, M. P., Otero, D. A., Veinbergs, I., & Saitoh, T. (1994). Increase of synaptic density and memory retention by a peptide representing the trophic domain of the amyloid beta/A4 protein precursor. *Proceedings of the National Academy of Sciences*, *91*(16), 7450-7454.
- Satpute-Krishnan, P., DeGiorgis, J. A., Conley, M. P., Jang, M., & Bearer, E. L. (2006). A peptide zipcode sufficient for anterograde transport within amyloid precursor protein. *Proceedings of the National Academy of Sciences*, *103*(44), 16532-16537.

- Shen, J., Bronson, R. T., Chen, D. F., Xia, W., Selkoe, D. J., & Tonegawa, S. (1997). Skeletal and CNS defects in Presenilin-1-deficient mice. *Cell*, 89(4), 629-639.
- Sherrington, R., Rogaev, E. I., Liang, Y. A., Rogaeva, E. A., Levesque, G., Ikeda, M., ... & Tsuda, T. (1995). Cloning of a gene bearing missense mutations in early-onset familial Alzheimer's disease. *Nature*, 375(6534), 754.
- Soba, P., Eggert, S., Wagner, K., Zentgraf, H., Siehl, K., Kreger, S., ... & Masters, C. L. (2005). Homo- and heterodimerization of APP family members promotes intercellular adhesion. *The EMBO journal*, 24(20), 3624-3634.
- Spasic, D., Tolia, A., Dillen, K., Baert, V., De Strooper, B., Vrijens, S., & Annaert, W. (2006). Presenilin-1 maintains a nine-transmembrane topology throughout the secretory pathway. *Journal of Biological Chemistry*, 281(36), 26569-26577.
- St George-Hyslop, P. H., Haines, J. L., Rogaev, E. I., Mortilla, M., Vaula, G., Pericak-Vance, M., ... & Rainero, I. (1992). Genetic evidence for a novel familial Alzheimer's disease locus on chromosome 14. *Nature genetics*, 2(4), 330.
- Steen, E., Terry, B. M., J Rivera, E., Cannon, J. L., Neely, T. R., Tavares, R., ... & de la Monte, S. M. (2005). Impaired insulin and insulin-like growth factor expression and signaling mechanisms in Alzheimer's disease—is this type 3 diabetes?. *Journal of Alzheimer's disease*, 7(1), 63-80.
- Stroud, J. C., Liu, C., Teng, P. K., & Eisenberg, D. (2012). Toxic fibrillar oligomers of amyloid- β have cross- β structure. *Proceedings of the National Academy of Sciences*, 109(20), 7717-7722.
- Teri, L., Gibbons, L. E., McCurry, S. M., Logsdon, R. G., Buchner, D. M., Barlow, W. E., ... & Larson, E. B. (2003). Exercise plus behavioral management in patients with Alzheimer disease: a randomized controlled trial. *Jama*, 290(15), 2015-2022.
- Tesseur, I., Van Dorpe, J., Spittaels, K., Van den Haute, C., Moechars, D., & Van Leuven, F. (2000). Expression of human apolipoprotein E4 in neurons causes hyperphosphorylation of protein tau in the brains of transgenic mice. *The American journal of pathology*, 156(3), 951-964.
- Turner, P. R., O'connor, K., Tate, W. P., & Abraham, W. C. (2003). Roles of amyloid precursor protein and its fragments in regulating neural activity, plasticity and memory. *Progress in neurobiology*, 70(1), 1-32.
- *Van der Linden, M., & Juillerat Van der Linden, A. C. (2017). A life-course and multifactorial approach to Alzheimer's disease: Implications for research, clinical assessment and intervention practices. *Dementia*, 1471301216657270.
- Vassar, R., Bennett, B. D., Babu-Khan, S., Kahn, S., Mendiaz, E. A., Denis, P., ... & Luo, Y. (1999). β -Secretase cleavage of Alzheimer's amyloid precursor protein by the transmembrane aspartic protease BACE. *science*, 286(5440), 735-741.
- Levy-Lahad, E., Wijsman, E. M., Nemens, E., Anderson, L., Goddard, K. A., Weber, J. L., ... & Schellenberg, G. D. (1995). A familial Alzheimer's disease locus on chromosome 1. *Science*, 269(5226), 970-973.

Weisgraber, K. H. (1990). Apolipoprotein E distribution among human plasma lipoproteins: role of the cysteine-arginine interchange at residue 112. *Journal of Lipid Research*, 31(8), 1503-1511.

Wijsman, E. M., Daw, E. W., Yu, C. E., Payami, H., Steinbart, E. J., Nochlin, D., ... & Schellenberg, G. D. (2004). Evidence for a novel late-onset Alzheimer disease locus on chromosome 19p13.2. *The American Journal of Human Genetics*, 75(3), 398-409.

Yaffe, K., Haan, M., Byers, A., Tangen, C., & Kuller, L. M. D. D. (2000). Estrogen use, APOE, and cognitive decline evidence of gene–environment interaction. *Neurology*, 54(10), 1949-1954.

Young-Pearse, T. L., Bai, J., Chang, R., Zheng, J. B., LoTurco, J. J., & Selkoe, D. J. (2007). A critical function for β -amyloid precursor protein in neuronal migration revealed by in utero RNA interference. *Journal of Neuroscience*, 27(52), 14459-14469.

Zhang, C., Wu, B., Beglopoulos, V., Wines-Samuelson, M., Zhang, D., Dragatsis, I., ... & Shen, J. (2009). Presenilins are essential for regulating neurotransmitter release. *Nature*, 460(7255), 632.

Zhu, L., Fratiglioni, L., Guo, Z., Basun, H., Corder, E. H., Winblad, B., & Viitanen, M. (2000). Incidence of dementia in relation to stroke and the apolipoprotein E ϵ 4 allele in the very old: findings from a population-based longitudinal study. *Stroke*, 31(1), 53-60.

Zubenko, G. S., Hughes, H. B., Stiffler, J. S., Hurtt, M. R., & Kaplan, B. B. (1998). A genome survey for novel Alzheimer disease risk loci: results at 10-cM resolution. *Genomics*, 50(2), 121-128.

Other sources:

Nature [Internet]:

<https://www.nature.com/subjects/genome-wide-association-studies> downloaded:28.7.2018

<https://www.nature.com/subjects/genetic-linkage-study> downloaded:28.7.2018

OMIM, [Internet] : Victor A. McKusick, 1985). Available from: <http://omim.org/entry/104300?search=alzheimer%20disease%2019&highlight=19%20alzheimer%20nineteen%20disease%20xix> , downloaded: 20.7.2018