

8 SUMMARY

DISPENSATION OF SELECTED DRUGS WITH ADDICTIVE POTENTIAL IN A PHARMACY

Mgr. Veronika Viková

Dispensation of drugs with addictive potential which were not paid from health insurance was studied in a pharmacy in Vrchlabí in the course of the year 2006. Concretely we followed dispensation of Alnagon, Korylan, Subutex and drugs with zolpidem as active substance (Stilnox, Hypnogen, Zolpidem-Ratiopharm and Zolsana).

Generally, 3 637 packets of these healing preparations were distributed. There were 61.7 % (2 245 packets) of these amount determined for women, only 38.1 % (1 386 packets) for men.

In terms of total number distributed packets of the drugs Alnagon was the most dispensed drug (33.0 %), followed by Stilnox 20tbl (21.3 %), Stilnox 10tbl (12.8 %), Subutex 8mg (10.8 %), Hypnogen 15tbl (9.0 %) and Korylan (4.0 %).

The number of dispensed packets was increasing with the age. The biggest number of the packets was dispensed to patients at the age between 61 and 70 years (31.4 %) and 51-60 years (21.4 %).

Subutex 8mg became the most often dispensed preparation for twenty-something patients. Stilnox 20tbl became the most often dispensed preparation for patients in age groups 31-40 years, 41-50 years and 71-80 years old. Alnagon was the most distributed in age groups 51-60 years, 61-70 years and 81-90 years old. The most amount of Korylan was distributed for patients older than 91 years.