

4 Bibliography

- Adali, N., Mars, M., Petrie, A., Noar, J., and Sommerlad, B., 2012. Presurgical orthopedics has no effect on archform in unilateral cleft lip and palate. *The Cleft-Palate Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 49(1): 5–13.
- Akin, Y., Ulgen, O., Gencosmanoglu, R., and Dogan, S., 1991. Early cheiloplasty: its effects on alveolar cleft. *European Journal of Plastic Surgery* 14(4): 164–167.
- Anand, K., and Soriano, S., 2004. Anesthetic agents and the immature brain: are these toxic or therapeutic? *Anesthesiology* 101(2): 527–530.
- Assunção, A.G.A., Pinto, M.A.F., Peres, S.P. de B.A., and Tristão, M.T.C., 2005. Immediate postoperative evaluation of the surgical wound and nutritional evolution after cheiloplasty. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 42(4): 434–438.
- Bardach, J., 1990. The influence of cleft lip repair on facial growth. *Cleft Palate Journal* 27(1): 76–78.
- Bardach, J., and Eisbach, K.J., 1977. The influence of primary unilateral cleft lip repair on facial growth. *The Cleft Palate Journal* 14(1): 88–97.
- Bartels, M., Althoff, R.R., and Boomsma, D.I., 2009. Anesthesia and cognitive performance in children: no evidence for a causal relationship. *Twin Research and Human Genetics* 12(3): 246–253.
- Bessell, A., Hooper, L., Shaw, W.C., Reilly, S., Reid, J., and Glenny, A.M., 2011. Feeding interventions for growth and development in infants with cleft lip, cleft palate or cleft lip and palate. *The Cochrane Database of Systematic Reviews*.
- Bill, J., Proff, P., Bayerlein, T., Weingaertner, J., Fanghänel J., and Reuther, J., 2006. Treatment of patients with cleft lip, alveolus and palate - a short outline of history and current interdisciplinary treatment approaches. *Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for Cranio-Maxillo-Facial Surgery* 34 Suppl 2: 17–21.
- Boo-Chai, K., 1966. An Ancient Chinese Text on a Cleft Lip. *Plastic and Reconstructive Surgery* 38(2): 89–91.
- Borský, J., Velemínská, J., Jurovčík, M., Kozák, J., Hechtová, D., Tvrdek, M., Černý, M., Kabelka, Z., Fajstavr, J., Janota, J., Zach, J., Peterková, R., and Peterka, M., 2012. Successful early neonatal repair of cleft lip within first 8 days of life. *International Journal of Pediatric Otorhinolaryngology* 76(11): 1616–1626.
- Borský, J., Tvrdek, M., Kozák, J., Černý, M., and Zach, J., 2007. Our first experience with primary lip repair in newborns with cleft lip and palate. *Acta Chirurgiae Plasticae* 49(4): 83–87.
- Brantley, H.T., and Clifford, E., 1980. When my child was born: Maternal reactions to the birth of a child. *Journal of Personality Assessment* 44(6): 620–623.
- Bromley, G.S., Rothaus, K.O., and Goulian, D., 1983. Cleft lip: Morbidity and mortality in early repair. *Annals of Plastic Surgery* 10(3): 214–217.

- Burianová, I., Kulišová, K., Vítková, V., and Janota, J., 2017. Breastfeeding after early repair of cleft lip in newborns with cleft lip or cleft lip and palate in a baby-friendly designated hospital. *Journal of Human Lactation: Official Journal of International Lactation Consultant Association* 33(3): 504–508.
- Calnan, J., 1952. Congenital double lip: record of a case with a note on the embryology. *British Journal of Plastic Surgery* 5(3): 197–202.
- Cannon, B., 1967. Unilateral cleft lip. *The New England Journal of Medicine* 277(11): 583–585.
- Capelozza Filho, L., Normando, A.D., and da Silva Filho, O.G., 1996. Isolated influences of lip and palate surgery on facial growth: Comparison of operated and unoperated male adults with UCLP. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 33(1): 51–56.
- Carinci, F., Pezzetti, F., Scapoli, L., Martinelli, M., and Avantaggiato, A., 2003. Recent developments in orofacial cleft genetics. *The Journal of Craniofacial Surgery* 14(2): 130–143.
- Cassell, C.H., Daniels, J., and Meyer, R.E., 2009. Timeliness of primary cleft lip/palate surgery. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 46(6): 588–597.
- Christensen, K., Juel, K., Herskind, A.M., and Murray, J.C., 2004. Long term follow up study of survival associated with cleft lip and palate at birth. *The British Medical Journal* 328(7453): 1405–1408.
- Christie, F.B., Stirrups, D.R., Mackenzie, J.S., and Lawrence, G.M., 1991. An orthodontic evaluation of 16-year-old males with an original complete unilateral cleft lip and palate problem repaired during the neonatal period. *British Journal of Plastic Surgery* 44(8): 557–561.
- Cohen, M., Marschall, M.A., and Schafer, M.E., 1992. Immediate unrestricted feeding of infants following cleft lip and palate repair. *The Journal of Craniofacial Surgery* 3(1): 30–32.
- Dadáková, M., Cagaňová, V., Dupej, J., Hoffmannová, E., Borský, J., and Velemínská, J., 2016. Three-dimensional evaluation of facial morphology in pre-school cleft patients following neonatal cheiloplasty. *Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for Cranio-Maxillo-Facial Surgery* 44(9): 1109–1116.
- Darzi, M.A., Chowdri, N.A., and Bhat, A.N., 1996. Breast feeding or spoon feeding after cleft lip repair: a prospective, randomised study. *British Journal of Plastic Surgery* 49(1): 24–26.
- Davalbhakta, A., and Hall, P.N., 2000. The impact of antenatal diagnosis on the effectiveness and timing of counselling for cleft lip and palate. *British Journal of Plastic Surgery* 53(4): 298–301.
- Dhillon, R.S., 1988. The middle ear in cleft palate children pre and post palatal closure. *Journal of the Royal Society of Medicine* 81(12): 710–713.
- DiMaggio, C., Sun, L., Ing, C., and Li, G., 2012. Pediatric anesthesia and neurodevelopmental impairments: a Bayesian meta-analysis. *Journal of Neurosurgical Anesthesiology* 24(4): 376–381.

- DiMaggio, C., Sun, L., Kakavouli, A., Byrne, M., and Li, G., 2009. A retrospective cohort study of the association of anesthesia and hernia repair surgery with behavioral and developmental disorders in young children. *Journal of Neurosurgical Anesthesiology* 21(4): 286–291.
- DiMaggio, C., Sun, L., and Li, G. 2011. Early childhood exposure to anesthesia and risk of developmental and behavioral disorders in a sibling birth cohort. *Anesthesia and analgesia* 113(5): 1143–1151.
- Eaton, A.C., Marsh, J.L., and Pilgram, T.K., 1994. Does reduced hospital stay affect morbidity and mortality rates following cleft lip and palate repair in infancy? *Plastic and Reconstructive Surgery* 94(7): 911–915; discussion 916-918.
- Edwards, S.P., Costello, B.J., Laskin, D.M., and Abubaker, A.O., 2007. Primary cleft lip; IN: Decision making in oral and maxillofacial surgery. Quintessence, Chicago. IN: Matsunaka, E., Ueki, S., and Makimoto, K., 2019. Impact of breastfeeding and/or bottle-feeding on surgical wound dehiscence after cleft lip repair in infants: a systematic review. *Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for Cranio-Maxillo-Facial Surgery* 47(4): 570–577.
- Eichhorn, W., Blessmann, M., Vorwig, O., Gehrke, G., Schmelzle, R., and Heiland, M., 2011. Influence of lip closure on alveolar cleft width in patients with cleft lip and palate. *Head & Face Medicine* 7: 3–6.
- Eppley, B.L., van Aalst, J.A., Robey, A., Havlik, R.J., and Sadove, A.M., 2005. The spectrum of orofacial clefting. *Plastic and Reconstructive Surgery* 115(7): 101e–114e.
- Fisher, D.M., 2005. Unilateral cleft lip repair: an anatomical subunit approximation technique. *Plastic and Reconstructive Surgery* 116(1): 61–71.
- Fraser, G.R., and Calnan, J.S., 1961. Cleft lip and palate: seasonal incidence, birth weight, birth rank, sex, site, associated malformations and parental age. A statistical survey. *Archives of Disease in Childhood* 36: 420–423.
- Galinier, P., Salazard, B., Deberail, A., Vitkovitch, F., Caovan, C., Chausseray, G., Acar, P., Sami, K., Guitard, J., and Smail, N., 2008. Neonatal repair of cleft lip: a decision-making protocol. *Journal of Pediatric Surgery* 43(4): 662–667.
- Goldberg, R., Motzkin, B., Marion, R., Scambler, P.J., and Shprintzen, R.J., 1993. Velocardio-facial syndrome: a review of 120 Patients. *American Journal of Medical Genetics* 45(3): 313–319.
- Goodacre, T.E., Hentges, F., Moss, T.L.H., Short, V., and Murray, L., 2004. Does repairing a cleft lip neonatally have any effect on the longer-term attractiveness of the repair? *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 41(6): 603–608.
- Habel, A., Sell, D., and Mars, M., 1996. Management of cleft lip and palate. *Archives of Disease in Childhood* 74(4): 360–366.
- Hagedorn, W., 1884. Uber eine Modifikation der Hasenschartenoperation. *Zentralbl Chir* 11: 756. IN: Bill, J., Proff, P., Bayerlein, T., Weingaertner, J., Fanghänel, and J., Reuther, J., 2006. Treatment of patients with cleft lip, alveolus and palate - a short outline of history and current interdisciplinary treatment approaches. *Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for Cranio-Maxillo-Facial Surgery* 34 Suppl 2: 17–21.

- Hansen, T.G., Pedersen, J.K., Henneberg, S.W., Pedersen, D.A., Murray, J.C., Morton, N.S., and Christensen, K., 2011. Academic performance in adolescence after inguinal hernia repair in infancy: a nationwide cohort study. *Anesthesiology* 114(5): 1076–1085.
- Harris, P.A., Oliver, N.K., Slater, P., Murdoch, L., and Moss, A.L.H., 2010. Safety of neonatal cleft lip repair. *Journal of Plastic Surgery and Hand Surgery* 44(4-5): 231–236.
- Hoffmannová, E., Bejdová, Š., Borský, J., Dupej, J., Cagaňová, V., and Velemínská, J., 2016. Palatal growth in complete unilateral cleft lip and palate patients following neonatal cheiloplasty: classic and geometric morphometric assessment. *International Journal of Pediatric Otorhinolaryngology* 90: 71–76.
- Hoffmannová, E., Moslerová, V., Dupej, J., Borský, J., Bejdová, Š., and Velemínská, J., 2018. Three-dimensional development of the upper dental arch in unilateral cleft lip and palate patients after early neonatal cheiloplasty. *International Journal of Pediatric Otorhinolaryngology* 109: 1–6.
- Huang, C.S., Wang, W.I., Liou, E.J.W., Chen, Y.R., Chen, P.K.T., and Noordhoff, M.S., 2002. Effects of cheiloplasty on maxillary dental arch development in infants with unilateral complete cleft lip and palate. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 39(5): 513–516.
- Jevtovic-Todorovic, V., Benshoff, N., and Olney, J.W., 2000. Ketamine potentiates cerebrocortical damage induced by the common anaesthetic agent nitrous oxide in adult rats. *British Journal of Pharmacology* 130(7): 1692–1698.
- Kalkman, C.J.M.D., Peelen, L.M.S., Moons, K.G., Veenhuizen, M.M.D., Bruens, M.R.N., Sinnema, G., and de Jong, T.P.M.D., 2009. Behaviour and development in children and age at the time of first anesthetic exposure. *Anesthesiology* 110(4): 805–812.
- Kirschner, R.E., and LaRossa, D., 2000. Cleft lip and palate. *Otolaryngologic Clinics of North America* 33(6): 1191–1215.
- Kotová, M., Urbánková, W., Sukop, A., Peterková, R., Peterka, M., and Petrová, T., 2019. Dentoalveolar arch dimensions in UCLP boys after neonatal cheiloplasty or after lip surgery at the age of 3 or 6 months. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 56(8): 1020–1025.
- Krejčí, E., Kodet, O., Szabo, P., Borský, J., Smetana, K., Grim, M., and Dvořánková, B., 2015. In vitro differences of neonatal and later postnatal keratinocytes and dermal fibroblasts. *Physiological Research* 64(4): 561–569.
- Kriens, O., 1987. A concise documentation system for cleft lip, alveolus and palate diagnoses. What is a cleft lip and palate? A multidisciplinary update. *Proc. of an advanced workshop, Bremen*: 30–34. IN: Koch, H., Grzonka, M., and Koch, J., 1995. Cleft malformation of lip, alveolus, hard and soft palate, and nose (LAHSN) - a critical view of the terminology, the diagnosis and gradation as a basis for documentation and therapy. *The British Journal of Oral & Maxillofacial Surgery* 33(1): 51–58.
- Lee, T.J., and Kim, S.T., 2003. A survey of cleft lip and palate management taught in training programs in Korea. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 40(1): 80–83.

- LeMesurier, A.B., 1949. A method of cutting and suturing the lip in the treatment of complete unilateral clefts. *Plastic and Reconstructive Surgery (1946)* 4(1): 1–12.
- Lewin, M.L., 1964. Management of cleft lip and palate in the United States and Canada. Report of a survey. *Plastic and Reconstructive Surgery* 33(4): 383–394.
- Liu, L.M.P.M.D., Cote, C.J.M.D., Goudsou, N.G.M.D., Ryan, J.F.M.D., Firestone, S.M.D., Dedrick, D.F.M.D., Liu, P.L.M.D., and Todres, I.D.M.D., 1983. Life-threatening apnea in infants recovering from anesthesia. *Anesthesiology* 59(6): 506–510.
- Loepke, A., and Soriano, S., 2008. An assessment of the effects of general anesthetics on developing brain structure and neurocognitive function. *Anesthesia & Analgesia* 106(6): 1681–1707.
- Maarse, W., Pistorius, L.R., Van Eeten, W.K., Breugem, C.C., Kon, M., Van den Boogaard, M.J.H., and Mink van Der Molen, A.B., 2011. Prenatal ultrasound screening for orofacial clefts. *Ultrasound in Obstetrics & Gynecology: The Official Journal of the International Society of Ultrasound in Obstetrics and Gynecology* 38(4): 434–439.
- Marazita, M.L., and Mooney, M.P., 2004. Current concepts in the embryology and genetics of cleft lip and cleft palate. *Clinics in Plastic Surgery* 31(2): 125–140.
- Marcus, J.R., Allori, A.C., and Santiago, P.E., 2017. Principles of cleft lip repair: conventions, commonalities, and controversies. *Plastic and Reconstructive Surgery* 139(3): 764e–780e.
- Mast, B.A., Diegelmann, R.F., Krummel, T.M., and Cohen, I.K., 1992. Scarless wound healing in the mammalian fetus. *Surgery, Gynecology & Obstetrics* 174(5): 441–451.
- Matsunaka, E., Ueki, S., and Makimoto, K., 2019. Impact of breastfeeding and/or bottle-feeding on surgical wound dehiscence after cleft lip repair in infants: a systematic review. *Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for Cranio-Maxillo-Facial Surgery* 47(4): 570–577.
- Matthews, M.S., Cohen, M., Viglione, M., and Brown, A.S., 1998. Prenatal counseling for cleft lip and palate. *Plastic and Reconstructive Surgery* 101(1): 1–5.
- McHeik, J.N., and Levard, G., 2006. Neonatal cleft lip repair: psychological impact on mothers. *Archives De Pediatrie: Organe Officiel De La Societe Francaise De Pediatrie* 13(4): 346–351.
- McHeik, J.N., Sfalli, P., Bondonny, J.M., and Levard, G., 2006. Early repair for infants with cleft lip and nose. *International Journal of Pediatric Otorhinolaryngology* 70(10): 1785–1790.
- Millard, D.R., 1976. Cleft craft: the evolution of its surgery - Volume I: the unilateral deformity. *Cleft Craft: The Evolution of Its Surgery*.
- Mohler, L.R.M.D., 1987. Unilateral cleft lip repair. *Plastic & Reconstructive Surgery* 80(4): 511–516.
- Moore, K.L., and Reid, G., 1982. The developing human: clinically oriented embryology. Saunders, Philadelphia. IN: Kirschner, R.E., and LaRossa, D., 2000. Cleft lip and palate. *Otolaryngologic Clinics of North America* 33(6): 1191–1215.
- Moslerová, V., Dadáková, M., Dupej, J., Hoffmannová, E., Borský, J., Černý, M., Bejda, P., Kočandrlová, K., and Velemínská, J., 2018. Three-dimensional assessment of facial

- asymmetry in preschool patients with orofacial clefts after neonatal cheiloplasty. *International Journal of Pediatric Otorhinolaryngology* 108: 40–45.
- Mossey, P.A., Little, J., Munger, R.G., Dixon, M.J., and Shaw, W.C., 2009. Cleft lip and palate. *Lancet (London, England)* 374(9703): 1773–1785.
- Mulliken, J.B., 2000. Repair of bilateral complete cleft lip and nasal deformity - state of the art. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 37(4): 342–347.
- Murray, J.C., 2002. Gene/environment causes of cleft lip and/or palate. *Clinical Genetics* 61(4): 248–256.
- Nasr, V.G., and Davis, J.M., 2015. Anesthetic use in newborn infants: the urgent need for rigorous evaluation. *Pediatric Research* 78(1): 2–6.
- Ngai, C.W., Martin, W.L., Tonks, A., Wyldes, M.P., and Kilby, M.D., 2005. Are isolated facial cleft lip and palate associated with increased perinatal mortality? A cohort study from the West Midlands Region, 1995–1997. *The Journal of Maternal-Fetal & Neonatal Medicine* 17(3): 203–206.
- Nopoulos, P., Langbehn, D.R., Canady, J., Magnotta, V., and Richman, L., 2007. Abnormal brain structure in children with isolated clefts of the lip or palate. *Archives of Pediatrics & Adolescent Medicine* 161(8): 753–758.
- Olney, J.W., Wozniak, D.F., Jevtovic-Todorovic, V., Farber, N.B., Bittigau, P., and Ikonomidou, C., 2002. Drug-induced apoptotic neurodegeneration in the developing brain. *Brain Pathology* 12(4): 488–498.
- Olney, J.W., Young, C., Wozniak, D.F., Jevtovic-Todorovic, V., and Ikonomidou, C., 2004. Do pediatric drugs cause developing neurons to commit suicide? *Trends in Pharmacological Sciences* 25(3): 135–139.
- Olsen, E.A., and Brambrink, A.M., 2013. Anesthetic neurotoxicity in the newborn and infant. *Current Opinion in Anaesthesiology* 26(5): 535–542.
- Perko, M., 1986. The history of treatment of cleft lip and palate. *Progress in Pediatric Surgery* 20: 238–251.
- Peterka, M., 1984. Upper alveolar arch development in patients with total bilateral cleft lip and palate. *Acta Chirurgiae Plasticae* 26(1): 30–38.
- Peterka, M., Hrudka, J., Tvrdek, M., Velemínská, J., Panczak, A., Borský, J., Likovský, Z., and Peterková, R., 2012. Extension of orofacial cleft size and gestational bleeding in early pregnancy. *Acta Chirurgiae Plasticae* 54(2): 39–44.
- Peterka, M., Likovský, Z., Panczak, A., and Peterková, R., 2018. Long-term significant seasonal differences in the numbers of new-borns with an orofacial cleft in the Czech Republic - a retrospective study. *BMC pregnancy and childbirth* 18(1): 348–358.
- Peterka, M., Peterková, R., Halasková, M., Tvrdek, M., Fára, M., and Likovský, Z., 1996. Sex differences in the incidence of orofacial clefts and the question of primary prevention in families with genetic risk. *Acta chirurgiae plasticae* 38(2): 57–60.
- Peterka, M., Peterková, R., Tvrdek, M., Kuderová, J., and Likovský, Z., 2000. Significant differences in the incidence of orofacial clefts in fifty-two Czech districts between 1983 and 1997. *Acta chirurgiae plasticae* 42(4): 124–129.

- Petráčková, I., Zach, J., Borský, J., Černý, M., Hacklová, R., Tvrdek, M., and Janota, J., 2015. Early and late operation of cleft lip and intelligence quotient and psychosocial development in 3-7 years. *Early Human Development* 91(2): 149–152.
- Randall, P., 1959. A triangular flap operation for the primary repair of unilateral clefts of the lip. *Plastic and Reconstructive Surgery and the Transplantation Bulletin* 23(4): 331–347.
- Redhu, S., Jalwal, G. K., Saxena, M., and Shrivastava, O.P., 2010. A comparative study of induction, maintenance and recovery characteristics of sevoflurane and halothane anaesthesia in pediatric patients (6 months to 6 years). *Journal of Anaesthesiology, Clinical Pharmacology* 26(4): 484–487.
- Reid, J., Kilpatrick, N., and Reilly, S., 2006. A prospective, longitudinal study of feeding skills in a cohort of babies with cleft conditions. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association* 43(6): 702–709.
- Shah, S.N., Khalid, M., and Khan, M.S., 2011. A review of classification systems for cleft lip and palate patients - I. morphological classifications. *Journal of Khyber College of Dentistry* 1(2): 95–99.
- Shahrukh Hashmi, S., Gallaway, M.S., Waller, D.K., Langlois, P.H., and Hecht, J.T., 2010. National birth defects prevention study. Maternal fever during early pregnancy and the risk of oral clefts. *Birth Defects Research. Part A, Clinical and Molecular Teratology* 88(3): 186–194.
- Shi, B., and Losee, J.E., 2015. The impact of cleft lip and palate repair on maxillofacial growth. *International Journal of Oral Science* 7(1): 14–17.
- Šípek, A., Gregor, V., Horáček, J., and Masátová, D., 2002. Facial clefts from 1961 to 2000 - incidence, prenatal diagnosis and prevalence by maternal age. *Česká Gynekologie* 67(5): 260–267.
- Slade, P., Emerson, D.J., and Freedlander, E., 1999. A longitudinal comparison of the psychological impact on mothers of neonatal and 3-month repair of cleft lip. *British Journal of Plastic Surgery* 52(1): 1–5.
- Smahel, Z., and Brejcha, M., 1983. Differences in craniofacial morphology between complete and incomplete unilateral cleft lip and palate in adults. *The Cleft Palate Journal* 20(2): 113–127.
- Stanier, P., and Moore, G.E., 2004. Genetics of cleft lip and palate: Syndromic genes contribute to the incidence of non-syndromic clefts. *Human Molecular Genetics* 13 Spec No 1: R73–R81.
- Stark, R.B., 1968. Cleft palate: a multidiscipline approach. *Hoeber Medical Division, Harper & Row, New York*. IN: Borský, J., Tvrdek, M., Kozák, J., Černý, M., and Zach, J., 2007. Our first experience with primary lip repair in newborns with cleft lip and palate. *Acta Chirurgiae Plasticae* 49(4): 83–87.
- Stephens, P., Saunders, P., and Bingham, R., 1997. Neonatal cleft lip repair: A retrospective review of anaesthetic complications. *Paediatric Anaesthesia* 7(1): 33–36.
- Steward, D.J.M.B., 1982. Preterm infants are more prone to complications following minor surgery than are term infants. *Anesthesiology* 56(4): 304–306.

- Sun, L., 2010. Early childhood general anaesthesia exposure and neurocognitive development. *British Journal of Anaesthesia* 105: i61–i68.
- Tennison, C.W., 1952. The repair of the unilateral cleft lip by the stencil method. *Plastic and Reconstructive Surgery (1946)* 9(2): 115–120.
- Urbanova, W., Kotova, M., and Vaňková, Z., 2013. The incidence of cleft lip and palate in the Czech Republic in 1994-2008. *Bratislavske Lekarske Listy* 114(8): 474–479.
- Valentová-Strenáčiková, S., and Malina, R., 2016. Effects of early and late cheiloplasty on anterior part of maxillary dental arch development in infants with unilateral complete cleft lip and palate. *PeerJ* 4: e1620–e1629.
- Van Der Woude, A., 1954. Fistula labii inferioris congenita and its association with cleft lip and palate. *American Journal of Human Genetics* 6(2): 244–256.
- Veau, V., 1931. Division palatine: anatomie, chirurgie phonétique. *Masson, Paris*. IN: Kirschner, R.E., and LaRossa, D., 2000. Cleft lip and palate. *Otolaryngologic Clinics of North America* 33(6): 1191–1215.
- Velemínská, J., Drábková, M., Hoffmanová, E., Krajíček, V., and Borský, J., 2018. Development of the palate in patients with complete unilateral cleft lip and palate following cheiloplasty with primary periosteoplasty: 3D geometric morphometric study. *Journal of Nursing, Social Studies, Public Health and Rehabilitation* 1–2: 48–54.
- Vutskits, L., Davis, P.J., and Hansen, T.G., 2012. Anesthetics and the developing brain: time for a change in practice? A pro/con debate. *Pediatric Anesthesia* 22(10): 973–980.
- Weatherley-White, R.C., Kuehn, D.P., Mirett, P., Gilman, J.I., and Weatherley-White, C.C., 1987. Early repair and breast-feeding for infants with cleft lip. *Plastic and Reconstructive Surgery* 79(6): 879–887.
- Werler, M.M., Hayes, C., Louik, C., Shapiro, S., and Mitchell, A.A., 1999. Multivitamin supplementation and risk of birth defects. *American Journal of Epidemiology* 150(7): 675–682
- Werler, M.M., Lammer, E.J., Rosenberg, L., and Mitchell, A.A., 1991. Maternal alcohol use in relation to selected birth defects. *American Journal of Epidemiology* 134(7): 691–698.
- Wilder, R.T., Flick, R.P., Sprung, J., Katusic, S.K., Barbaresi, W.J., Mickelson, C., Gleich, S.J., Schroeder, D.R., Weaver, A.L., and Warner, D.O., 2009. Early exposure to anesthesia and learning disabilities in a population-based birth cohort. *Anesthesiology: The Journal of the American Society of Anesthesiologists* 110(4): 796–804.
- Wilhelmsen, H.R., and Musgrave, R.H., 1966. Complications of cleft lip surgery. *The Cleft Palate Journal* 3: 223–231.
- Živicová, V., Lacina, L., Mateu, R., Smetana, K., Kavková, R., Drobná Krejčí, E., Grim, M., Kvasilová, A., Borský, J., Strnad, H., Hradilová, M., Šáchová, J., Kolář, M., and Dvořánková, B., 2017. Analysis of dermal fibroblasts isolated from neonatal and child cleft lip and adult skin: developmental implications on reconstructive surgery. *International Journal of Molecular Medicine* 40(5): 1323–1334.