

Seznam použitých zkratek

AD – z angl. Alzheimer disease
ATM – z angl. ataxia telangiectasia mutated
ATR – z angl. ataxia telangiectasia and Rad3 related
CDK – z angl. cyklin-dependent kinases
C/EBP β – z angl. CCAAT/enhancer-binding protein beta
cGAS/STING – z angl. cyclic GMP-AMP synthase/stimulator of interferon genes pathway
CDT – z angl. cytolethal distending toxin
Cip/Kip – z angl. CDK interacting protein/Kinase inhibitory protein
CNS – z angl. central nervous system
CSF – z angl. cerebrospinal fluid
CXCL1 – z angl. C-X-C motif ligand 1
DDR – z angl. DNA damage response
DNA-SCARS – z angl. segments with chromatin alternations reinforcing senescence
DSBs – z angl. double strand breaks
ECM – z angl. extracellular matrix
EMT – z angl. epithelial mesenchymal transition
Ecrg4 – z angl. esophageal cancer releted gene 4
GATA4 – z angl. GATA transcription factor 4
GBM – z lat. glioblastoma multiforme
GM-CSF – z angl. granulocyte – macrophage colony-stimulating factor
GSCs – z angl. glioblastoma stem cells
HAND – z angl. HIV associated neurocognitive disorders
HdCDT – z angl. cytolethal distending toxin of Haemophilus ducreyi
HGF – z angl. hepatocyte growth factor
HSCs – z angl. hepatocyte stellate cells
iCDK – z angl. cyclin-dependent kinase inhibitor
IL-(1-15) – z angl. interleukin
IL1A – z angl. interleukin 1 alpha gene
INF – z angl. interferon
INK4 – z angl. inhibitors of CDK4
MAPK – z angl. mitogen-activated protein kinase
MDM2 – z angl. murine double minute 2 protein
MECP2 – z angl. Methyl-CpG-binding protein 2
MMP – z angl. metalloproteinase

mRNA – z angl. messenger ribonucleotide acid
mTOR – z angl. mammalian target of rapamycin
NF-κB – z angl. nuclear factor kappa B
NGSCs – z angl. non-stem glioma cells
NSCs – z angl. neural stem cells
OIS – z angl. oncogene-induced senescence
OPCs – z angl. oligodendrocyte progenitor cells
PD – z angl. Parkinson disease
PML – z angl. Promyelocytic leukemia
Ras/Raf – z angl. Rat sarcoma/Rapidly accelerated fibrosarcoma
PRR – z angl. pattern-recognizing receptors
RNS – z angl. reactive nitrogen species
ROS – z angl. reactive oxygen species
SAHFs – z angl. senescence-associated heterochromatin foci
SA- β -gal – z angl. senescence-associated β -galactosidase
SASP – z angl. senescence-associated secretory phenotype
SCAPs – z angl. senescent cell anti-apoptotic pathways
TCDD – z angl. 2,3,7,8-Tetrachlorodibenzo-p-dioxin
TBX2 – z angl. T-box transcription factor 2
TNF α – z angl. tumor necrosis factor alpha
TRAF3IP2 – z angl. TNF receptor-associated factor 3 interacting protein 2
UPR – z angl. unfolded protein response
VEGF – z angl. vascular endothelial growth factor

Reference

Symbol * označuje přehledový článek.

1. Flatt, T. A New Definition of Aging? *Front. Genet.* **3**, 1–2 (2012).
2. Rodgers, J. T. & Thomas A Rando. Sprouting a new take on stem cell aging. *EMBO J.* **31**, 4103–4105 (2012).
3. Demidenko, Z. N. & Blagosklonny, M. V. Growth stimulation leads to cellular senescence when the cell cycle is blocked. *Cell Cycle* **7**, 3355–3361 (2008).
4. Campisi, J. The biology of replicative senescence. *Eur. J. Cancer Part A* **33**, 703–709 (1997).
5. Dimri, G. P., Hara, E. & Campisi, J. Regulation of two E2F-related genes in presenescence and senescent human fibroblasts. *J. Biol. Chem.* **269**, 16180–16186 (1994).
6. Hayflick, L. & Moorhead, P. S. The serial cultivation of human diploid cell strains. *Exp. Cell Res.* **25**, 585–621 (1961).
7. Storer, M., Mas, A., Robert-moreno, A., Pecoraro, M., Ortells, M. C., Giacomo, V. Di, Yosef, R., Pilpel, N., Krizhanovsky, V., Sharpe, J. & Keyes, W. M. Senescence Is a Developmental Mechanism that Contributes to Embryonic Growth and Patterning. *Cell* **155**, 1119–1130 (2013).
8. *Baker, D. J. & Petersen, R. C. Cellular senescence in brain aging and neurodegenerative diseases: Evidence and perspectives. *J. Clin. Invest.* **128**, 1208–1216 (2018).
9. Wagner, M., Hampel, B., Bernhard, D., Hala, M., Zworschke, W. & Jansen-Dürr, P. Replicative senescence of human endothelial cells in vitro involves G1 arrest, polyploidization and senescence-associated apoptosis. *Exp. Gerontol.* **36**, 1327–1347 (2001).
10. Denoyelle, C., Abou-Rjaily, G., Bezrookove, V., Verhaegen, M., Johnson, T. M., Fullen, D. R., Pointer, J. N., Gruber, S. B., Su, L. D., Nikiforov, M. A., Kaufman, R. J., Bastian, B. C. & Soengas, M. S. Anti-oncogenic role of the endoplasmic reticulum differentially activated by mutations in the MAPK pathway. *Nat. Cell Biol.* **8**, 1053–1063 (2006).
11. Kurz, D. J., Decary, S., Hong, Y. & Erusalimsky, J. D. Senescence-associated β -galactosidase reflects an increase in lysosomal mass during replicative ageing of human endothelial cells. *J. Cell Sci.* **113**, 3613–3622 (2000).
12. Adams, P. D., Ivanov, A., Pawlikowski, J., Manoharan, I., Tuyn, J. Van, Nelson, D. M., Singh Rai, T., Shah, P. P., Hewitt, G., Korolchuk, V. I., Passos, J. F., Wu, H. & Berger, S. L.

- Lysosome-mediated processing of chromatin in senescence. *J. Cell Biol.* **202**, 129–143 (2013).
- 13. *Brunk, U. T. & Terman, A. The mitochondrial-lysosomal axis theory of aging: Accumulation of damaged mitochondria as a result of imperfect autophagocytosis. *Eur. J. Biochem.* **269**, 1996–2002 (2002).
 - 14. Janderová-Rossmeislová, L., Nováková, Z., Vlasáková, J., Philimonenko, V., Hozák, P. & Hodný, Z. PML protein association with specific nucleolar structures differs in normal, tumor and senescent human cells. *J. Struct. Biol.* **159**, 56–70 (2007).
 - 15. Lallemand-Breitenbach, V. & Thé, H. De. PML Nuclear Bodies. *Cold Spring Harb. Perspect. Biol.* (2010). doi:10.1101/cshperspect.a000661
 - 16. Reaper, P. M., Clay-farrace, L., Fiegler, H., Carr, P., Zglinicki, T. Von & Saretzki, G. A DNA damage checkpoint response in telomere-initiated senescence. **426**, (2003).
 - 17. Patil, C. K., Rodier, F., Sun, Y. & Mun, D. P. Senescence-Associated Secretory Phenotypes Reveal Cell-Nonautonomous Functions of Oncogenic RAS and the p53 Tumor Suppressor. **6**, (2008).
 - 18. Acosta, J. C., Banito, A., Wuestefeld, T., Georgilis, A., Janich, P., Morton, J. P., Athineos, D., Kang, T., Lasitschka, F., Andrulis, M., Pascual, G., Morris, K. J., Khan, S., Jin, H., Dharmalingam, G., Snijders, A. P., Carroll, T., Capper, D., Pritchard, C., Inman, G. J., Longerich, T., Sansom, O. J., Benitah, S. A., Zender, L. & Gil, J. A complex secretory program orchestrated by the inflammasome controls paracrine senescence. *Nat. Cell Biology* **15**, (2013).
 - 19. Coppe, J. P., Kauser, K., Campisi, J. & Beauséjour, C. M. Secretion of vascular endothelial growth factor by primary human fibroblasts at senescence. *J. Biol. Chem.* **281**, 29568–29574 (2006).
 - 20. Ansieau, S., Bastid, J., Doreau, A., Morel, A. P., Bouchet, B. P., Thomas, C., Fauvet, F., Puisieux, I., Doglioni, C., Piccinin, S., Maestro, R., Voeltzel, T., Selmi, A., Valsesia-Wittmann, S., Caron de Fromentel, C. & Puisieux, A. Induction of EMT by Twist Proteins as a Collateral Effect of Tumor-Promoting Inactivation of Premature Senescence. *Cancer Cell* **14**, 79–89 (2008).
 - 21. Freund, A., Patil, C. K. & Campisi, J. P38MAPK is a novel DNA damage response-independent regulator of the senescence-associated secretory phenotype. *EMBO J.* **30**, 1536–1548 (2011).
 - 22. Herranz, N., Gallage, S., Mellone, M., Wuestefeld, T., Klotz, S., Hanley, C. J., Raguz, S., Acosta, J. C., Innes, A. J., Banito, A., Georgilis, A., Montoya, A., Wolter, K., Dharmalingam, G., Faull, P., Carroll, T., Martínez-Barbera, J. P., Cutillas, P., Reisinger, F., Heikenwalder, M.,

- Miller, R. A., Withers, D., Zender, L., Thomas, G. J. & Gil, J. mTOR regulates MAPKAPK2 translation to control the senescence-associated secretory phenotype. *Nat. Cell Biol.* **17**, 1205–1217 (2015).
23. Rodier, F., Coppé, J., Patil, C. K., Hoeijmakers, W. A. M., Muñoz, D. P., Raza, S. R., Freund, A., Campeau, E., Davalos, A. R. & Campisi, J. Persistent DNA damage signalling triggers senescence- associated inflammatory cytokine secretion. *Nat. Publ. Gr.* **11**, 973–979 (2009).
24. Yang, H., Wang, H., Ren, J., Chen, Q. & Chen, Z. J. cGAS is essential for cellular senescence. (2017). doi:10.1073/pnas.1705499114
25. Chien, Y., Scuoppo, C., Wang, X., Fang, X., Balgley, B., Bolden, J. E., Premrirut, P., Luo, W., Chicas, A., Lee, C. S., Kogan, S. C. & Lowe, S. W. Control of the senescence-associated secretory phenotype by NF-κB promotes senescence and enhances chemosensitivity. *Genes Dev.* **25**, 2125–2136 (2011).
26. Kuilman, T., Michaloglou, C., Vredeveld, L. C. W., Douma, S., van Doorn, R., Desmet, C. J., Aarden, L. A., Mooi, W. J. & Peper, D. S. Oncogene-Induced Senescence Relayed by an Interleukin-Dependent Inflammatory Network. *Cell* **133**, 1019–1031 (2008).
27. Scott, G. K., Schokrpur, S., Patil, C. K., Orjalo, A. V., Lithgow, G. J. & Campisi, J. MicroRNAs miR - 146a / b negatively modulate the senescence - associated inflammatory mediators IL - 6 and IL - 8. *Aging* **1**, 402–411 (2009).
28. Kang, C., Xu, Q., Martin, T. D., Li, M. Z., Demaria, M., Aron, L., Lu, T., Yankner, B. A., Campisi, J. & Elledge, S. J. The DNA damage response induces inflammation and senescence by inhibiting autophagy of GATA4. *Science* **349**, 1–26 (2016).
29. Campisi, J., Coppé, J.-P., Freund, A., Patil, C. K., Desprez, P.-Y. & Rodier, F. Tumor Suppressor and Aging Biomarker p16 INK4a Induces Cellular Senescence without the Associated Inflammatory Secretory Phenotype . *J. Biol. Chem.* **286**, 36396–36403 (2011).
30. *Lujambio, A. To clear , or not to clear (senescent cells)? That is the question. *BioEssays* **38**, 56-63 (2016).
31. Ahmad, T., Sundar, I. K., Tormos, A. M., Lerner, C. A., Gerloff, J., Yao, H. & Rahman, I. Shelterin Telomere Protection Protein 1 Reduction Causes Telomere Attrition and Cellular Senescence via Sirtuin 1 Deacetylase in Chronic Obstructive Pulmonary Disease. *Am. J. Respir. Cell Mol. Biol.* **56**, 38–49 (2017).
32. Richter, T. & Zglinicki, T. Von. A continuous correlation between oxidative stress and telomere shortening in fibroblasts. *Exp. Gerontol.* **42**, 1039–1042 (2007).

33. Serrano, M., Lin, A. W., Mccurrach, M. E. & Beach, D. Oncogenic ras Provokes Premature Cell Senescence Associated with Accumulation of p53 and p16INK4a. *Cell* **88**, 593–602 (1997).
34. Serrano, M., Lee, H., Chin, L., Cordon-cardo, C., Beach, D. & Depinho, R. A. Role of the INK4a Locus in Tumor Suppression and Cell Mortality. *Cell* **85**, 27–37 (1996).
35. Kilbey, A., Terry, A., Cameron, E. R. & Neil, J. C. Oncogene-induced senescence: an essential role for Runx. *Cell Cycle* **7**, 2333–2340 (2008).
36. Duan, J., Duan, J., Zhang, Z. & Tong, T. Irreversible cellular senescence induced by prolonged exposure to H₂O₂ involves DNA-damage-and-repair genes and telomere shortening. *Int. J. Biochem. Cell Biol.* **37**, 1407–1420 (2005).
37. Schwarze, S. R., Fu, V. X., Desotelle, J. A., Kenowski, M. L. & Jarrard, D. F. The Identification of Senescence-Specific Genes during the Induction of Senescence in Prostate Cancer Cells. *Neoplasia* **7**, 816–823 (2005).
38. Gewirtz, D. A., Holt, S. E. & Elmore, L. W. Accelerated senescence : An emerging role in tumor cell response to chemotherapy and radiation. *Biochem. Pharmacol.* **76**, 947–957 (2008).
39. Wang, X., Wong, S. C. H., Pan, J., Tsao, S. W., Fung, K. H. Y., Kwong, D. L. W., Sham, J. S. T. & Nicholls, J. M. Evidence of Cisplatin-induced Senescent-like Growth Arrest in Nasopharyngeal Carcinoma Cells. *Cancer Res.* **58**, 5019–5022 (1998).
40. Blazkova, H., Krejcikova, K., Moudry, P., Frisan, T. & Hodny, Z. Bacterial intoxication evokes cellular senescence with persistent DNA damage and cytokine signalling. *J. Cell. Mol. Med.* **14**, 357–367 (2010).
41. Novakova, Z., Hubackova, S., Kosar, M., Dobrovolna, J., Vasicova, P., Vancurova, M., Horejsi, Z., Hozak, P., Bartek, J. & Hodny, Z. Cytokine expression and signaling in drug-induced cellular senescence. *Oncogene* **6**, 1–12 (2009).
42. Collado, M. & Serrano, M. The power and the promise of oncogene-induced senescence markers. *Nat. Rev. Cancer* **6**, 472–477 (2006).
43. Resnitzky, D. & Reed, S. I. Different roles for cyclins D1 and E in regulation of the G1-to-S transition. *Mol. Cell. Biol.* **15**, 3463–3469 (2015).
44. Hatina, J. & Reischig, J. Molekulární biologie buněčné imortalizace a její vztah ke karcinogenezi. *Klin. Onkol.* **9**, 145-153 (2001).
45. Cerqueira, A., Cuadrado, M. & Barbacid, M. Overall Cdk activity modulates the DNA damage response in mammalian cells. *J. Cell Biol.* **187**, (2009).

46. *Herranz, N. & Gil, J. Mechanisms and functions of cellular senescence. *J. Clin. Invest.* **128**, 1238–1246 (2018).
47. El-deiry, W. S., Tokino, T., Velculescu, V. E., Levy, D. B., Parsons, R., Trent, J. M., Lin, D., Mercer, W. E., Kinzler, K. W. & Vogelstein, B. WAF1, a potential mediator of p53 tumor suppression. *Cell* **75**, 817–825 (1993).
48. Phelps, D., Alcorta, D. A., Beach, D., Barrett, J. C., Xiong, Y. & Hannon, G. Involvement of the cyclin-dependent kinase inhibitor p16 (INK4a) in replicative senescence of normal human fibroblasts. *Proc. Natl. Acad. Sci.* **93**, 13742–13747 (2002).
49. Beauséjour, C. M., Krtolica, A., Galimi, F., Narita, M., Lowe, S. W., Yaswen, P. & Campisi, J. Reversal of human cellular senescence: Roles of the p53 and p16 pathways. *EMBO J.* **22**, 4212–4222 (2003).
50. Arrett, J. C. A. R. L. B. Involvement of the cyclin-dependent kinase inhibitor p16 (INK4a) in replicative senescence of normal human fibroblasts. *Proc. Natl. Acad. Sci.* **93**, 13742–13747 (1996).
51. Acosta, J. C., O’Loghlen, A., Banito, A., Guijarro, M. V., Augert, A., Raguz, S., Fumagalli, M., Da Costa, M., Brown, C., Popov, N., Takatsu, Y., Melamed, J., d’Adda di Fagagna, F., Bernard, D., Hernando, E. & Gil, J. Chemokine Signaling via the CXCR2 Receptor Reinforces Senescence. *Cell* **133**, 1006–1018 (2008).
52. Cha, R. S., Thilly, W. G. & Zarbl, H. Senescent fibroblasts promote epithelial cell growth and tumorigenesis: a link between cancer and aging. *Proc. Natl. Acad. Sci.* **91**, 3749–3753 (1994).
53. Krizhanovsky, V., Yon, M., Dickins, R. A., Hearn, S., Simon, J., Miething, C., Yee, H., Zender, L. & Lowe, S. W. Senescence of Activated Stellate Cells Limits Liver Fibrosis. *Cell* **134**, 657–667 (2008).
54. Demaria, M., Ohtani, N., Youssef, S. A., Rodier, F., Toussaint, W., Mitchell, J. R., Hoeijmakers, J. H. J., Bruin, A. De, Hara, E., Laberge, R., Vijg, J., Steeg, H. Van & Dolle, M. E. T. An Essential Role for Senescent Cells in Optimal Wound Healing through Secretion of PDGF-AA. *Dev. Cell* **31**, 722–733 (2014).
55. Can, M., Mun, D., Murillo-cuesta, S., Rodríguez, A., Varela-nieto, I., Ruberte, J. & Collado, M. Programmed Cell Senescence during Mammalian Embryonic Development. *Cell* **155**, 1104–1118 (2011).
56. Tort, F., Zieger, K., Guldberg, P., Sehested, M., Bartkova, J., Hor, Z., Horejsí, Z., Koed, K., Krämer, A., Nesland, J. M., Lukas, C., Ørntoft, T., Lukas, J. & Bartek, J. DNA damage response as a candidate anti-cancer barrier in early human tumorigenesis. *Nature* **434**, 864–870

(2005).

57. Capparelli, C., Guido, C., Whitaker-Menezes, D., Bonuccelli, G., Balliet, R., Pestell, T. G., Goldberg, A. F., Pestell, R. G., Howell, A., Sneddon, S., Birbe, R., Tsirigos, A., Martinez-Outschoorn, U., Sotgia, F. & Lisanti, M. P. Autophagy and senescence in cancer-associated fibroblasts metabolically supports tumor growth and metastasis, via glycolysis and ketone production. *Cell Cycle* **11**, 2285–2302 (2012).
58. Parrinello, S., Coppe, J., Krtolica, A. & Campisi, J. Stromal-epithelial interactions in aging and cancer : senescent fibroblasts alter epithelial cell differentiation. *J. of Cell Science* **118**, 485-496 (2005).
59. Baker, D. J., Weaver, R. L. & Deursen, J. M. Van. p21 Both Attenuates and Drives Senescence and Aging in BubR1 Progeroid Mice. *Cell Rep.* **3**, 1164–1174 (2013).
60. Wagers, A. J., Girma, E. R., Weissman, I. L., Conboy, I. M., Rando, T. A. & Conboy, M. J. Rejuvenation of aged progenitor cells by exposure to a young systemic environment. *Nature* **433**, 760–764 (2005).
61. Baker, D. J., Wijshake, T., Tchkonia, T., Lebrasseur, N. K., Childs, B. G., Sluis, B. Van De, Kirkland, J. L. & Deursen, J. M. Van. Clearance of p16Ink4a-positive senescent cells delays ageing-associated disorders. *Nature* **479**, 232–236 (2011).
62. Baker, D. J., Perez-Terzic, C., Jin, F., Pitel, K., Niederländer, N. J., Jeganathan, K., Yamada, S., Reyes, S., Rowe, L., Hiddinga, H. J., Eberhardt, N. L., Terzic, A. & van Deursen, J. M. Opposing roles for p16Ink4a and p19Arf in senescence and ageing caused by BubR1 insufficiency. *Nat. Cell Biol.* **10**, 825–836 (2008).
63. Tyner, S. D., Venkatachalam, S., Choi, J., Jones, S., Ghebranious, N., Igelmann, H., Lu, X., Soron, G., Cooper, B., Brayton, C., Sang, H. P., Thompson, T., Karsenty, G., Bradley, A. & Donehower, L. A. P53 mutant mice that display early ageing-associated phenotypes. *Nature* **415**, 45–53 (2002).
64. *Deursen, J. M. Van. The role of senescent cells in ageing. *Nature* **509**, 439–446 (2014).
65. Franceschi, C., Capri, M., Monti, D., Giunta, S., Olivieri, F., Sevini, F., Panourgia, M. P., Invidia, L., Celani, L., Scurti, M., Cevenini, E., Castellani, G. C. & Salvioli, S. Inflammaging and anti-inflammaging: A systemic perspective on aging and longevity emerged from studies in humans. *Mech. Ageing Dev.* **128**, 92–105 (2007).
66. Magistretti, P. J. Neuron-glia metabolic coupling and plasticity. *Exp. Physiol.* **96**, 407–410 (2011).

67. Guan, J. Z., Guan, W. P., Maeda, T., Guoqing, X., GuangZhi, W. & Makino, N. Patients with multiple sclerosis show increased oxidative stress markers and somatic telomere length shortening. *Mol. Cell. Biochem.* **400**, 183–187 (2014).
68. Sedelnikova, O. A., Horikawa, I., Zimonjic, D. B., Popescu, N. C., Bonner, W. M. & Barrett, J. C. Senescent human cells and ageing mice accumulate DNA lesions with unrepairable double-strand breaks. *Nat. Cell Biol.* **6**, 168–170 (2004).
69. Jurk, D., Wang, C., Miwa, S., Maddick, M., Korolchuk, V., Tsolou, A., Gonos, E. S., Thrasivoulou, C., Jill Saffrey, M., Cameron, K. & von Zglinicki, T. Postmitotic neurons develop a p21-dependent senescence-like phenotype driven by a DNA damage response. *Aging Cell* **11**, 996–1004 (2012).
70. Geng, Y., Guan, J., Xu, X. & Fu, Y. Senescence-associated beta-galactosidase activity expression in aging hippocampal neurons. *Biochem. Biophys. Res. Commun.* **396**, 866–869 (2010).
71. Nalberczak, M., Sikora, E., Radwanska, K., Sunderland, P., Wysocka, A., Piechota, M. & Sliwinska, M. A. Is senescence-associated beta-galactosidase a marker of neuronal senescence? *Oncotarget* **7**, 81099–81109 (2016).
72. Schmetsdorf, S., Gärtner, U. & Arendt, T. Constitutive expression of functionally active cyclin-dependent kinases and their binding partners suggests noncanonical functions of cell cycle regulators in differentiated neurons. *Cereb. Cortex* **17**, 1821–1829 (2007).
73. Panossian, L., Fenik, P., Zhu, Y., Zhan, G., Mcburney, M. W. & Veasey, S. SIRT1 regulation of wakefulness and senescence-like phenotype in wake neurons. *J. Neuroscience* **31**, 4025–4036 (2011).
74. Arendt, T., Holzer, M. & Gärtner, U. Neuronal expression of cycline dependent kinase inhibitors of the INK4 family in Alzheimer’s disease. *J. Neural Transm.* **105**, 949–960 (1998).
75. Fu, K., Vargas, B. S., Tran, S., Salas, C., Allen, D., Chronis, C., Pellegrini, M., Park, J. C., Langerman, J., Korsakova, E., Kuoy, E., Germanguz, I., Lowry, W. E., Ohashi, M., Cinkornpumin, J., Lee, P., Xiao, X. & Plath, K. Loss of MECP2 Leads to Activation of P53 and Neuronal Senescence. *Stem Cell Reports* **10**, 1453–1463 (2018).
76. Luo, J., Daniels, S. B., Lennington, J. B., Notti, R. Q. & Conover, J. C. The aging neurogenic subventricular zone. *Aging Cell* **5**, 139–152 (2006).
77. Molofsky, A. V., Slutsky, S. G., Joseph, N. M., He, S., Pardal, R., Krishnamurthy, J., Sharpless, N. E. & Morrison, S. J. Increasing p16 INK4a expression decreases forebrain progenitors and neurogenesis during ageing. *Nature* **443**, 448–452 (2006).

78. Dong, C. M., Wang, X. L., Wang, G. M., Zhang, W. J., Zhu, L., Gao, S., Yang, D. J., Qin, Y., Liang, Q. J., Chen, Y. L., Deng, H. T., Ning, K., Liang, A. B., Gao, Z. L. & Xu, J. A stress-induced cellular aging model with postnatal neural stem cells. *Cell Death Dis.* **5**, 1–11 (2014).
79. Mizumatsu, S., Monje, M. L., Morhardt, D. R., Rola, R., Palmer, T. D. & Fike, J. R. Extreme sensitivity of adult neurogenesis to low doses of X-irradiation. *Cancer Res.* **63**, 4021–4027 (2003).
80. Borodkina, A., Shatrova, A., Abushik, P., Nikolsky, N. & Burova, E. Interaction between ROS dependent DNA damage, mitochondria and p38 MAPK underlies senescence of human adult stem cells. *Aging (Albany NY)*. **6**, 481–495 (2014).
81. Zhu, J., Mu, X., Zeng, J., Xu, C., Liu, J., Zhang, M., Li, C., Chen, J., Li, T. & Wang, Y. Ginsenoside Rg1 prevents cognitive impairment and hippocampus senescence in a rat model of D-galactose-induced aging. *PLoS One* **9**, (2014).
82. Chen, L., Yao, H., Chen, X., Wang, Z., Xiang, Y., Xia, J., Liu, Y. & Wang, Y. Ginsenoside Rg1 Decreases Oxidative Stress and Down-Regulates Akt/mTOR Signalling to Attenuate Cognitive Impairment in Mice and Senescence of Neural Stem Cells Induced by d-Galactose. *Neurochem. Res.* **43**, 430–440 (2018).
83. Alessio, N., Ricciello, F., Squillaro, T., Capasso, S., Del Gaudio, S., Di Bernardo, G., Cipollaro, M., Melone, M. A. B., Peluso, G. & Galderisi, U. Neural stem cells from a mouse model of Rett syndrome are prone to senescence, show reduced capacity to cope with genotoxic stress, and are impaired in the differentiation process. *Exp. Mol. Med.* **50**, 1–9 (2018).
84. Giacci, M. & Fitzgerald, M. Oligodendroglia are particularly vulnerable to oxidative damage after neurotrauma in vivo. *J. Exp. Neurosci.* **12**, 6491–6504 (2018).
85. Al-Mashhadi, S., Simpson, J. E., Heath, P. R., Dickman, M., Forster, G., Matthews, F. E., Brayne, C., Ince, P. G. & Wharton, S. B. Oxidative glial cell damage associated with white matter lesions in the aging human brain. *Brain Pathol.* **25**, 565–574 (2015).
86. Brickman, A. M. Contemplating Alzheimer's disease and the contribution of white matter hyperintensities. *Curr. Neurol. Neurosci. Rep.* **13**, 415–417 (2013).
87. Erten-Lyons, D., Woltjer, R., Kaye, J., Mattek, N., Dodge, H. H., Green, S., Tran, H., Howieson, D. B., Wild, K. & Silbert, L. C. Neuropathologic basis of white matter hyperintensity accumulation with advanced age. *Neurology* **81**, 977–983 (2013).
88. Kujuro, Y., Suzuki, N. & Kondo, T. Esophageal cancer-related gene 4 is a secreted inducer of cell senescence expressed by aged CNS precursor cells. *Proc. Natl. Acad. Sci.* **107**, 8259–8264

(2010).

89. Pertusa, M., García-Matas, S., Rodríguez-Farré, E., Sanfeliu, C. & Cristòfol, R. Astrocytes aged in vitro show a decreased neuroprotective capacity. *J. Neurochem.* **101**, 794–805 (2007).
90. Nie, X., Liang, L., Xi, H., Jiang, S., Jiang, J., Tang, C., Liu, X., Liu, S., Wan, C., Zhao, J. & Yang, J. 2, 3, 7, 8-Tetrachlorodibenzo-p-dioxin induces premature senescence of astrocytes via WNT/β-catenin signaling and ROS production. *J. Appl. Toxicol.* **35**, 851–860 (2015).
91. Bitto, A., Sell, C., Crowe, E., Lorenzini, A., Malaguti, M., Hrelia, S. & Torres, C. Stress-induced senescence in human and rodent astrocytes. *Exp. Cell Res.* **316**, 2961–2968 (2010).
92. Görg, B., Karababa, A., Shafiqullina, A., Bidmon, H. J. & Häussinger, D. Ammonia-induced senescence in cultured rat astrocytes and in human cerebral cortex in hepatic encephalopathy. *Glia* **63**, 37–50 (2015).
93. Chinta, S. J., Woods, G., Demaria, M., Rane, A., Zou, Y., McQuade, A., Rajagopalan, S., Limbad, C., Madden, D. T., Campisi, J. & Andersen, J. K. Cellular Senescence is induced by the environmental neurotoxin Paraquat and contributes to neuropathology linked to Parkinson's Disease. *Cell Rep.* **22**, 930–940 (2018).
94. Crowe, E. P., Tuzer, F., Gregory, B. D., Donahue, G., Gosai, S. J., Cohen, J., Leung, Y. Y., Yetkin, E., Nativio, R., Wang, L. S., Sell, C., Bonini, N. M., Berger, S. L., Brad Johnson, F. & Torres, C. Changes in the transcriptome of human astrocytes accompanying oxidative stress-induced senescence. *Front. Aging Neurosci.* **8**, 1–13 (2016).
95. Bhat, R., Crowe, E. P., Bitto, A., Moh, M., Katsetos, C. D., Garcia, F. U., Johnson, F. B., Trojanowski, J. Q., Sell, C. & Torres, C. Astrocyte Senescence as a Component of Alzheimer's Disease. *PLoS One* **7**, 1–10 (2012).
96. Capilla-Gonzalez, V., Cebrian-Silla, A., Guerrero-Cazares, H., Garcia-Verdugo, J. M. & Quiñones-Hinojosa, A. Age-related changes in astrocytic and ependymal cells of the subventricular zone. *Glia* **62**, 790–803 (2014).
97. Jessen, R., Wood, P. M., Wanner, I. N. A. B., Mahoney, J., An, K., Bates, M. & Bunge, M. B. Invariant Mantling of Growth Cones by Schwann Cell Precursors Characterize Growing Peripheral Nerve Fronts. *Glia* **438**, 424–438 (2006).
98. Yu, H. M., Zhao, Y. M., Luo, X. G., Feng, Y., Ren, Y., Shang, H., He, Z. Y., Luo, X. M., Chen, S. Di & Wang, X. Y. Repeated lipopolysaccharide stimulation induces cellular senescence in BV2 cells. *Neuroimmunomodulation* **19**, 131–136 (2012).
99. Myung, N. H., Zhu, X., Kruman, I. I., Castellani, R. J., Petersen, R. B., Siedlak, S. L., Perry,

- G., Smith, M. A. & Lee, H. G. Evidence of DNA damage in Alzheimer disease: Phosphorylation of histone H2AX in astrocytes. *Age (Omaha)*. **30**, 209–215 (2008).
100. Jordan-Sciutto, K., Dorsey, R., Chalovich, E. M., Hammond, R. R. & Achim, C. L. Expression Patterns of Retinoblastoma Protein in Parkinson Disease. *J. Neuropathol. Exp. Neurol.* **62**, 68–74 (2003).
101. Zhou, P., Homberg, J. R., Fang, Q., Wang, J., Li, W., Meng, X., Shen, J., Luan, Y., Liao, P., Swaab, D. F., Shan, L. & Liu, C. Histamine-4 receptor antagonist JNJ7777120 inhibits pro-inflammatory microglia and prevents the progression of Parkinson-like pathology and behaviour in a rat model. *Brain. Behav. Immun.* **76**, 61–73 (2019).
102. Mogi, M., Harada, M., Narabayashi, H., Inagaki, H., Minami, M. & Nagatsu, T. Interleukin (IL)-1 β , IL-2, IL-4, IL-6 and transforming growth factor- α levels are elevated in ventricular cerebrospinal fluid in juvenile parkinsonism and Parkinson's disease. *Neurosci. Lett.* **211**, 13–16 (1996).
103. Toczyłowska, B., Kozłowska, E., Drela, N., Stępien, A., Brodacki, B., Staszewski, J. & Chalimoniuk, M. Serum interleukin (IL-2, IL-10, IL-6, IL-4), TNF α , and INF γ concentrations are elevated in patients with atypical and idiopathic parkinsonism. *Neurosci. Lett.* **441**, 158–162 (2008).
104. Cohen, J., D'Agostino, L., Wilson, J., Tuzer, F. & Torres, C. Astrocyte senescence and metabolic changes in response to HIV antiretroviral therapy drugs. *Front. Aging Neurosci.* **9**, 1–12 (2017).
105. Kang, T. W., Yevsa, T., Woller, N., Hoenicke, L., Wuestefeld, T., Dauch, D., Hohmeyer, A., Gereke, M., Rudalska, R., Potapova, A., Iken, M., Vucur, M., Weiss, S., Heikenwalder, M., Khan, S., Gil, J., Bruder, D., Manns, M., Schirmacher, P., Tacke, F., Ott, M., Luedde, T., Longerich, T., Kubicka, S. & Zender, L. Senescence surveillance of pre-malignant hepatocytes limits liver cancer development. *Nature* **479**, 547–551 (2011).
106. Ovadya, Y., Landsberger, T., Leins, H., Vadai, E., Gal, H., Biran, A., Yosef, R., Sagiv, A., Agrawal, A., Shapira, A., Windheim, J., Tsoory, M., Schirmbeck, R., Amit, I., Geiger, H. & Krizhanovsky, V. Impaired immune surveillance accelerates accumulation of senescent cells and aging. *Nat. Commun.* **9**, (2018).
107. Long, H., Xiang, T., Qi, W., Huang, J., Chen, J., He, L., Liang, Z., Guo, B., Li, Y., Xie, R. & Zhu, B. CD133 $^+$ ovarian cancer stem-like cells promote non-stem cancer cell metastasis via CCL5 induced epithelial-mesenchymal transition. *Oncotarget* **6**, 13–14 (2015).
108. Ouchi, R., Okabe, S., Migita, T., Nakano, I. & Seimiya, H. Senescence from glioma stem cell

differentiation promotes tumor growth. *Biochem. Biophys. Res. Commun.* **470**, 275–281 (2016).

109. Izumoto, S., Ohnishi, T., Arita, N., Hiraga, S., Taki, T. & Hayakawa, T. Gene expression of neural cell adhesion molecule L1 in malignant gliomas and biological significance of L1 in glioma invasion. *Cancer Res.* **56**, 1440–1444 (1996).
110. Brümmendorf, T., Kenrick, S. & Rathjen, F. G. Neural cell recognition molecule L1: From cell biology to human hereditary brain malformations. *Curr. Opin. Neurobiol.* **8**, 87–97 (1998).
111. Mechtersheimer, S., Gutwein, P., Agmon-Levin, N., Stoeck, A., Oleszewski, M., Riedle, S., Postina, R., Fahrenholz, F., Fogel, M., Lemmon, V. & Altevogt, P. Ectodomain shedding of L1 adhesion molecule promotes cell migration by autocrine binding to integrins. *J. Cell Biol.* **155**, 661–673 (2001).
112. Shtutman, M., Levina, E., Ohouo, P., Baig, M. & Roninson, I. B. Cell adhesion molecule L1 disrupts E-cadherin-containing adherens junctions and increases scattering and motility of MCF7 breast carcinoma cells. *Cancer Res.* **66**, 11370–11380 (2006).
113. Kiefel, H., Bondong, S., Erbe-Hoffmann, N., Hazin, J., Riedle, S., Wolf, J., Pfeifer, M., Arlt, A., Schäfer, H., Müerköster, S. S. & Altevogt, P. L1CAM-integrin interaction induces constitutive NF- κ B activation in pancreatic adenocarcinoma cells by enhancing IL-1B expression. *Oncogene* **29**, 4766–4778 (2010).
114. Geismann, C., Morscheck, M., Koch, D., Bergmann, F., Ungefroren, H., Arlt, A., Tsao, M. S., Bachem, M. G., Altevogt, P., Sipos, B., Fölsch, U. R., Schäfer, H. & Müerköster, S. S. Up-regulation of L1CAM in pancreatic duct cells is transforming growth factor β 1- and slug-dependent: Role in malignant transformation of pancreatic cancer. *Cancer Res.* **69**, 4517–4526 (2009).
115. Baker, D. J., Childs, B. G., Durik, M., Wijers, M. E., Sieben, C. J., Zhong, J., A. Saltness, R., Jegannathan, K. B., Verzosa, G. C., Pezeshki, A., Khazaie, K., Miller, J. D. & Van Deursen, J. M. Naturally occurring p16 Ink4a-positive cells shorten healthy lifespan. *Nature* **530**, 184–189 (2016).
116. Musi, N., Valentine, J. M., Sickora, K. R., Baeuerle, E., Thompson, C. S., Shen, Q. & Orr, M. E. Tau protein aggregation is associated with cellular senescence in the brain. *Aging Cell* **17**, (2018).
117. Bussian, T. J., Aziz, A., Meyer, C. F., Swenson, B. L., van Deursen, J. M. & Baker, D. J. Clearance of senescent glial cells prevents tau-dependent pathology and cognitive decline. *Nature* **562**, 578–582 (2018).

118. Kaur, E., Rajendra, J., Jadhav, S., Shridhar, E., Goda, J. S., Moiyadi, A. & Dutt, S. Radiation-induced homotypic cell fusions of innately resistant glioblastoma cells mediate their sustained survival and recurrence. *Carcinogenesis* **36**, 685–695 (2015).
119. Tato-Costa, J., Casimiro, S., Pacheco, T., Pires, R., Fernandes, A., Alho, I., Pereira, P., Costa, P., Castelo, H. B., Ferreira, J. & Costa, L. Therapy-induced cellular senescence induces epithelial-to-mesenchymal transition and increases invasiveness in rectal cancer. *Clin. Colorectal Cancer* **15**, 170–178.e3 (2016).
120. Demaria, M., O’Leary, M. N., Chang, J., Shao, L., Liu, S., Alimirah, F., Koenig, K., Le, C., Mitin, N., Deal, A. M., Alston, S., Academia, E. C., Kilmarx, S., Valdovinos, A., Wang, B., De Bruin, A., Kennedy, B. K., Melov, S., Zhou, D., Sharpless, N. E., Muss, H. & Campisi, J. Cellular senescence promotes adverse effects of chemotherapy and cancer relapse. *Cancer Discov.* **7**, 165–176 (2017).
121. Aasland, D., Gotzinger, L., Hauck, L., Berte, N., Meyer, J., Effenberger, M., Schneider, S., Reuber, E. E., Roos, W. P., Tomicic, M. T., Kaina, B. & Christmann, M. Temozolomide induces senescence and repression of DNA repair pathways in glioblastoma cells via activation of ATR–Chk1, p21, and NF- κ B. *Cancer Res.* **79**, 99–113 (2019).
122. Short, S., Fielder, E., Miwa, S. & von Zglinicki, T. Senolytics and senostatics as adjuvant tumour therapy. *EBioMedicine* **41**, 683–692 (2019).