

Errata

Expression and purification of proteins with unnatural amino acids, and determination of their structure by combination of chemical or photochemical modification and mass spectrometry

Bc. Tomáš Bortel, 2023

References

1. Nelson, D.L.; Cox, M.M.; Lehninger, A.L.: *Lehninger principles of biochemistry*. 7th ed. New York, W.H. Freeman and Company, 2017
2. Berg, J.M.; Tymoczko, J.L.; Stryer, L.: *Biochemistry* 5th ed. New York, W.H. Freeman and Company, 2002
3. Zuin Fantoni, N.; El-Sagheer, A. H.; Brown, T.: A Hitchhiker's Guide to Click-Chemistry with Nucleic Acids. *Chem Rev.* **121**, 7122-7154 (2021).
4. Nobel Prize Outreach: *The Nobel Prize in Chemistry 2022*. Available at URL: <<https://www.nobelprize.org/prizes/chemistry/2022/summary/>>
5. Kolb, H.C.; Sharpless, K.B.: The growing impact of click chemistry on drug discovery. *Drug Discov Today*, **15** 1128-1137 (2003).
6. Sletten, E.M.; Bertozzi, C.R.: From mechanism to mouse: a tale of two bioorthogonal reactions. *Acc Chem Res.*, **44**, 666-676 (2011).
7. Bird, R.E.; Lemmel, S.A.; Yu, X.; Zhou, Q.A.: Bioorthogonal Chemistry and Its Applications. *Bioconjug Chem.* **32**, 2457-2479 (2021).
8. Sletten, E.M.; Bertozzi, C.R.: Bioorthogonal chemistry: fishing for selectivity in a sea of functionality. *Angew Chem Int Ed Engl.* **48**, 6974-6998 (2009).
9. Griffin, R.J.: The medicinal chemistry of the azido group. *Prog Med Chem.* **31**, 121-232 (1994).
10. Baskin, J.M.; Prescher, J.A.; Laughlin, S.T.; Agard, N.J.; Chang, P.V.; Miller, I.A.; Lo, A.; Codelli, J.A.; Bertozzi, C.R.: Copper-free click chemistry for dynamic in vivo imaging. *Proc Natl Acad Sci U S A.* **104**, 16793-16797 (2007).
11. Hong, V.; Presolski, S.I.; Ma, C.; Finn, M.G.: Analysis and optimization of copper-catalyzed azide-alkyne cycloaddition for bioconjugation. *Angew Chem Int Ed Engl.* **48**, 9879-9883 (2009).
12. Pickens, C.J.; Johnson, S.N.; Pressnall, M.M.; Leon, M.A.; Berkland, C.J.: Practical considerations, challenges, and limitations of bioconjugation via azide-alkyne cycloaddition. *Bioconjug Chem.* **29**, 686-701 (2018).
13. Nwe, K.; Brechbiel, M.W. Growing applications of "click chemistry" for bioconjugation in contemporary biomedical research. *Cancer Biother Radiopharm.* **24**, 289-302 (2009).
14. Hatzenpichler, R.; Krukenberg, V.; Spietz, R.L.; Jay, Z.J.: Next-generation physiology approaches to study microbiome function at single-cell level. *Nat Rev Microbiol.* **18**, 241-256 (2020).
15. Ngo, J.T.; Tirrell, D.A.: Noncanonical amino acids in the interrogation of cellular protein synthesis. *Acc Chem Res.* **44**, 677-85 (2011).
16. Datta, D.; Vaidehi, N.; Zhang, D.; Goddard, W. A. 3rd: Selectivity and specificity of substrate binding in methionyl-tRNA synthetase. *Protein Sci.* **13**, 2693-2705 (2004).
17. Ling, J.; Reynolds, N.; Ibba, M.: Aminoacyl-tRNA synthesis and translational quality control. *Annu Rev Microbiol.* **63**, 61-78 (2009).
18. Fersht, A. R.; Dingwall, C.: Evidence for the double-sieve editing mechanism in protein synthesis. Steric exclusion of isoleucine by valyl-tRNA synthetases. *Biochemistry.* **18**, 2627-2631 (1979).

19. Acevedo-Rocha, C. G.; Budisa, N.: Xenomicrobiology: a roadmap for genetic code engineering. *Microb Biotechnol.* **9**, 666–676 (2016).
20. Nojourni, S.; Ma, Y.; Schwagerus, S.; Hackenberger, C. P. R.; Budisa, N.: In-Cell Synthesis of Bioorthogonal Alkene Tag S-Allyl-Homocysteine and Its Coupling with Reprogrammed Translation. *Int J Mol Sci.* **20**, 2299–2312 (2019).
21. Levine, R. L.; Mosoni, L.; Berlett, B. S.; Stadtman, E. R.: Methionine residues as endogenous antioxidants in proteins. *Proc Natl Acad Sci U S A.* **93**, 15036–15040 (1996).
22. TUZHILKIN, Roman. The novel combinations of experimental approaches: mass spectrometry (MS) and photo-induced surface labelling, electron release (PIER), or cross-linking (PIXL). Praha, 2020. Diploma thesis. Charles University, Faculty of Science, department of biochemistry, thesis supervisor: Šulc, Miroslav.
23. Garner, D. K.; Vaughan, M. D.; Hwang, H. J.; Savelieff, M. G.; Berry, S. M.; Honek, J. F.; Lu, Y.: Reduction potential tuning of the blue copper center in *Pseudomonas aeruginosa* azurin by the axial methionine as probed by unnatural amino acids. *J Am Chem Soc.* **128**, 15608–15617 (2006).
24. Truong, F.; Yoo, T. H.; Lampo, T. J.; Tirrell, D. A.: Two-strain, cell-selective protein labeling in mixed bacterial cultures. *J Am Chem Soc.* **134**, 8551–8556 (2012).
25. Kiick, K. L.; Saxon, E.; Tirrell, D. A.; Bertozzi, C. R.: Incorporation of azides into recombinant proteins for chemoselective modification by the Staudinger ligation. *Proc Natl Acad Sci U S A.* **99**, 19–24 (2002).
26. Dieterich, D. C.; Link, A. J.; Graumann, J.; Tirrell, D. A.; Schuman, E. M.: Selective identification of newly synthesized proteins in mammalian cells using bioorthogonal noncanonical amino acid tagging (BONCAT). *Proc Natl Acad Sci U S A.* **103**, 9482–9487 (2006).
27. Szychowski, J.; Mahdavi, A.; Hodas, J. J.; Bagert, J. D.; Ngo, J. T.; Landgraf, P.; Dieterich, D. C.; Schuman, E. M.; Tirrell, D. A.: Cleavable biotin probes for labeling of biomolecules via azide-alkyne cycloaddition. *J Am Chem Soc.* **132**, 18351–18360 (2010).
28. Johnson, J. A.; Lu, Y. Y.; Van Deventer, J. A.; Tirrell, D. A.: Residue-specific incorporation of non-canonical amino acids into proteins: recent developments and applications. *Curr Opin Chem Biol.* **14**, 774–780 (2010).
29. Lehner, F.; Kudlinzki, D.; Richter, C.; Müller-Werkmeister, H. M.; Eberl, K. B.; Bredenbeck, J.; Schwalbe, H.; Silvers, R.: Impact of Azidohomoalanine Incorporation on Protein Structure and Ligand Binding. *Chembiochem* **18**, 2340–2350 (2017).
30. Berggård, T.; Linse, S.; James, P.: Methods for the detection and analysis of protein-protein interactions. *Proteomics* **7**, 2833–2842 (2007).
31. Xing, S.; Wallmeroth, N.; Berendzen, K. W.; Grefen, C.: Techniques for the Analysis of Protein-Protein Interactions in Vivo. *Plant Physiol.* **171**, 727–758 (2016).
32. Usuda, Y.; Kurahashi, O.: Effects of deregulation of methionine biosynthesis on methionine excretion in *Escherichia coli*. *Appl Environ Microbiol.* **71**, 3228–3234 (2005).
33. Piersimoni, L.; Kastritis, P. L.; Arlt, C.; Sinz, A.: Cross-Linking Mass Spectrometry for Investigating Protein Conformations and Protein-Protein Interactions — A Method for All Seasons. *Chem Rev.* **122**, 7500–7531 (2022).
34. Suchanek, M.; Radzikowska, A.; Thiele, C.: Photo-leucine and photo-methionine allow identification of protein-protein interactions in living cells. *Nat Methods.* **2**, 261–268 (2005).
35. Iyer, L. K.; Moorthy, B. S.; Topp, E. M.: Photolytic Cross-Linking to Probe Protein-Protein and Protein-Matrix Interactions in Lyophilized Powders. *Mol Pharm.* **12**, 3237–3249 (2015).
36. Ptáčková, R.; Ječmen, T.; Novák, P.; Hudeček, J.; Stiborová, M.; Šulc, M.: The application of an emerging technique for protein-protein interaction interface mapping: the combination of photo-initiated cross-linking protein nanoprobe with mass spectrometry. *Int J Mol Sci.* **15**, 9224–9241 (2014).
37. Smolskaya, S.; Andreev, Y. A.: Site-Specific Incorporation of Unnatural Amino Acids into *Escherichia coli* Recombinant Protein: Methodology Development and Recent Achievement. *Biomolecules.* **9**, 255 (2019).
38. Ayyadurai, N.; Rameshkumar, N.; et al.: Importance of expression system in the production of unnatural recombinant proteins in *Escherichia coli*. *Biotechnol Bioproc E.* **14**, 257–265 (2009).

39. Aono, T.; Sakamoto, Y.; Miura, M.; Takeuchi, F.; Hori, H.; Tsubaki, M.: Direct electrochemical analyses of human cytochromes b5 with a mutated heme pocket showed a good correlation between their midpoint and half wave potentials. *J Biomed Sci.* **17**, 90-98 (2010).
40. Schenkman, J. B.; Jansson, I.: The many roles of cytochrome b5. *Pharmacol Ther* **97**, 139–152 (2003).
41. Bart, A. G.; Scott, E. E.: Structural and functional effects of cytochrome b5 interactions with human cytochrome P450 enzymes. *J Biol Chem.* **292**, 20818–20833 (2017).
42. Bhatt, M. R.; Khatri, Y.; Rodgers, R. J.; Martin, L. L.: Role of cytochrome b5 in the modulation of the enzymatic activities of cytochrome P450 17 α -hydroxylase/17,20-lyase (P450 17A1). *J Steroid Biochem Mol Bio.* **170**, 2–18 (2017).
43. Shet, M. S.; Faulkner, K. M.; Holmans, P. L.; Fisher, C. W.; Estabrook, R. W.: The effects of cytochrome b5, NADPH-P450 reductase, and lipid on the rate of 6 beta-hydroxylation of testosterone as catalyzed by a human P450 3A4 fusion protein. *Arch Biochem Biophys.* **318**, 314–321 (1995).
44. Napier, J. A.; Michaelson, L. V.; Sayanova, O.: The role of cytochrome b5 fusion desaturases in the synthesis of polyunsaturated fatty acids. *Prostaglandins Leukot Essent Fatty Acids.* **68**, 135–143 (2003).
45. Dürr, U. H.; Waskell, L.; Ramamoorthy, A.: The cytochromes P450 and b5 and their reductases—promising targets for structural studies by advanced solid-state NMR spectroscopy. *Biochim Biophys Acta.* **1768**, 3235–3259 (2007).
46. Koberova, M.; Jecmen, T.; Sulc, M.; Cerna, V.; Kizek, R.; Hudecek, J.; Stiborova, M.; Hodek, P.: Photo-cytochrome b5—A new tool to study the cytochrome P450 electron-transport chain. *Int J Electrochem Sc.* **8**, 125–134 (2013).
47. Ječmen, T.; Ptáčková, R.; Černá, V.; Dračínská, H.; Hodek, P.; Stiborova, M.; Hudeček, J.; Šulc, M.: Photo-initiated crosslinking extends mapping of the protein-protein interface to membrane-embedded portions of cytochromes P450 2B4 and b5. *Methods.* **89**, 128–137 (2015).
48. Stepanenko, O. V.; Verkhusha, V. V.; Kuznetsova, I. M.; Uversky, V. N.; Turoverov, K. K.: Fluorescent proteins as biomarkers and biosensors: throwing color lights on molecular and cellular processes. *Curr Protein Pept Sci.* **9**, 338–369 (2008).
49. Yang, F.; Moss, L.; Phillips, G.: The molecular structure of green fluorescent protein. *Nat Biotechnol.* **14**, 1246–1251 (1996).
50. Chalfie, M.; Tu, Y.; Euskirchen, G.; Ward, W. W.; Prasher, D. C.: Green fluorescent protein as a marker for gene expression. *Science.* **263**, 802–805 (1994).
51. Lo, C. A.; Kays, I.; Emran, F.; Lin, T. J.; Cvetkovska, V.; Chen, B. E.: Quantification of Protein Levels in Single Living Cells. *Cell Rep.* **13**, 2634–2644 (2015).
52. Calve, S.; Witten, A. J.; Ocken, A. R.; Kinzer-Ursem, T. L.: Incorporation of non-canonical amino acids into the developing murine proteome. *Sci Rep.* **30**, 32377 (2016).
53. Frederick, R.; Bergeman, L.; Blommel, P.; Bailey, L.; McCoy, J.; Song, J.; Meske, L.; Bingman, C.; Ritters, M.; Dillon, N.; Kunert, J.; Yoon, J.; Lim, A.; Cassidy, M.; Bunge, J.; Aceti, D.; Primm, J.; Markley, J.; Phillips, G.; Fox, B.: Small-scale, semi-automated purification of eukaryotic proteins for structure determination. *J Struct Funct Genomics.* **8**, 153–166 (2008).
54. Ferla, M. P.; Patrick, W. M.: Bacterial methionine biosynthesis. *Microbiology.* **160**, 1571–1584 (2014).
55. Bennett, B. D.; Kimball, E. H.; Gao, M.; Osterhout, R.; Van Dien, S. J.; Rabinowitz, J. D.: Absolute metabolite concentrations and implied enzyme active site occupancy in Escherichia coli. *Nat Chem Biol.* **8**, 593–599 (2009).
56. Jochim, A.; Shi, T.; Belikova, D.; Schwarz, S.; Peschel, A.; Heilbronner, S.: Methionine Limitation Impairs Pathogen Expansion and Biofilm Formation Capacity. *Appl Environ Microbiol.* **85**, 177-193 (2019).
57. Meinnel, T.; Mechulam, Y.; Blanquet, S.: Methionine as translation start signal: a review of the enzymes of the pathway in Escherichia coli. *Biochimie.* **75**, 1061–1075 (1993).
58. Mayer, C.; RajBhandary, U. L.: Conformational change of Escherichia coli initiator methionyl-tRNA(fMet) upon binding to methionyl-tRNA formyl transferase. *Nucleic Acids Res.* **30**, 2844–2850 (2002).

59. Steward, K. F.; Eilers, B.; Triplet, B.; Fuchs, A.; Dorle, M.; Rawle, R.; Soriano, B.; Balasubramanian, N.; Copić, V.; Bothner, B.; Hatzenpichler, R.: Metabolic Implications of Using BioOrthogonal Non-Canonical Amino Acid Tagging (BONCAT) for Tracking Protein Synthesis. *Front Microbiol.* **11**, 197-211 (2020).
60. Reich, N. O.; Mashhoon, N.: Kinetic mechanism of the EcoRI DNA methyltransferase. *Biochemistry.* **30**, 2933–2939 (1991).
61. Golovina, A. Y.; Dzama, M. M.; Osterman, I. A.; Sergiev, P. V.; Serebryakova, M. V.; Bogdanov, A. A.; Dontsova, O. A.: The last rRNA methyltransferase of E. coli revealed: the yhiR gene encodes adenine-N6 methyltransferase specific for modification of A2030 of 23S ribosomal RNA. *RNA.* **18**, 1725–1734 (2012).
62. Cameron, D. M.; Gregory, S. T.; Thompson, J.; Suh, M. J.; Limbach, P. A.; Dahlberg, A. E.: Thermus thermophilus L11 methyltransferase, PrmA, is dispensable for growth and preferentially modifies free ribosomal protein L11 prior to ribosome assembly. *J Bacteriol.* **186**, 5819–5825 (2004).
63. Tivendale, N. D.; Fenske, R.; Duncan, O.; Millar, A. H.: In vivo homopropargylglycine incorporation enables sampling, isolation, and characterization of nascent proteins from Arabidopsis thaliana. *Plant J.* **107**, 1260–1276 (2021).
64. Newman, E. B.; Budman, L. I.; Chan, E. C.; Greene, R. C.; Lin, R. T.; Woldringh, C. L.; D'Ari, R.: Lack of S-adenosylmethionine results in a cell division defect in Escherichia coli. *J Bacteriol.* **180**, 3614–3619 (1998).
65. Tabor, H.: Polyamine biosynthesis in Escherichia coli: construction of polyamine-deficient mutants. *Med Biol.* **59**, 389–393 (1981).
66. Igarashi, K.; Kashiwagi, K.: Effects of polyamines on protein synthesis and growth of Escherichia coli. *J Biol Chem.* **293**, 18702–18709 (2018).
67. Kadner, R. J.: Regulation of methionine transport activity in Escherichia coli. *J Bacteriol.* **122**, 110–119 (1975).
68. Sharaf, N. G.; Shahgholi, M.; Kim, E.; Lai, J. Y.; VanderVelde, D. G.; Lee, A. T.; Rees, D. C.: Characterization of the ABC methionine transporter from Neisseria meningitidis reveals that lipidated MetQ is required for interaction. *Elife.* **10**, e69742 (2021).
69. Handlon, A. L.; Oppenheimer, N. J.: Thiol reduction of 3'-azidothymidine to 3'-aminothymidine: kinetics and biomedical implications. *Pharm Res.* **5**, 297–299 (1988).
70. Selmihan, S.; Milton, R. D.: Evolving enzymatic electrochemistry with rare or unnatural amino acids. *Curr Opin Electrochem.* **35**, 101-109 (2022).
71. Algov, I.; Alfonta, L.: Use of Protein Engineering to Elucidate Electron Transfer Pathways between Proteins and Electrodes. *ACS Meas Sci Au.* **2**, 78–90 (2021).
72. Kiick, K. L.; Van Hest, J. C. M.; Tirrell, D. A.: Expanding the scope of protein biosynthesis by altering the methionyl-tRNA synthetase activity of a bacterial expression host. *Angew Chem Int Ed.* **39**, 2148–2152 (2000).
73. Tanrikulu, I.; Schmitt, E.; Mechulam, Y.; Goddard, W.: Discovery of Escherichia coli methionyl-tRNA synthetase mutants for efficient labeling of proteins with azidonorleucine in vivo. *Proc Natl Acad Sci U S A.* **106**, 15285–15290 (2009).
74. Goulding, A.; Shrestha, S.; Dria, K.; Hunt, E.; Deo, S. K.: Red fluorescent protein variants with incorporated non-natural amino acid analogs. *Protein Eng Des Sel.* **21**, 101–106 (2008).
75. Kotrbová, V.; Aimová, D.; Ingr, M.; Borek-Dohalská, L.; Martínek, V.; Stiborová, M.: Preparation of a biologically active apo-cytochrome b5 via heterologous expression in Escherichia coli. *Protein Expr Purif.* **66**, 203–209 (2009).
76. Sprouffske, K.; Wagner, A.: Growthcurver: an R package for obtaining interpretable metrics from microbial growth curves. *Bioinformatics.* **17**, 172 - 180 (2016).
77. Zhang, S.; Cahalan, M. D.: Purifying plasmid DNA from bacterial colonies using the QIAGEN Miniprep Kit. *J Vis Exp.* **6**, 247-253 (2007).
78. Peri, S.; Steen, H.; Pandey, A.: GPMW--a software tool for analyzing proteins and peptides. *Trends Biochem Sci.* **26**, 687–689 (2001).
79. Darwin, A. J.: The phage-shock-protein response. *Mol Microbiol.* **57**, 621–628 (2005).

80. Landor, L.A.I.; Bratbak, G.; Larsen, A.; Tjendra, J.; Våge, S. Differential toxicity of bioorthogonal non-canonical amino acids (BONCAT) in *Escherichia coli*. *J Microbiol Methods*, **206**, 106-117 (2023).