

Errata

Page 1 : the year **2025** instead of **2024** ;

Page 9-18:

- line 29 [**10**] instead of [**14**];
- line 30 [**14**] instead of [**15**];

From page 10 to page 20 references order change:

- [**16-52**] instead of [**15-51**] and we added reference [**56**] which missed.

Page 12:

“**Ph. papatasi** and *L. killicki* Mon -3 0 1 transmitted by **Ph. sergenti** both forms occur in the highland and in north of Sahara . **L. infantum Mon-24** transmitted by *Ph. perfiliewi* and *L. killicki* Mon-306 causing sporadic CL in northern Algeria” **instead of:**

“**Ph. Papatasi** and *L. killicki* Mon-301 transmitted by **Ph. Sergenti** both forms occur in the highland and in north of Sahara . **L.infantum-Mon-24** transmitted by *Ph. perfiliewi* and *L. killicki* Mon-306 causing sporadic CL in northern Algeria“;

Page 13: figure 4:

cutaneous leishmaniasis cases in Algeria, 2013-2022 instead of **cutaneous leishmaniasis cases in Algeria, 2013-2021**;

Page 16, 2- The life cycle of sand flies, line 7:

Leishmania and other pathogens instead of **leishmaniasis and other diseases**.

Page 18:

[**56**] instead of (**Benallal et al, under review**) since the article was published before PhD defence.

Page 20:

[**59-63**] instead of (**Benabdennbi and Pesson, 1998; Lehrter et al., 2017; Martin-Sanchez et al., 2000; Morillas Márquez et al., 1991; Pesson et al., 2004**);

Page 22, subtitle 3, line 4:

[**13**], [**86**] instead of (**Chaves et al 2007, World Health Organization, 1984**);

From page 22, subtitle 3, line 7 to the end of the paragraph: reference order change [**87-106**] instead of [**86-105**];

Page 23, Objectives:

- line 2: **pathogens** instead of **disease**;
- line 4: **are considered as zoonoses** instead of **are considered zoonoses**;
- line 6: **Leishmania** instead of **leishmaniasis**;
- line 14: **morphological** instead of **morphology**

Page 24, publication:

- 2- Phlebotomine sand fly survey, blood meal source identification and description of *Sergentomyia imihra* n. sp. in the central Sahara of Algeria. Kamal Eddine Benallal, Mohammed Mefissel, Yassine Dib, Jérôme Depaquit, Daniel Kavan, Zoubir Harrat, Vít Dvořák, Petr Volf, Petr Halada.

***Parasit Vectors*, vol. 17, no. 1, p. 449, Dec. 2024, doi: 10.1186/s13071-024-06542-9.**

Instead of:

- 2- Phlebotomine sand fly survey, blood meal source identification and description of *Sergentomyia imihra* n. sp. in the central Sahara of Algeria. Kamal Eddine Benallal, Mohammed Mefissel, Yassine Dib, Jérôme Depaquit, Daniel Kavan, Zoubir Harrat, Vit Dvořák, Petr Volf, Petr Halada (**under review**).

Page 31, Summary and discussion,

- Line 13: **focusing** instead of **focussing**
- Line 25: deletion of (**Maaiki et al, 2011**),
- References order change [**107-111**] instead of [**106-110**].
- Line 31: **peptide mass mapping-based MALDI-TOF** instead of **MALDI-TOF peptide mass mapping**

Page 32: references order change

- [**51**] instead of [**52**]; [**113**] instead of [**112**]; [**56**] instead of (**Benallal et al**); [**87**] instead of [**113**]; [**96**] instead of [**95**].
- Line 19: **7 specimens** instead of **6 specimens**.

Page 33: references order change

- [**39**] instead of [**40**];
- [**42**] instead of [**41**];
- [**42**] instead of [**43**];
- [**43**], [**53**], instead of [**44**], [**54**].

Page 35, conclusion, 3rd point:

(**Benallal et al, 2024**) instead of **Benallal et al, 2024 (under review)**.

Page 36, References rearrangement:

- [14] S. Sasidharan and & Prakash Saudagar, “Leishmaniasis: where are we and where are we heading?,” *Parasitol Res*, vol. 120, pp. 1541–1554, 2021, doi: 10.1007/s00436-021-07139-2/Published.
- [15] Z. Harrat *et al.*, “Description of a dermatropic Leishmania close to *L. killicki* (Rioux, Lanotte & Pratlong 1986) in Algeria,” *Trans R Soc Trop Med Hyg*, vol. 103, pp. 716–720, 2009, doi: 10.1016/j.trstmh.2009.04.013.
- [16] K. P. Linse, C. Bogdan, H. A. Haenssle, and F. Toberer, “Mucocutaneous Leishmaniasis due to *Leishmania infantum* Infection,” 2022, *Medical Journals/Acta D-V*. doi: 10.2340/actadv.v102.2321.
- [17] J. A. Ruiz-Postigo, L. Grout, and S. Jain, “Global leishmaniasis surveillance, 2017–2018, and first report on 5 additional indicators,” *Weekly epidemiological record*, vol. 95, no. 25, pp. 265–280, 2020, [Online]. Available: <https://www.who.int/publications/i/item/who-wer9525>

- [18] J. Alvar *et al.*, “Leishmaniasis worldwide and global estimates of its incidence,” *PLoS One*, vol. 7, no. 5, p. 35671, May 2012, doi: 10.1371/journal.pone.0035671.
- [19] J. A. Ruiz-Postigo *et al.*, “Global leishmaniasis surveillance: 2021, assessing the impact of the COVID-19 pandemic,” 2022. [Online]. Available: <https://iris.paho.org/>
- [20] R.E.M, “Situation épidémiologique de l’année 2005.,” 2005.
- [21] R.E.M, “Situation épidémiologique de l’annuel 2017.,” 2017. Accessed: Jun. 29, 2022. [Online]. Available: <https://www.insp.dz/index.php/Non-categorise/rem.html>
- [22] R. Mansouri, “The first isoenzymatic characterizations of the Leishmania strains responsible for cutaneous leishmaniasis in the area of Annaba (Eastern Algeria),” *Open Conf Proc J*, vol. 3, no. 2, pp. 6–11, 2012, doi: 10.2174/2210289201203020006.
- [23] S. C. Boubidi *et al.*, “Phlebotomus sergenti (Parrot, 1917) identified as Leishmania killicki host in Ghardaïa, south Algeria,” *Microbes Infect*, vol. 13, no. 7, pp. 691–696, Jul. 2011, doi: 10.1016/j.micinf.2011.02.008.
- [24] M. A. Izri and S. Belazzoug, “Phlebotomus (Larrousius) perfiliewi naturally infected with dermatropic Leishmania infantum at Tenes, Algeria,” *Trans R Soc Trop Med Hyg*, vol. 87, no. 4, p. 399, Jul. 1993, doi: 10.1016/0035-9203(93)90011-E.
- [25] M. A. Izri *et al.*, “Leishmania infantum Mon-1 isolated of Phlebotomus perniciosus, in Kabylia (Algeria),” *Ann Parasitol Hum Comp*, vol. 65, no. 3, pp. 151–152, 1990.
- [26] M. A. Izri, S. Belazzoug, F. Pratlong, and J. A. Rioux, “Isolation of Leishmania major in Phlebotomus papatasi in Biskra (Algeria). The end of an ecoepidemiological saga,” *Ann. Parasitol. Hum. Comp*, vol. 67, no. 1, pp. 31–32, 1992, Accessed: May 10, 2020. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/1642393>
- [27] A. Gaafar *et al.*, “Sporotrichoid cutaneous leishmaniasis due to Leishmania major of different zymodemes in the Sudan and Saudi Arabia: a comparative study,” *Trans R Soc Trop Med Hyg*, vol. 86, pp. 552–554, 1994.
- [28] A. Bassaid, Y. Merad, M. O. Ait Si Ali, A. Djeridane, F. Bachi, and H. Adjmi-Hamoudi, “Cutaneous sporotrichoid leishmaniasis: An atypical case caused by Leishmania major,” *IDCases*, vol. 30, Jan. 2022, doi: 10.1016/j.idcr.2022.e01629.
- [29] K. Cherif, A. Boudrissa, M. H. Cherif, and Z. Harrat, “A social program for the control of zoonotic cutaneous leishmaniasis in M’Sila, Algeria.,” *Sante Publique*, vol. 24, no. 6, pp. 511–522, 2012, doi: 10.3917/spub.126.0511.
- [30] M. Ramalho-Ortigao, E. M. Saraiva, and Y. M. Traub-Csekö, “Sand fly-Leishmania interactions: Long relationships are not necessarily easy,” 2010. doi: 10.2174/1874421401004010195.

- [31] A. Dostálová and P. Volf, "Leishmania development in sand flies: parasite-vector interactions overview," *Parasit Vectors*, vol. 5, pp. 276–288, 2012, doi: 10.1186/1756-3305-5-276.
- [32] P. Cecílio, A. Cordeiro-da-Silva, and F. Oliveira, "Sand flies: Basic information on the vectors of leishmaniasis and their interactions with Leishmania parasites," *Communications Biology* 2022 5:1, vol. 5, no. 1, pp. 1–12, Apr. 2022, doi: 10.1038/s42003-022-03240-z.
- [33] P. Volf, M. Hajmova, J. Sadlova, and J. Votypka, "Blocked stomodeal valve of the insect vector: Similar mechanism of transmission in two trypanosomatid models," *Int J Parasitol*, vol. 34, no. 11, pp. 1221–1227, Oct. 2004, doi: 10.1016/j.ijpara.2004.07.010.
- [34] M. E. Rogers *et al.*, "Leishmania chitinase facilitates colonization of sand fly vectors and enhances transmission to mice," *Cell Microbiol*, vol. 10, no. 6, pp. 1363–1372, Jun. 2008, doi: 10.1111/j.1462-5822.2008.01132.x.
- [35] M. E. Rogers, M. L. Chance, and P. A. Bates, "The role of promastigote secretory gel in the origin and transmission of the infective stage of *Leishmania mexicana* by the sandfly *Lutzomyia longipalpis*," *Parasitology*, vol. 124, no. 5, pp. 495–507, 2002, doi: 10.1017/S0031182002001439.
- [36] V. D. Atayde, H. Aslan, S. Townsend, K. Hassani, S. Kamhawi, and M. Olivier, "Exosome Secretion by the Parasitic Protozoan *Leishmania* within the Sand Fly Midgut," *Cell Rep*, vol. 13, no. 5, pp. 957–967, Nov. 2015, doi: 10.1016/j.celrep.2015.09.058.
- [37] P. A. Bates, "Transmission of *Leishmania* metacyclic promastigotes by phlebotomine sand flies," *Int J Parasitol.*, vol. 37, no. 10, pp. 1097–1106, Aug. 2007, doi: 10.1016/j.ijpara.2007.04.003.
- [38] J. Sunter and K. Gull, "Shape, form, function and *Leishmania* pathogenicity: From textbook descriptions to biological understanding," *Open Biol*, vol. 7, no. 9, 2017, doi: 10.1098/RSOB.170165.
- [39] A. Ponte-Sucre *et al.*, "Drug resistance and treatment failure in leishmaniasis: A 21st century challenge," *PLoS Negl Trop Dis*, vol. 11, no. 12, Dec. 2017, doi: 10.1371/journal.pntd.0006052.
- [40] D. Sereno, C. Maia, and K. Aït-Oudhia, "Current Opinion Antimony resistance and environment: Elusive links to explore during *Leishmania* life cycle," 2012, doi: 10.1016/j.ijpddr.2012.07.003.
- [41] S. Dujardin Jean-Claude and Decuypere, "Epidemiology of Leishmaniasis in the Time of Drug Resistance," in *Drug Resistance in Leishmania Parasites: Consequences, Molecular Mechanisms and Possible Treatments*, E. and P.-N. M. Ponte-Sucre Alicia and Diaz, Ed., Vienna: Springer Vienna, 2013, pp. 65–83. doi: 10.1007/978-3-7091-1125-3_4.

- [42] N. Eddaikra *et al.*, “Antimony susceptibility of Leishmania isolates collected over a 30-year period in Algeria,” *PLoS Negl Trop Dis*, vol. 12, no. 3, pp. 1–23, 2018, doi: 10.1371/journal.pntd.0006310.
- [43] V. Seblova *et al.*, “Transmission potential of antimony-resistant leishmania field isolates,” *Antimicrob Agents Chemother*, vol. 58, no. 10, pp. 6273–6276, Oct. 2014, doi: 10.1128/AAC.02406-13.
- [44] N. Mekarnia *et al.*, “Effect of Phlebotomus papatasi on the fitness, infectivity and antimony-resistance phenotype of antimony-resistant Leishmania major Mon-25,” *Int J Parasitol Drugs Drug Resist*, vol. 25, Aug. 2024, doi: 10.1016/j.ijpddr.2024.100554.
- [45] R. Killick-Kendrick, “The biology and control of Phlebotomine sand flies,” *Clin Dermatol*, vol. 17, no. 3, pp. 279–289, 1999, doi: 10.1016/S0738-081X(99)00046-2.
- [46] K. Kahime, S. Boussaa, A. El Mzabi, and A. Boumezzough, “Spatial relations among environmental factors and phlebotomine sand fly populations (Diptera: Psychodidae) in central and southern Morocco,” *Journal of Vector Ecology*, vol. 40, no. 2, pp. 342–354, Dec. 2015, doi: 10.1111/jvec.12173.
- [47] S. Boussaa and A. Boumezzough, “Identification et caractérisation des gîtes larvaires de phlébotomes (Diptera: Psychodidae) à Marrakech (Maroc),” *Faunistic-Entomology*, vol. 67, pp. 193–201, 2014.
- [48] H. A. Kassem and A. N. Hassan, “Ovarian development and blood-feeding activity in Phlebotomus bergeroti Parrot (Diptera: Psychodidae) from Egypt,” *Ann Trop Med Parasitol*, vol. 97, no. 5, pp. 521–526, Jul. 2003, doi: 10.1179/000349803235002461.
- [49] P. Volf and V. Volfova, “Establishment and maintenance of sand fly colonies,” *Journal of Vector Ecology*, vol. 36, no. SUPPL.1, pp. S1–S9, Mar. 2011, doi: 10.1111/j.1948-7134.2011.00106.x.
- [50] A. K. Seccombe, P. D. Ready, and L. M. Huddleston, “A Catalogue of Old World Phlebotomine Sandflies,” *Occ. Pap. syst. Ent*, vol. 8, no. 8, pp. 1–60, 1993.
- [51] A. Cruaud, V. Lehrter, G. Genson, J. Y. Rasplus, and J. Depaquit, “Evolution, systematics and historical biogeography of sand flies of the subgenus Paraphlebotomus (Diptera, Psychodidae, Phlebotomus) inferred using restriction-site associated DNA markers,” *PLoS Negl Trop Dis*, vol. 15, no. 7, pp. 1–25, Jul. 2021, doi: 10.1371/journal.pntd.0009479.
- [52] A. Tabbabi, N. Bousslimi, A. Rhim, K. Aoun, and A. Bouratbine, “Short report: First report on natural infection of Phlebotomus sergenti with Leishmania promastigotes in the cutaneous leishmaniasis focus in southeastern Tunisia,” *American Journal of Tropical Medicine and Hygiene*, vol. 85, no. 4, pp. 646–647, Oct. 2011, doi: 10.4269/ajtmh.2011.10-0681.

- [53] S. Hendrickx *et al.*, “Transmission potential of paromomycin-resistant *Leishmania infantum* and *Leishmania donovani*,” *Journal of Antimicrobial Chemotherapy*, vol. 75, no. 4, pp. 951–957, Apr. 2020, doi: 10.1093/jac/dkz517.
- [54] B. Alemayehu and M. Alemayehu, “Leishmaniasis: A Review on Parasite, Vector and Reservoir Host,” *Health Science Journal*, vol. 11, no. 4, 2017, doi: 10.21767/1791-809x.1000519.
- [55] K. E. Benallal, R. Garni, Z. Harrat, P. Volf, and V. Dvorak, “Phlebotomine sand flies (Diptera: Psychodidae) of the Maghreb region: A systematic review of distribution, morphology, and role in the transmission of the pathogens,” *PLoS Negl Trop Dis*, vol. 16, no. 1, p. e0009952, Jan. 2022, doi: 10.1371/JOURNAL.PNTD.0009952.
- [56] K. E. Benallal *et al.*, “Phlebotomine sand fly survey, blood meal source identification, and description of *Sergentomyia imihra* n. sp. in the central Sahara of Algeria,” *Parasit Vectors*, vol. 17, no. 1, p. 449, Dec. 2024, doi: 10.1186/s13071-024-06542-9.
- [57] E. A. B. Galati, F. Galvis-Ovallos, P. Lawyer, N. Léger, and J. Depaquit, “An illustrated guide for characters and terminology used in descriptions of Phlebotominae (Diptera, Psychodidae),” *Parasite*, vol. 24, no. 7, 2017, doi: 10.1051/parasite/2017027.
- [58] J. Depaquit, “Molecular systematics applied to Phlebotomine sandflies: Review and perspectives,” *Infection, Genetics and Evolution*, vol. 28, pp. 744–756, Dec. 2014, doi: 10.1016/j.meegid.2014.10.027.
- [59] V. Lehrter, A.-L. Bañuls, N. Léger, J.-A. Rioux, and J. Depaquit, “*Phlebotomus* (*Paraphlebotomus*) *chabaudi* and *Phlebotomus riouxi*: closely related species or synonyms?,” *Parasite*, vol. 24, no. 47, pp. 1–15, 2017, doi: 10.1051/PARASITE/2017050.
- [60] I. Benabdennbi and B. Pesson, “A propos de la variabilité morphologique de *Phlebotomus perniciosus* (Diptera: Psychodidae),” *Bulletin de la Société Française de Parasitologie*, vol. 16, no. 1, pp. 53–60, 1998.
- [61] F. Morillas Márquez, M. C. Sanchís Marín, J. Martín Sánchez, and C. Acedo Sánchez, “On *Phlebotomus perniciosus* Newstead, 1911 (Diptera, Phlebotomidae) in the Province of Almeria in southeastern Spain.,” *Parassitologia*, vol. 33 Suppl, pp. 437–44, Dec. 1991, [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/1841241>
- [62] J. Martin-Sanchez, M. Gramiccia, B. Pesson, and F. Morillas-Márquez, “Genetic polymorphosim in sympatric species of the genus *Phlebotomus*, with special reference to *Phlebotomus perniciosus* and *Phlebotomus longicuspis* (Diptera, Phlebotomidae),” *Parasite*, vol. 7, pp. 247–254, 2000.
- [63] B. Pesson *et al.*, “Sandflies of the *Phlebotomus perniciosus* complex: Mitochondrial introgression and a new sibling species of *P. longicuspis* in the Moroccan Rif,” *Med Vet Entomol*, vol. 18, no. 1, pp. 25–37, 2004, doi: 10.1111/j.0269-283x.2004.0471.x.

- [64] K. Vongphayloth *et al.*, "On the systematics of *Phlebotomus betisi* and two new related species from Laos with proposal of the new subgenus *Lewisius*," *Parasite*, vol. 30, p. 21, Jun. 2023, doi: 10.1051/parasite/2023021.
- [65] V. Dvorak *et al.*, "Sand fly fauna of Crete and the description of *Phlebotomus (Adlerius) creticus* n. sp. (Diptera: Psychodidae)," *Parasit Vectors*, vol. 13, no. 1, pp. 1–17, Dec. 2020, doi: 10.1186/s13071-020-04358-x.
- [66] A. Yssouf, L. Almeras, D. Raoult, and P. Parola, "Emerging tools for identification of arthropod vectors," *Future Microbiol*, vol. 11, no. 4, pp. 549–566, 2016, doi: 10.2217/fmb.16.5.
- [67] R. Seng, L. Scola, and D. & Raoult, "MALDI-TOF-mass spectrometry applications in clinical microbiology," *Future Microbiol*, vol. 5, no. 11, pp. 1733–1754, 2010, [Online]. Available: www.futuremedicine.com
- [68] P. M. Campbell, "Species differentiation of insects and other multicellular organisms using matrix-assisted laser desorption/ionization time of flight mass spectrometry protein profiling," *Syst Entomol*, vol. 30, no. 2, pp. 186–190, Apr. 2005, doi: 10.1111/j.1365-3113.2004.00279.x.
- [69] R. Predel, S. Roth, S. Neupert, and M. Picker, "New insect order Mantophasmatodea: species differentiation by mass fingerprints of peptide hormones?," *Journal of Zoological Studies*, vol. 43, no. 2, pp. 149–156, 2004, doi: 10.1111/j.1439-0469.2004.00280.149-156.
- [70] V. Dvorak, P. Halada, K. Hlavackova, E. Dokianakis, M. Antoniou, and P. Volf, "Identification of phlebotomine sand flies (Diptera: Psychodidae) by matrix-assisted laser desorption/ionization time of flight mass spectrometry," *Parasit Vectors*, vol. 7, no. 1, Jan. 2014, doi: 10.1186/1756-3305-7-21.
- [71] P. Müller *et al.*, "Identification of Cryptic Anopheles Mosquito Species by Molecular Protein Profiling," *PLoS One*, vol. 8, no. 2, p. e57486, Feb. 2013, doi: 10.1371/journal.pone.0057486.
- [72] C. Kaufmann, D. Ziegler, F. Schaffner, S. Carpenter, V. Pflüger, and A. Mathis, "Evaluation of matrix-assisted laser desorption/ionization time of flight mass spectrometry for characterization of *Culicoides nubeculosus* biting midges," *Med Vet Entomol*, vol. 25, no. 1, pp. 32–38, Mar. 2011, doi: 10.1111/j.1365-2915.2010.00927.x.
- [73] C. Kaufmann, F. Schaffner, D. Ziegler, V. Pflüger, and A. Mathis, "Identification of field-caught *Culicoides* biting midges using matrix-assisted laser desorption/ionization time of flight mass spectrometry," *Parasitology*, vol. 139, no. 2, pp. 248–258, Feb. 2012, doi: 10.1017/S0031182011001764.
- [74] A. Yssouf *et al.*, "Identification of flea species using MALDI-TOF/MS," *Comp Immunol Microbiol Infect Dis*, vol. 37, no. 3, pp. 153–157, 2014, doi: 10.1016/j.cimid.2014.05.002.

- [75] A. Hoppenheit, J. Murugaiyan, B. Bauer, S. Steuber, P. H. Clausen, and U. Roesler, "Identification of Tsetse (*Glossina* spp.) Using Matrix-Assisted Laser Desorption/Ionisation Time of Flight Mass Spectrometry," *PLoS Negl Trop Dis*, vol. 7, no. 7, 2013, doi: 10.1371/journal.pntd.0002305.
- [76] A. Karger *et al.*, "Species determination and characterization of developmental stages of ticks by whole-animal matrix-assisted laser desorption/ionization mass spectrometry," *Ticks Tick Borne Dis*, vol. 3, no. 2, pp. 78–89, Apr. 2012, doi: 10.1016/j.ttbdis.2011.11.002.
- [77] M. R. Perera, R. D. F. Vargas, and M. G. K. Jones, "Identification of aphid species using protein profiling and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," *Entomol Exp Appl*, vol. 117, no. 3, pp. 243–247, Dec. 2005, doi: 10.1111/j.1570-7458.2005.00353.x.
- [78] F. Sánchez-Juanes *et al.*, "Applications of MALDI-TOF Mass Spectrometry to the Identification of Parasites and Arthropod Vectors of Human Diseases," Nov. 01, 2022, *MDPI*. doi: 10.3390/microorganisms10112300.
- [79] P. Halada, K. Hlavackova, V. Dvorak, and P. Volf, "Identification of immature stages of phlebotomine sand flies using MALDI-TOF MS and mapping of mass spectra during sand fly life cycle.," *Insect Biochem Mol Biol*, vol. 93, pp. 47–56, Feb. 2018, doi: 10.1016/j.ibmb.2017.12.005.
- [80] M. Pareyn *et al.*, "An integrative approach to identify sand fly vectors of leishmaniasis in Ethiopia by morphological and molecular techniques," *Parasit Vectors*, vol. 13, no. 1, Dec. 2020, doi: 10.1186/s13071-020-04450-2.
- [81] E. Kniha, M. Milchram, and P. Halada, "Ecology , Seasonality and Host Preferences of Austrian Phlebotomus (*Transphlebotomus*) *mascittii* Grassi, 1908, Populations," *Parasite & vector*, pp. 1–18, 2021.
- [82] A. Huguenin *et al.*, "MALDI-TOF MS Limits for the Identification of Mediterranean Sandflies of the Subgenus *Larrousius*, with a Special Focus on the *Phlebotomus perniciosus* Complex," *Microorganisms*, vol. 10, no. 11, p. 2135, Oct. 2022, doi: 10.3390/microorganisms10112135.
- [83] O. E. Kasap, V. Dvorak, J. Depaquit, B. Alten, J. Votypka, and P. Volf, "Phylogeography of the subgenus *Transphlebotomus* Artemiev with description of two new species, *Phlebotomus anatolicus* n. sp. and *Phlebotomus killicki* n. sp.," *Infection, Genetics and Evolution*, vol. 34, pp. 467–479, Aug. 2015, doi: 10.1016/j.meegid.2015.05.025.
- [84] K. Hlavackova, V. Dvorak, A. Chaskopoulou, P. Volf, and P. Halada, "A novel MALDI-TOF MS-based method for blood meal identification in insect vectors: A proof of concept study on phlebotomine sand flies.," *PLoS Negl Trop Dis*, vol. 13, no. 9, p. e0007669, 2019, doi: 10.1371/journal.pntd.0007669.

- [85] N. E. Messahel *et al.*, "Identification of blood source preferences and Leishmania infection in sand flies (Diptera: Psychodidae) in north-eastern Algeria," *Vet Parasitol Reg Stud Reports*, vol. 31, p. 100729, Jun. 2022, doi: 10.1016/J.VPRSR.2022.100729.
- [86] L. F. Chaves, M. J. Hernandez, A. P. Dobson, and M. Pascual, "Sources and sinks: revisiting the criteria for identifying reservoirs for American cutaneous leishmaniasis," *Trends Parasitol*, vol. 23, no. 7, pp. 311–316, Jul. 2007, doi: 10.1016/j.pt.2007.05.003.
- [87] R. W. Ashford, "Leishmaniasis reservoirs and their significance in control," *Clin Dermatol*, vol. 14, no. 5, pp. 523–532, Sep. 1996, doi: 10.1016/0738-081X(96)00041-7.
- [88] R. W. Ashford, "The leishmaniasis as emerging and reemerging zoonoses," *Int J Parasitol*, vol. 30, no. 12–13, pp. 1269–1281, Nov. 2000, doi: 10.1016/S0020-7519(00)00136-3.
- [89] I. Azami-conesa, M. T. Gómez-muñoz, and R. A. Martínez-díaz, "A systematic review (1990–2021) of wild animals infected with zoonotic leishmania," *Microorganisms*, vol. 9, no. 5, 2021, doi: 10.3390/microorganisms9051101.
- [90] M. M. Alcover, M. C. Riera, and R. Fisa, "Leishmaniosis in Rodents Caused by Leishmania infantum: A Review of Studies in the Mediterranean Area," *Front Vet Sci*, vol. 8, p. 702687, Aug. 2021, doi: 10.3389/FVETS.2021.702687/FULL.
- [91] A. Bessad *et al.*, "Leishmania infantum MON-1 isolé d'un chacal doré (Canis aureus) en Grande Kabylie (Algérie)," *Bulletin de la Société de pathologie exotique*, vol. 1, no. 105, pp. 5–7, Feb. 2012, doi: 10.1007/S13149-011-0182-4.
- [92] M. Gàllego *et al.*, "The life-cycle of Leishmania infantum MON-77 in the Priorat (Catalonia, Spain) involves humans, dogs and sandflies; also literature review of distribution and hosts of L. infantum zymodemes in the Old World," *Transactions of the Royal Society of Tropical Medicine and Hygiene*, vol. 95, pp. 269–271, 2001.
- [93] P. J. Hotez, L. Savioli, and A. Fenwick, "Neglected tropical diseases of the middle east and north africa: Review of their prevalence, distribution, and opportunities for control," *PLoS Negl Trop Dis*, vol. 6, no. 2, Feb. 2012, doi: 10.1371/journal.pntd.0001475.
- [94] T. Jamil, M. T. Aleem, M. Mohsin, and W. Ennab, "Rodents as reservoirs and carriers of different zoonotic diseases.,," *Continental Veterinary Journal*, vol. 2, no. 1, pp. 1–14, 2021, [Online]. Available: www.cvetj.com
- [95] B. G. Meerburg, G. R. Singleton, and A. Kijlstra, "Rodent-borne diseases and their risks for public health," 2009. doi: 10.1080/10408410902989837.
- [96] S. Belazzoug, "Isolation of Leishmania major Yakimoff & Schokhor, 1914 from Psammomys obesus Gretzschmar, 1828 (Rodentia: Gerbillidae) in Algeria," *Trans R*

Soc Trop Med Hyg, vol. 77, no. 6, p. 876, Jan. 1983, doi: 10.1016/0035-9203(83)90314-0.

- [97] J. A. Rioux *et al.*, "Isolement de *Leishmania major* Yakimoff et Schokhor, 1914 (Kinetoplastida-Trypanosomatidae) chez *Meriones shawi shawi* (Duvernoyn 1842) (Rodentia-Gerbillidae) en Tunisie," *Ann. Parasitol. Hum. Comp*, vol. 61, no. 2, pp. 139–145, 1986, doi: 10.1051/parasite/1986612139.
- [98] N. Bousslimi, S. Ben-Ayed, I. Ben-Abda, K. Aoun, and A. Bouratbine, "Natural infection of North African Gundi (*Ctenodactylus gundi*) by *Leishmania tropica* in the focus of cutaneous leishmaniasis, Southeast Tunisia," *American Journal of Tropical Medicine and Hygiene*, vol. 86, no. 6, pp. 962–965, Jun. 2012, doi: 10.4269/ajtmh.2012.11-0572.
- [99] D. Talmi-Frank *et al.*, "*Leishmania tropica* in rock hyraxes (*Procavia capensis*) in a focus of human cutaneous leishmaniasis," *American Journal of Tropical Medicine and Hygiene*, vol. 82, no. 5, pp. 814–818, May 2010, doi: 10.4269/ajtmh.2010.09-0513.
- [100] J. Chemkhi, H. Souguir, I. B. H. Ali, M. Driss, I. Guizani, and S. Guerbouj, "Natural infection of Algerian hedgehog, *Atelerix algirus* (Lereboullet 1842) with *Leishmania* parasites in Tunisia," *Acta Trop*, vol. 150, no. Lereboullet 1842, pp. 42–51, 2015, doi: 10.1016/j.actatropica.2015.06.009.
- [101] H. Souguir-Omrani *et al.*, "*Paraechinus aethiopicus* (Ehrenberg 1832) and *Atelerix algirus* (Lereboullet 1842) hedgehogs: Possible reservoirs of endemic leishmaniasis in Tunisia," *Infect Genet Evol*, vol. 63, pp. 219–230, Sep. 2018, doi: 10.1016/J.MEEGID.2018.05.029.
- [102] K. Azizi, M. D. Moemenbellah-Fard, M. R. Fakoorziba, and S. Fekri, "*Gerbillus nanus* (Rodentia: Muridae): a new reservoir host of *Leishmania major*," *Ann Trop Med Parasitol*, vol. 105, no. 6, p. 431, Sep. 2011, doi: 10.1179/1364859411Y.0000000036.
- [103] K. E. Benallal *et al.*, "Host competence of Algerian *Gerbillus amoenus* for *Leishmania major*," *Int J Parasitol Parasites Wildl*, vol. 21, pp. 69–73, Aug. 2023, doi: 10.1016/j.ijppaw.2023.04.007.
- [104] J. Sadlova *et al.*, "Host competence of the African rodents *Arvicanthis neumanni*, *A. niloticus* and *Mastomys natalensis* for *Leishmania donovani* from Ethiopia and *L. (Mundinia) sp.* from Ghana," *Int J Parasitol Parasites Wildl*, vol. 11, pp. 40–45, Apr. 2020, doi: 10.1016/J.IJPPAW.2019.12.002.
- [105] J. Sadlova *et al.*, "Host competence of African rodents *Arvicanthis neumanni*, *A. niloticus* and *Mastomys natalensis* for *Leishmania major*," *Int J Parasitol Parasites Wildl*, vol. 8, pp. 118–126, Apr. 2019, doi: 10.1016/J.IJPPAW.2019.01.004.
- [106] B. Vojtkova *et al.*, "Central Asian rodents as model animals for *leishmania major* and *leishmania donovani* research," *Microorganisms*, vol. 8, no. 9, pp. 1–20, 2020, doi: 10.3390/microorganisms8091440.

- [107] O. Folmer, M. Black, W. Hoeh, R. Lutz, and R. Vrijenhoek, "DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates.," *Mol Mar Biol Biotechnol*, vol. 3, no. 5, pp. 294–299, Oct. 1994.
- [108] P. D. N. Hebert, A. Cywinska, S. L. Ball, and J. R. Dewaard, "Biological identifications through DNA barcodes," *Proc. R. S. Lond*, vol. 270, pp. 313–321, 2003, doi: 10.1098/rspb.2002.2218.
- [109] D. Suckau, A. Resemann, M. Schuerenberg, P. Hufnagel, J. Franzen, and A. Holle, "A novel MALDI LIFT-TOF/TOF mass spectrometer for proteomics," *Anal Bioanal Chem*, vol. 376, no. 7, pp. 952–965, 2003, doi: 10.1007/s00216-003-2057-0.
- [110] F. Tandina *et al.*, "Identification of mixed and successive blood meals of mosquitoes using MALDI-TOF MS protein profiling," *Parasitology*, vol. 147, no. 3, pp. 329–339, Mar. 2020, doi: 10.1017/S003118201900163X.
- [111] S. Niare *et al.*, "Identification of blood meal sources in the main African malaria mosquito vector by MALDI-TOF MS," *Malar J*, vol. 15, no. 1, 2016, doi: 10.1186/s12936-016-1152-6.
- [112] K.-S. Jang and Y. H. Kim, "Rapid and robust MALDI-TOF MS techniques for microbial identification: a brief overview of their diverse applications," *Journal of Microbiology*, vol. 56, no. 4, pp. 209–216, Apr. 2018, doi: 10.1007/s12275-018-7457-0.
- [113] M.-C. Renaux Torres *et al.*, "Phlebotomine sand flies (Diptera, Phlebotomidae) from Pha Tong cave, Northern Thailand with a description of two new species and taxonomical thoughts about *Phlebotomus stantoni*," *PLoS Negl Trop Dis*, vol. 17, no. 9, p. e0011565, Sep. 2023, doi: 10.1371/journal.pntd.0011565.
- [114] Y. Belkaid, H. Jouin', and G. Milon, "A method to recover, enumerate and identify lymphomyeloid cells present in an inflammatory dermal site: a study in laboratory mice," 1996.

Instead of :

- [14] J. A. Rioux, G. Lanotte, E. Serres, F. Pratlong, P. Bastien, and J. Perieres, "Taxonomy of *Leishmania*. Use of isoenzymes. Suggestions for a new classification," *Ann Parasitol Hum Comp*, vol. 65, no. 3, pp. 111–125, 1990, doi: 10.1051/parasite/1990653111.
- [15] S. Sasidharan and & Prakash Saudagar, "Leishmaniasis: where are we and where are we heading?," *Parasitol Res*, vol. 120, pp. 1541–1554, 2021, doi: 10.1007/s00436-021-07139-2/Published.
- [16] Z. Harrat *et al.*, "Description of a dermatropic *Leishmania* close to *L. killicki* (Rioux, Lanotte & Pratlong 1986) in Algeria," *Trans R Soc Trop Med Hyg*, vol. 103, pp. 716–720, 2009, doi: 10.1016/j.trstmh.2009.04.013.
- [17] K. P. Linse, C. Bogdan, H. A. Haenssle, and F. Toberer, "Mucocutaneous

Leishmaniasis due to *Leishmania infantum* Infection,” 2022, *Medical Journals/Acta D-V*. doi: 10.2340/actadv.v102.2321.

- [18] J. A. Ruiz-Postigo, L. Grout, and S. Jain, “Global leishmaniasis surveillance, 2017–2018, and first report on 5 additional indicators,” *Weekly epidemiological record*, vol. 95, no. 25, pp. 265–280, 2020, [Online]. Available: <https://www.who.int/publications/i/item/who-wer9525>
- [19] J. Alvar *et al.*, “Leishmaniasis worldwide and global estimates of its incidence,” *PLoS One*, vol. 7, no. 5, p. 35671, May 2012, doi: 10.1371/journal.pone.0035671.
- [20] J. A. Ruiz-Postigo *et al.*, “Global leishmaniasis surveillance: 2021, assessing the impact of the COVID-19 pandemic,” 2022. [Online]. Available: <https://iris.paho.org/>
- [21] R.E.M, “Situation épidémiologique de l’annuel 2017.,” 2017. Accessed: Jun. 29, 2022. [Online]. Available: <https://www.insp.dz/index.php/Non-categorise/rem.html>
- [22] R.E.M, “Situation épidémiologique de l’année 2005.,” 2005.
- [23] R. Mansouri, “The first isoenzymatic characterizations of the *Leishmania* strains responsible for cutaneous leishmaniasis in the area of Annaba (Eastern Algeria),” *Open Conf Proc J*, vol. 3, no. 2, pp. 6–11, 2012, doi: 0.2174/2210289201203020006.
- [24] S. C. Boubidi *et al.*, “*Phlebotomus sergenti* (Parrot, 1917) identified as *Leishmania killicki* host in Ghardaïa, south Algeria,” *Microbes Infect*, vol. 13, no. 7, pp. 691–696, Jul. 2011, doi: 10.1016/j.micinf.2011.02.008.
- [25] M. A. Izri and S. Belazzoug, “*Phlebotomus* (Larrousius) *perfiliewi* naturally infected with dermatropic *Leishmania infantum* at Tenes, Algeria,” *Trans R Soc Trop Med Hyg*, vol. 87, no. 4, p. 399, Jul. 1993, doi: 10.1016/0035-9203(93)90011-E.
- [26] M. A. Izri *et al.*, “*Leishmania infantum* Mon-1 isolated of *Phlebotomus perniciosus*, in Kabylia (Algeria),” *Ann Parasitol Hum Comp*, vol. 65, no. 3, pp. 151–152, 1990.
- [27] M. A. Izri, S. Belazzoug, F. Pralong, and J. A. Rioux, “Isolation of *Leishmania major* in *Phlebotomus papatasi* in Biskra (Algeria). The end of an ecoepidemiological saga,” *Ann. Parasitol. Hum. Comp*, vol. 67, no. 1, pp. 31–32, 1992, Accessed: May 10, 2020. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/1642393>
- [28] A. Gaafar *et al.*, “Sporotrichoid cutaneous leishmaniasis due to *Leishmania major* of different zymodemes in the Sudan and Saudi Arabia: a comparative study,” *Trans R Soc Trop Med Hyg*, vol. 86, pp. 552–554, 1994.
- [29] A. Bassaid, Y. Merad, M. O. Ait Si Ali, A. Djeridane, F. Bachi, and H. Adjmi-Hamoudi, “Cutaneous sporotrichoid leishmaniasis: An atypical case caused by *Leishmania major*,” *IDCases*, vol. 30, Jan. 2022, doi: 10.1016/j.idcr.2022.e01629.

- [30] K. Cherif, A. Boudrissa, M. H. Cherif, and Z. Harrat, "A social program for the control of zoonotic cutaneous leishmaniasis in M'Sila, Algeria.," *Sante Publique*, vol. 24, no. 6, pp. 511–522, 2012, doi: 10.3917/spub.126.0511.
- [31] M. Ramalho-Ortigao, E. M. Saraiva, and Y. M. Traub-Csekö, "Sand fly-Leishmania interactions: Long relationships are not necessarily easy," 2010. doi: 10.2174/1874421401004010195.
- [32] A. Dostálová and P. Volf, "Leishmania development in sand flies: parasite-vector interactions overview," *Parasit Vectors*, vol. 5, pp. 276–288, 2012, doi: 10.1186/1756-3305-5-276.
- [33] P. Cecílio, A. Cordeiro-da-Silva, and F. Oliveira, "Sand flies: Basic information on the vectors of leishmaniasis and their interactions with Leishmania parasites," *Communications Biology* 2022 5:1, vol. 5, no. 1, pp. 1–12, Apr. 2022, doi: 10.1038/s42003-022-03240-z.
- [34] P. Volf, M. Hajmova, J. Sadlova, and J. Votypka, "Blocked stomodeal valve of the insect vector: Similar mechanism of transmission in two trypanosomatid models," *Int J Parasitol*, vol. 34, no. 11, pp. 1221–1227, Oct. 2004, doi: 10.1016/j.ijpara.2004.07.010.
- [35] M. E. Rogers *et al.*, "Leishmania chitinase facilitates colonization of sand fly vectors and enhances transmission to mice," *Cell Microbiol*, vol. 10, no. 6, pp. 1363–1372, Jun. 2008, doi: 10.1111/j.1462-5822.2008.01132.x.
- [36] M. E. Rogers, M. L. Chance, and P. A. Bates, "The role of promastigote secretory gel in the origin and transmission of the infective stage of Leishmania mexicana by the sandfly Lutzomyia longipalpis," *Parasitology*, vol. 124, no. 5, pp. 495–507, 2002, doi: 10.1017/S0031182002001439.
- [37] V. D. Atayde, H. Aslan, S. Townsend, K. Hassani, S. Kamhawi, and M. Olivier, "Exosome Secretion by the Parasitic Protozoan Leishmania within the Sand Fly Midgut," *Cell Rep*, vol. 13, no. 5, pp. 957–967, Nov. 2015, doi: 10.1016/j.celrep.2015.09.058.
- [38] P. A. Bates, "Transmission of Leishmania metacyclic promastigotes by phlebotomine sand flies," *Int J Parasitol.*, vol. 37, no. 10, pp. 1097–1106, Aug. 2007, doi: 10.1016/j.ijpara.2007.04.003.
- [39] J. Sunter and K. Gull, "Shape, form, function and Leishmania pathogenicity: From textbook descriptions to biological understanding," *Open Biol*, vol. 7, no. 9, 2017, doi: 10.1098/RSOB.170165.
- [40] A. Ponte-sucre *et al.*, "Drug resistance and treatment failure in leishmaniasis : A 21st century challenge," *PLoS Negl Trop Dis*, vol. 11, no. 12, pp. 1–24, 2017.
- [41] D. Sereno, C. Maia, and K. Aït-Oudhia, "Current Opinion Antimony resistance and environment: Elusive links to explore during Leishmania life cycle," 2012, doi: 10.1016/j.ijpddr.2012.07.003.

- [42] S. Dujardin Jean-Claude and Decuypere, "Epidemiology of Leishmaniasis in the Time of Drug Resistance," in *Drug Resistance in Leishmania Parasites: Consequences, Molecular Mechanisms and Possible Treatments*, E. and P.-N. M. Ponte-Sucre Alicia and Diaz, Ed., Vienna: Springer Vienna, 2013, pp. 65–83. doi: 10.1007/978-3-7091-1125-3_4.
- [43] N. Eddaikra *et al.*, "Antimony susceptibility of Leishmania isolates collected over a 30-year period in Algeria," *PLoS Negl Trop Dis*, vol. 12, no. 3, pp. 1–23, 2018, doi: 10.1371/journal.pntd.0006310.
- [44] V. Seblova *et al.*, "Transmission potential of antimony-resistant leishmania field isolates," *Antimicrob Agents Chemother*, vol. 58, no. 10, pp. 6273–6276, Oct. 2014, doi: 10.1128/AAC.02406-13.
- [45] N. Mekarnia *et al.*, "Effect of Phlebotomus papatasi on the fitness, infectivity and antimony-resistance phenotype of antimony-resistant Leishmania major Mon-25," *Int J Parasitol Drugs Drug Resist*, vol. 25, Aug. 2024, doi: 10.1016/j.ijpddr.2024.100554.
- [46] R. Killick-Kendrick, "The biology and control of Phlebotomine sand flies," *Clin Dermatol*, vol. 17, no. 3, pp. 279–289, 1999, doi: 10.1016/S0738-081X(99)00046-2.
- [47] K. Kahime, S. Boussaa, A. El Mzabi, and A. Boumezzough, "Spatial relations among environmental factors and phlebotomine sand fly populations (Diptera: Psychodidae) in central and southern Morocco," *Journal of Vector Ecology*, vol. 40, no. 2, pp. 342–354, Dec. 2015, doi: 10.1111/jvec.12173.
- [48] S. Boussaa and A. Boumezzough, "Identification et caractérisation des gîtes larvaires de phlébotomes (Diptera: Psychodidae) à Marrakech (Maroc)," *Faunistic-Entomology*, vol. 67, pp. 193–201, 2014.
- [49] H. A. Kassem and A. N. Hassan, "Ovarian development and blood-feeding activity in Phlebotomus bergeroti Parrot (Diptera: Psychodidae) from Egypt," *Ann Trop Med Parasitol*, vol. 97, no. 5, pp. 521–526, Jul. 2003, doi: 10.1179/000349803235002461.
- [50] P. Volf and V. Volfova, "Establishment and maintenance of sand fly colonies," *Journal of Vector Ecology*, vol. 36, no. SUPPL.1, pp. S1–S9, Mar. 2011, doi: 10.1111/j.1948-7134.2011.00106.x.
- [51] A. K. Seccomb, P. D. Ready, and L. M. Huddleston, "A Catalogue of Old World Phlebotomine Sandflies (Diptera: Psychodidae, Phlebotominae)," 1993. Accessed: Jul. 10, 2020. [Online]. Available: <https://www.yumpu.com/en/document/read/16185388/a-catalogue-of-old-world-phlebotomine-sandflies-diptera>
- [52] A. Cruaud, V. Lehrter, G. Genson, J. Y. Rasplus, and J. Depaquit, "Evolution, systematics and historical biogeography of sand flies of the subgenus Paraphlebotomus (Diptera, Psychodidae, Phlebotomus) inferred

- using restriction-site associated DNA markers,” *PLoS Negl Trop Dis*, vol. 15, no. 7, pp. 1–25, Jul. 2021, doi: 10.1371/journal.pntd.0009479.
- [53] A. Tabbabi, N. Bousslimi, A. Rhim, K. Aoun, and A. Bouratbine, “Short report: First report on natural infection of *Phlebotomus sergenti* with *Leishmania promastigotes* in the cutaneous leishmaniasis focus in southeastern Tunisia,” *American Journal of Tropical Medicine and Hygiene*, vol. 85, no. 4, pp. 646–647, Oct. 2011, doi: 10.4269/ajtmh.2011.10-0681.
- [54] S. Hendrickx *et al.*, “Transmission potential of paromomycin-resistant *Leishmania infantum* and *Leishmania donovani*,” *Journal of Antimicrobial Chemotherapy*, vol. 75, no. 4, pp. 951–957, Apr. 2020, doi: 10.1093/jac/dkz517.
- [55] B. Alemayehu and M. Alemayehu, “Leishmaniasis: A Review on Parasite, Vector and Reservoir Host,” *Health Science Journal*, vol. 11, no. 4, 2017, doi: 10.21767/1791-809x.1000519.
- [56] K. E. Benallal, R. Garni, Z. Harrat, P. Volf, and V. Dvorak, “Phlebotomine sand flies (Diptera: Psychodidae) of the Maghreb region: A systematic review of distribution, morphology, and role in the transmission of the pathogens,” *PLoS Negl Trop Dis*, vol. 16, no. 1, p. e0009952, Jan. 2022, doi: 10.1371/JOURNAL.PNTD.0009952.
- [57] E. A. B. Galati, F. Galvis-Ovallos, P. Lawyer, N. Léger, and J. Depaquit, “An illustrated guide for characters and terminology used in descriptions of Phlebotominae (Diptera, Psychodidae),” *Parasite*, vol. 24, no. 7, 2017, doi: 10.1051/parasite/2017027.
- [58] J. Depaquit, “Molecular systematics applied to Phlebotomine sandflies: Review and perspectives,” *Infection, Genetics and Evolution*, vol. 28, pp. 744–756, Dec. 2014, doi: 10.1016/j.meegid.2014.10.027.
- [59] V. Lehrter, A.-L. Bañuls, N. Léger, J.-A. Rioux, and J. Depaquit, “*Phlebotomus* (*Paraphlebotomus*) *chabaudi* and *Phlebotomus riouxi*: closely related species or synonyms?,” *Parasite*, vol. 24, no. 47, pp. 1–15, 2017, doi: 10.1051/PARASITE/2017050.
- [60] I. Benabdennbi and B. Pesson, “A propos de la variabilité morphologique de *Phlebotomus perniciosus* (Diptera: Psychodidae),” *Bulletin de la Société Française de Parasitologie*, vol. 16, no. 1, pp. 53–60, 1998.
- [61] F. Morillas Márquez, M. C. Sanchís Marín, J. Martín Sánchez, and C. Acedo Sánchez, “On *Phlebotomus perniciosus* Newstead, 1911 (Diptera, Phlebotomidae) in the Province of Almeria in southeastern Spain.,” *Parassitologia*, vol. 33 Suppl, pp. 437–44, Dec. 1991, [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/1841241>

- [62] J. Martin-Sanchez, M. Gramiccia, B. Pesson, and F. Morillas-Márquez, "Genetic polymorphosim in sympatric species of the genus *Phlebotomus*, with special reference to *Phlebotomus perniciosus* and *Phlebotomus longicuspis* (Diptera, Phlebotomidae)," *Parasite*, vol. 7, pp. 247–254, 2000.
- [63] B. Pesson *et al.*, "Sandflies of the *Phlebotomus perniciosus* complex: Mitochondrial introgression and a new sibling species of *P. longicuspis* in the Moroccan Rif," *Med Vet Entomol*, vol. 18, no. 1, pp. 25–37, 2004, doi: 10.1111/j.0269-283x.2004.0471.x.
- [64] K. Vongphayloth *et al.*, "On the systematics of *Phlebotomus betisi* and two new related species from Laos with proposal of the new subgenus *Lewisius*," *Parasite*, vol. 30, p. 21, Jun. 2023, doi: 10.1051/parasite/2023021.
- [65] V. Dvorak *et al.*, "Sand fly fauna of Crete and the description of *Phlebotomus (Adlerius) creticus* n. sp. (Diptera: Psychodidae)," *Parasit Vectors*, vol. 13, no. 1, pp. 1–17, Dec. 2020, doi: 10.1186/s13071-020-04358-x.
- [66] A. Yssouf, L. Almeras, D. Raoult, and P. Parola, "Emerging tools for identification of arthropod vectors," Apr. 01, 2016, *Future Medicine Ltd.* doi: 10.2217/fmb.16.5.
- [67] R. Seng, L. Scola, and D. & Raoult, "MALDI-TOF-mass spectrometry applications in clinical microbiology," *Future Microbiol*, vol. 5, no. 11, pp. 1733–1754, 2010, [Online]. Available: www.futuremedicine.com
- [68] P. M. Campbell, "Species differentiation of insects and other multicellular organisms using matrix-assisted laser desorption/ionization time of flight mass spectrometry protein profiling," *Syst Entomol*, vol. 30, no. 2, pp. 186–190, Apr. 2005, doi: 10.1111/j.1365- 3113.2004.00279.x.
- [69] R. Predel, S. Roth, S. Neupert, and M. Picker, "New insect order Mantophasmatodea: species differentiation by mass fingerprints of peptide hormones?," *Journal of Zoological Studies*, vol. 43, no. 2, pp. 149–156, 2004, doi: 10.1111/j.1439-0469.2004.00280.149-156.
- [70] V. Dvorak, P. Halada, K. Hlavackova, E. Dokianakis, M. Antoniou, and P. Volf, "Identification of phlebotomine sand flies (Diptera: Psychodidae) by matrix-assisted laser desorption/ionization time of flight mass spectrometry," *Parasit Vectors*, vol. 7, no. 1, Jan. 2014, doi: 10.1186/1756-3305-7-21.
- [71] P. Müller *et al.*, "Identification of Cryptic Anopheles Mosquito Species by Molecular Protein Profiling," *PLoS One*, vol. 8, no. 2, p. e57486, Feb. 2013, doi: 10.1371/journal.pone.0057486.
- [72] C. Kaufmann, D. Ziegler, F. Schaffner, S. Carpenter, V. Pflüger, and A.

- Mathis, "Evaluation of matrix-assisted laser desorption/ionization time of flight mass spectrometry for characterization of *Culicoides nubeculosus* biting midges," *Med Vet Entomol*, vol. 25, no. 1, pp. 32–38, Mar. 2011, doi: 10.1111/j.1365-2915.2010.00927.x.
- [73] C. Kaufmann, F. Schaffner, D. Ziegler, V. Pflüger, and A. Mathis, "Identification of field-caught *Culicoides* biting midges using matrix-assisted laser desorption/ionization time of flight mass spectrometry," *Parasitology*, vol. 139, no. 2, pp. 248–258, Feb. 2012, doi: 10.1017/S0031182011001764.
- [74] A. Yssouf *et al.*, "Identification of flea species using MALDI-TOF/MS," *Comp Immunol Microbiol Infect Dis*, vol. 37, no. 3, pp. 153–157, 2014, doi: 10.1016/j.cimid.2014.05.002.
- [75] A. Hoppenheit, J. Murugaiyan, B. Bauer, S. Steuber, P. H. Clausen, and U. Roesler, "Identification of Tsetse (*Glossina* spp.) Using Matrix-Assisted Laser Desorption/Ionisation Time of Flight Mass Spectrometry," *PLoS Negl Trop Dis*, vol. 7, no. 7, 2013, doi: 10.1371/journal.pntd.0002305.
- [76] A. Karger *et al.*, "Species determination and characterization of developmental stages of ticks by whole-animal matrix-assisted laser desorption/ionization mass spectrometry," *Ticks Tick Borne Dis*, vol. 3, no. 2, pp. 78–89, Apr. 2012, doi: 10.1016/j.ttbdis.2011.11.002.
- [77] M. R. Perera, R. D. F. Vargas, and M. G. K. Jones, "Identification of aphid species using protein profiling and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," *Entomol Exp Appl*, vol. 117, no. 3, pp. 243–247, Dec. 2005, doi: 10.1111/j.1570-7458.2005.00353.x.
- [78] F. Sánchez-Juanes *et al.*, "Applications of MALDI-TOF Mass Spectrometry to the Identification of Parasites and Arthropod Vectors of Human Diseases," Nov. 01, 2022, *MDPI*. doi: 10.3390/microorganisms10112300.
- [79] P. Halada, K. Hlavackova, V. Dvorak, and P. Volf, "Identification of immature stages of phlebotomine sand flies using MALDI-TOF MS and mapping of mass spectra during sand fly life cycle.," *Insect Biochem Mol Biol*, vol. 93, pp. 47–56, Feb. 2018, doi: 10.1016/j.ibmb.2017.12.005.
- [80] M. Pareyn *et al.*, "An integrative approach to identify sand fly vectors of leishmaniasis in Ethiopia by morphological and molecular techniques," *Parasit Vectors*, vol. 13, no. 1, Dec. 2020, doi: 10.1186/s13071-020-04450-2.
- [81] E. Kniha, M. Milchram, and P. Halada, "Ecology , Seasonality and Host Preferences of Austrian *Phlebotomus* (*Transphlebotomus*) *mascittii* Grassi, 1908, Populations," *Parasite & vector*, pp. 1–18, 2021.

- [82] A. Huguenin *et al.*, “MALDI-TOF MS Limits for the Identification of Mediterranean Sandflies of the Subgenus Larroussius, with a Special Focus on the Phlebotomus perniciosus Complex,” *Microorganisms*, vol. 10, no. 11, p. 2135, Oct. 2022, doi: 10.3390/microorganisms10112135.
- [83] O. E. Kasap, V. Dvorak, J. Depaquit, B. Alten, J. Votypka, and P. Volf, “Phylogeography of the subgenus Transphlebotomus Artemiev with description of two new species, Phlebotomus anatolicus n. sp. and Phlebotomus killicki n. sp.,” *Infection, Genetics and Evolution*, vol. 34, pp. 467–479, Aug. 2015, doi: 10.1016/j.meegid.2015.05.025.
- [84] K. Hlavackova, V. Dvorak, A. Chaskopoulou, P. Volf, and P. Halada, “A novel MALDI-TOF MS- based method for blood meal identification in insect vectors: A proof of concept study on phlebotomine sand flies.,” *PLoS Negl Trop Dis*, vol. 13, no. 9, p. e0007669, 2019, doi: 10.1371/journal.pntd.0007669.
- [85] N. E. Messahel *et al.*, “Identification of blood source preferences and Leishmania infection in sand flies (Diptera: Psychodidae) in north-eastern Algeria,” *Vet Parasitol Reg Stud Reports*, vol. 31, p. 100729, Jun. 2022, doi: 10.1016/J.VPRSR.2022.100729.
- [86] R. W. Ashford, “Leishmaniasis reservoirs and their significance in control,” *Clin Dermatol*, vol. 14, no. 5, pp. 523–532, Sep. 1996, doi: 10.1016/0738-081X(96)00041-7.
- [87] R. W. Ashford, “The leishmaniasis as emerging and reemerging zoonoses,” *Int J Parasitol*, vol. 30, no. 12–13, pp. 1269–1281, Nov. 2000, doi: 10.1016/S0020-7519(00)00136-3.
- [88] I. Azami-conesa, M. T. Gómez-muñoz, and R. A. Martínez-díaz, “A systematic review (1990– 2021) of wild animals infected with zoonotic leishmania,” May 01, 2021, *MDPI AG*. doi: 10.3390/microorganisms9051101.
- [89] M. M. Alcover, M. C. Riera, and R. Fisa, “Leishmaniosis in Rodents Caused by Leishmania infantum: A Review of Studies in the Mediterranean Area,” *Front Vet Sci*, vol. 8, p. 702687, Aug. 2021, doi: 10.3389/FVETS.2021.702687/FULL.
- [90] A. Bessad *et al.*, “Leishmania infantum MON-1 isolé d’un chacal doré (Canis aureus) en Grande Kabylie (Algérie),” *Bulletin de la Société de pathologie exotique*, vol. 1, no. 105, pp. 5–7, Feb. 2012, doi: 10.1007/S13149-011-0182-4.
- [91] M. Gállego *et al.*, “The life-cycle of Leishmania infantum MON-77 in the Priorat (Catalonia, Spain) involves humans, dogs and sandflies; also literature review of distribution and hosts of L. infantum zymodemes in the Old World,” *Transactions of the Royal Society of Tropical Medicine and Hygiene*, vol. 95, pp. 269–271, 2001.
- [92] P. J. Hotez, L. Savioli, and A. Fenwick, “Neglected tropical diseases of the middle east and north africa: Review of their prevalence,

- distribution, and opportunities for control,” *PLoS Negl Trop Dis*, vol. 6, no. 2, Feb. 2012, doi: 10.1371/journal.pntd.0001475.
- [93] T. Jamil, M. T. Aleem, M. Mohsin, and W. Ennab, “Rodents as reservoirs and carriers of different zoonotic diseases.,” *Continental Veterinary Journal*, vol. 2, no. 1, pp. 1–14, 2021, [Online]. Available: www.cvetj.com
- [94] B. G. Meerburg, G. R. Singleton, and A. Kijlstra, “Rodent-borne diseases and their risks for public health,” 2009. doi: 10.1080/10408410902989837.
- [95] S. Belazzoug, “Isolation of *Leishmania major* Yakimoff & Schokhor, 1914 from *Psammomys obesus* Gretzschmar, 1828 (Rodentia: Gerbillidae) in Algeria,” *Trans R Soc Trop Med Hyg*, vol. 77, no. 6, p. 876, Jan. 1983, doi: 10.1016/0035-9203(83)90314-0.
- [96] J. A. Rioux *et al.*, “Isolement de *Leishmania major* Yakimoff et Schokhor, 1914 (Kinetoplastida- Trypanosomatidae) chez *Meriones shawi shawi* (Duvernoyn 1842) (Rodentia-Gerbillidae) en Tunisie,” *Ann. Parasitol. Hum. Comp*, vol. 61, no. 2, pp. 139–145, 1986, doi: 10.1051/parasite/1986612139.
- [97] N. Bousslimi, S. Ben-Ayed, I. Ben-Abda, K. Aoun, and A. Bouratbine, “Natural infection of North African Gundi (*Ctenodactylus gundi*) by *Leishmania tropica* in the focus of cutaneous leishmaniasis, Southeast Tunisia,” *American Journal of Tropical Medicine and Hygiene*, vol. 86, no. 6, pp. 962–965, Jun. 2012, doi: 10.4269/ajtmh.2012.11-0572.
- [98] D. Talmi-Frank *et al.*, “*Leishmania tropica* in rock hyraxes (*Procavia capensis*) in a focus of human cutaneous leishmaniasis,” *American Journal of Tropical Medicine and Hygiene*, vol. 82, no. 5, pp. 814–818, May 2010, doi: 10.4269/ajtmh.2010.09-0513.
- [99] J. Chemkhi, H. Souguir, I. B. H. Ali, M. Driss, I. Guizani, and S. Guerbouj, “Natural infection of Algerian hedgehog, *Atelerix algirus* (Lereboullet 1842) with *Leishmania* parasites in Tunisia,” *Acta Trop*, vol. 150, no. Lereboullet 1842, pp. 42–51, 2015, doi: 10.1016/j.actatropica.2015.06.009.
- [100] H. Souguir-Omrani *et al.*, “*Paraechinus aethiopicus* (Ehrenberg 1832) and *Atelerix algirus* (Lereboullet 1842) hedgehogs: Possible reservoirs of endemic leishmaniasis in Tunisia,” *Infect Genet Evol*, vol. 63, pp. 219–230, Sep. 2018, doi: 10.1016/J.MEEGID.2018.05.029.
- [101] K. Azizi, M. D. Moemenbellah-Fard, M. R. Fakoorziba, and S. Fekri, “*Gerbillus nanus* (Rodentia: Muridae): a new reservoir host of *Leishmania major*,” *Ann Trop Med Parasitol*, vol. 105, no. 6, p. 431, Sep. 2011, doi: 10.1179/1364859411Y.0000000036.
- [102] K. E. Benallal *et al.*, “Host competence of Algerian *Gerbillus amoenus* for *Leishmania major*,” *Int J Parasitol Parasites Wildl*, vol. 21, pp. 69–73,

Aug. 2023, doi: 10.1016/j.ijppaw.2023.04.007.

- [103] J. Sadlova *et al.*, “Host competence of the African rodents *Arvicanthis neumanni*, *A. niloticus* and *Mastomys natalensis* for *Leishmania donovani* from Ethiopia and *L. (Mundinia) sp.* from Ghana,” *Int J Parasitol Parasites Wildl*, vol. 11, pp. 40–45, Apr. 2020, doi: 10.1016/J.IJPPAW.2019.12.002.
- [104] J. Sadlova *et al.*, “Host competence of African rodents *Arvicanthis neumanni*, *A. niloticus* and *Mastomys natalensis* for *Leishmania major*,” *Int J Parasitol Parasites Wildl*, vol. 8, pp. 118–126, Apr. 2019, doi: 10.1016/J.IJPPAW.2019.01.004.
- [105] B. Vojtkova *et al.*, “Central Asian rodents as model animals for leishmania major and leishmania donovani research,” *Microorganisms*, vol. 8, no. 9, pp. 1–20, 2020, doi: 10.3390/microorganisms8091440.
- [106] O. Folmer, M. Black, W. Hoeh, R. Lutz, and R. Vrijenhoek, “DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates.,” *Mol Mar Biol Biotechnol*, vol. 3, no. 5, pp. 294–299, Oct. 1994.
- [107] P. D. N. Hebert, A. Cywinska, S. L. Ball, and J. R. DeWaard, “Biological identifications through DNA barcodes,” *Proceedings of the Royal Society B: Biological Sciences*, vol. 270, no. 1512, pp. 313–321, 2003, doi: 10.1098/rspb.2002.2218.
- [108] D. Suckau, A. Resemann, M. Schuerenberg, P. Hufnagel, J. Franzen, and A. Holle, “A novel MALDI LIFT-TOF/TOF mass spectrometer for proteomics,” *Anal Bioanal Chem*, vol. 376, no. 7, pp. 952–965, 2003, doi: 10.1007/s00216-003-2057-0.
- [109] F. Tandina *et al.*, “Identification of mixed and successive blood meals of mosquitoes using MALDI-TOF MS protein profiling,” *Parasitology*, vol. 147, no. 3, pp. 329–339, Mar. 2020, doi: 10.1017/S003118201900163X.
- [110] S. Niare *et al.*, “Identification of blood meal sources in the main African malaria mosquito vector by MALDI-TOF MS,” *Malar J*, vol. 15, no. 1, 2016, doi: 10.1186/s12936-016-1152-6.
- [111] K.-S. Jang and Y. H. Kim, “Rapid and robust MALDI-TOF MS techniques for microbial identification: a brief overview of their diverse applications,” *Journal of Microbiology*, vol. 56, no. 4, pp. 209–216, Apr. 2018, doi: 10.1007/s12275-018-7457-0.
- [112] M.-C. Renaux Torres *et al.*, “Phlebotomine sand flies (Diptera, Psychodidae) from Pha Tong cave, Northern Thailand with a description of two new species and taxonomical thoughts about *Phlebotomus stantoni*,” *PLoS Negl Trop Dis*, vol. 17, no. 9, p. e0011565, Sep. 2023, doi: 10.1371/journal.pntd.0011565.
- [113] L. F. Chaves, M. J. Hernandez, A. P. Dobson, and M. Pascual, “Sources

and sinks: revisiting the criteria for identifying reservoirs for American cutaneous leishmaniasis," *Trends Parasitol*, vol. 23, no. 7, pp. 311–316, Jul. 2007, doi: 10.1016/j.pt.2007.05.003.

- [114] Y. Belkaid, H. Jouin ', and G. Milon, "A method to recover, enumerate and identify lymphomyeloid cells present in an inflammatory dermal site: a study in laboratory mice," 1996.