

## **Abstract of the thesis:**

**Background:** The theme of the drugs problem users - mothers are becoming more and more topical. The specificity of women's groups on the drug scene is given to the problems associated with pregnancy and motherhood , different biological factors compared to men. Expert advice for women and addressing issues that are associated with the feminine role is a must for professionals . The phenomenon of mothers - user is necessarily linked to the issue of child care and subsequent abstinence . Our professional and lay society has regarding pregnancy , treatment, abstinence and motivation of mothers who are drug addicts many prejudices and stereotypical behavior. So the question arises , how the fact of pregnancy users - mothers affects their drug use and subsequent motivation for abstinence and retention in treatment .

**The aim** of this work is to determine whether the child is the motivation for abstinence and the role of drug use in pregnancy women.

**Methods:** Data were obtained using a semi-structured interview , the respondents were clients aftercare program . For data analysis using elements of grounded theory.

**Results:** Based on the statements of the respondents , it was found that even when the child is passive motivation for abstinence , responder treatment of 80 % successfully completed. Furthermore , it was found that despite the determined pregnancy, 80% of respondents continued drug.

**Recommendation:** Based on the results of research and studying literature related to drug problems in pregnant drug users, was designed following the recommendations of working with this target group: first mainstreaming gender in the development of new and modify existing services., second development cooperation addiction treatment facilities and medical institutions, 3rd Improving information for healthcare professionals and drug services staff, 4th developing a sensitive approach when working with users of a pregnant or mothers who use drugs.

**Keywords:** pregnant users - motivation - neonatal abstinence syndrome – abstinence - treatment of drug addicts maternal - child