

Erratum

Abbreviations

mRNA – messenger RNA

PE – phosphatidylethanolamine

S – Small Ubiquitin-like Modifier

siRNA – Small interfering RNA

page 3.

Exosomes can also serve as vesicular carriers for miRNAs, other small RNAs, and mRNAs. These RNAs are protected in the lumen of exosomes from RNases outside the cell. It was also shown that mRNAs carried by exosomes are functional and when the exosomes are taken up by the cells, they can be translated into functional proteins. (Valadi et al., 2007)

Bibliography

- Hurley, J. H. (2009). ESCRT complexes and the biogenesis of multivesicular bodies. *Current Opinion in Cell Biology*, 147(1), 39–44. <https://doi.org/10.1016/j.ajo.2008.07.023>.
- Amerik, A. Y., Nowak, J., Swaminathan, S., & Hochstrasser, M. (2000). The Doa4 Deubiquitinating Enzyme Is Functionally Linked to the Vacuolar Protein-sorting and Endocytic Pathways. *Molecular Biology of the Cell*, 11(October), 3365–3380.
- Anand, S., Zhao, K., Samuel, M., Pathan, M., & Jois, M. (2016). ExoCarta : A web-based compendium of exosomal cargo. *Journal of Molecular Biology*, 428(4), 688–692. <https://doi.org/10.1016/j.jmb.2015.09.019>.ExoCarta
- Arraud, N., Linares, R., Tan, S., & Brisson, A. R. (2015). High-speed centrifugation induces aggregation of extracellular vesicles '. *Journal of Extracellular Vesicles*, 1, 1–7.
- Babst, M., Katzmann, D. J., Snyder, W. B., Wendland, B., & Emr, S. D. (2002). Endosome- Associated Complex, ESCRT-II, Recruits Transport Machinery for Protein Sorting at the Multivesicular Body. *Developmental Cell*, 3, 283–289.
- Babst, M., Odorizzi, G., Estepa, E. J., & Emr, S. D. (2000). Mammalian Tumor Susceptibility Gene 101 (TSG101) and the Yeast Homologue , Vps23p , Both Function in Late Endosomal Trafficking. *Traffic*, 101, 248–258.
- Babst, M., Sato, T. K., Banta, L. M., & Emr, S. D. (1997). Endosomal transport function in yeast requires a novel AAA-type ATPase , Vps4p. *The EMBO Journal*, 16(8), 1820–1831.
- Babst, M., Wendland, B., Estepa, E. J., & Emr, S. D. (1998). The Vps4p AAA ATPase regulates membrane association of a Vps protein complex required for normal endosome function. *The EMBO Journal*, 17(11), 2982–2993.
- Booth, A. M., Fang, Y., Fallon, J. K., Yang, J., Hildreth, J. E. K., & Gould, S. J. (2006). Exosomes and HIV Gag bud from endosome-like domains of the T cell plasma membrane. *The Journal of Cell Biology*, 172(6), 923–935. <https://doi.org/10.1083/jcb.200508014>
- Brousse, H. P., Albrechts, C., & Kiel, U. (2012). The tetraspanin CD63 regulates ESCRT-independent and dependent endosomal sorting during melanogenesis. *Developmental Cell*, 21(4), 708–721. <https://doi.org/10.1016/j.devcel.2011.08.019>.
- Chevillet, J. R., Kang, Q., Ruf, I. K., Briggs, H. A., Vojtech, L. N., Hughes, S. M., ... Pogosova-agadjanyan, E. L. (2014). Quantitative and stoichiometric analysis of the microRNA content of exosomes. *PNAS*, 111(41).

<https://doi.org/10.1073/pnas.1408301111>

- Comelli, L., Rocchiccioli, S., Smirni, S., Salvetti, A., Signore, G., Citti, L., ... Cecchetti, A. (2014). Characterization of secreted vesicles from vascular smooth muscle cells. <https://doi.org/10.1039/c3mb70544g>
- Conde-vancells, J., Rodriguez-suarez, E., Embade, N., Gil, D., Valle, M., Elortza, F., ... Falcon, J. M. (2008). Characterization and Comprehensive Proteome Profiling of Exosomes Secreted by Hepatocytes. *J Proteome Res.*, 7(12), 5157–5166.
- Harding, C., Heuser, J., & Stahl, P. (1983). Receptor-mediated Endocytosis of Transferrin and Recycling of the Transferrin Receptor in Rat Reticulocytes Biochemical Approaches to Transferrin. *The Journal of Cell Biology*, 97, 329–339.
- Hong, C., Funk, S., Muller, L., Boyiadzis, M., & Whiteside, T. L. (2016). Isolation of biologically active and morphologically intact exosomes from plasma of patients with cancer. *Journal of Extracellular Vesicles*, 1(7), 1–11.
- Huang, X., Yuan, T., Tschannen, M., Sun, Z., Jacob, H., Du, M., ... Wang, L. (2013). Characterization of human plasma-derived exosomal RNAs by deep sequencing. *BMC Genomics*, 14, 1–14.
- Kalra, H., Simpson, R. J., Ji, H., Aikawa, E., Altevogt, P., Askenase, P., ... Mathivanan, S. (2012). Vesiclepedia : A Compendium for Extracellular Vesicles with Continuous Community Annotation. *PLoS Biology*, 10(12), 8–12. <https://doi.org/10.1371/journal.pbio.1001450>
- Kerr, J. F. R., Wyllie, A. H., & Currie, A. R. (1972). APOPTOSIS : A BASIC BIOLOGICAL PHENOMENON WITH WIDE-RANGING IMPLICATIONS IN TISSUE KINETICS. *Br. J. Cancer*, 26(239).
- Kosaka, N., Iguchi, H., Yoshioka, Y., Takeshita, F., Matsuki, Y., & Ochiya, T. (2010). Secretory Mechanisms and Intercellular Transfer of MicroRNAs in Living Cells * □. *The Journal of Biological Chemistry*, 285(23), 17442–17452. <https://doi.org/10.1074/jbc.M110.107821>
- Kowal, J., Arras, G., Colombo, M., Jouve, M., Paul, J., & Primdal-bengtson, B. (2016). Proteomic comparison defines novel markers to characterize heterogeneous populations of extracellular vesicle subtypes. *PNAS*, 968–977. <https://doi.org/10.1073/pnas.1521230113>
- Laulagnier, K., Motta, C., Hamdi, S., Fauvelle, F., Kobayashi, T., Salles, J., ... Record, M. (2004). Mast cell- and dendritic cell-derived exosomes display a specific lipid composition and an unusual membrane organization. *Biochem. J.*, 171(380), 161–171.
- Mathivanan, S., Fahner, C. J., Reid, G. E., & Simpson, R. J. (2012). ExoCarta 2012 : database of exosomal proteins , RNA and lipids. *Nucleic Acids Research*, 40(October 2011), 1241–1244. <https://doi.org/10.1093/nar/gkr828>
- Mathivanan, S., & Simpson, R. J. (2009). ExoCarta : A compendium of exosomal proteins and RNA. *Proteomics*, 9, 4997–5000. <https://doi.org/10.1002/pmic.200900351>
- Odorizzi, G., Babst, M., & Emr, S. D. (1998). Fab1p PtdIns (3) P 5-Kinase Function Essential for Protein Sorting in the Multivesicular Body. *Cell*, 95(3), 847–858.
- Ohshima, K., Inoue, K., Fujiwara, A., Hatakeyama, K., & Kanto, K. (2010). Let-7 MicroRNA Family Is Selectively Secreted into the Extracellular Environment via Exosomes in a Metastatic Gastric Cancer Cell Line. *PLoS ONE*, 5(10), 1–10. <https://doi.org/10.1371/journal.pone.0013247>
- Provencio, M., Silva, J., Pen, C., Diaz, R., Almonacid, L., Herrera, M., ... Bonilla, F. (2011). Vesicle-related microRNAs in plasma of nonsmall cell lung cancer patients and correlation with survival ´ . *European Respiratory Journal*, 37(3), 617–623. <https://doi.org/10.1183/09031936.00029610>
- Raposo, G., Nijman, H. W., Soorvogel, W., Leijendekker, R., Harding, C. V., Melief, C. J. M., & Geuze, H. J. (1996). B Lymphocytes Secrete Antigen-presenting Vesicles. *The Journal of Experimental Medicine*, 183(March), 1161–1172. <https://doi.org/10.1084/jem.183.3.1161>
- Sainte-marie, J., Lafont, V., I, E. P., Favero, J., Philippot, J. R., Bienvenue, A., ... Biochem, R. J. J. (1997). Transferrin receptor functions as a signal-transduction molecule for its own recycling via increases in the internal Ca²⁺ concentration. *Eur. J. Biochem.*, 697, 689–697.

- Savina, A., Furla, M., Vidal, M., & Colombo, M. I. (2003). Exosome Release Is Regulated by a Calcium-dependent Mechanism in K562 Cells *. *The Journal of Biological Chemistry*, 278(22), 20083–20090. <https://doi.org/10.1074/jbc.M301642200>
- Skokos, D., Botros, H. G., Demeure, C., Morin, J., Peronet, R., & Birkenmeier, G. (2003). Mast Cell-Derived Exosomes Induce Phenotypic and Functional Maturation of Dendritic Cells and Elicit Specific Immune Responses In Vivo. *The Journal of Immunology*, (170), 3037–3045. <https://doi.org/10.4049/jimmunol.170.6.3037>
- Skokos, D., Panse, S. Le, Villa, I., Peronet, R., & David, B. (2001). Mast Cell-Dependent B and T Lymphocyte Activation Is Mediated by the Secretion of Immunologically Active Exosomes. *The Journal of Immunology*, (166), 868–876. <https://doi.org/10.4049/jimmunol.166.2.868>
- Stein, B. S., Bensch, K. G., & Sussman, H. H. (1984). Complete Inhibition of Transferrin Recycling by Monensin in K562Cells*. *The Journal of Biological Chemistry*, 259(23), 14762–14772.
- Tan, A., Peña, H. D. La, & Seifalian, A. M. (2010). The application of exosomes as a nanoscale cancer vaccine. *International Journal of Nanomedicine*, 889–900. <https://doi.org/10.2147/IJN.S13402>
- Wahlgren, J., Karlson, T. D. L., Brisslert, M., & Sani, F. V. (2012). Plasma exosomes can deliver exogenous short interfering RNA to monocytes and lymphocytes. *Nucleic Acids Research*, 40(17). <https://doi.org/10.1093/nar/gks463>
- Walker, J. D., Maier, C. L., & Pober, J. S. (2009). Cytomegalovirus-infected human endothelial cells can stimulate allogeneic CD4+ memory T cells by releasing antigenic exosomes. *Journal of Immunology*, 182(3), 1548–1559.