

1. REFERENCES

- Agrawal, N., Dasaradhi, P. V. N., Mohammed, A., Malhotra, P., Bhatnagar, R. K., & Mukherjee, S. K. (2003). RNA interference: biology, mechanism, and applications. *Microbiology and Molecular Biology Reviews*, 67(4), 657–685.
- Ameres, S. L., Martinez, J., & Schroeder, R. (2007). Molecular Basis for Target RNA Recognition and Cleavage by Human RISC. *Cell*, 130(1), 101–112.
- Ameres, S. L., & Zamore, P. D. (2013). Diversifying microRNA sequence and function. *Nature Reviews Molecular Cell Biology*, 14(8), 475–488.
- Ando, Y., Tomaru, Y., Morinaga, A., Burroughs, A. M., Kawaji, H., Kubosaki, A., Kimura, R., Tagata, M., Ino, Y., Hirano, H., Chiba, J., Suzuki, H., Carninci, P., & Hayashizaki, Y. (2011). Nuclear pore complex protein mediated nuclear localization of dicer protein in human cells. *PLoS ONE*, 6(8), e23385.
- Baulcombe, D. (2004). RNA silencing in plants. *Nature*, 431(7006), 356–363.
- Bernstein, E., Caudy, A. A., Hammond, S. M., & Hannon, G. J. (2001). Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature*, 409(6818), 363–366.
- Blair, E., Roberts, C., Snowden, W., Gatignol, A., Benkirane, M., & Jeang, K.-T. (1995). Expression of TAR RNA-Binding Protein in Baculovirus and Co-Immunoprecipitation with Insect Cell Protein Kinase. *Journal Biomed Science*, 2, 322–329.
- Brennecke, J., Aravin, A. A., Stark, A., Dus, M., Kellis, M., Sachidanandam, R., & Hannon, G. J. (2007). Discrete Small RNA-Generating Loci as Master Regulators of Transposon Activity in Drosophila. *Cell*, 128(6), 1089–1103.
- Carmell, M. A., Girard, A., van de Kant, H. J. G., Bourc'his, D., Bestor, T. H., de Rooij, D. G., & Hannon, G. J. (2007). MIWI2 Is Essential for Spermatogenesis and Repression of Transposons in the Mouse Male Germline. *Developmental Cell*, 12(4), 503–514.
- Carpick, B. W., Graziano, V., Schneider, D., Maitra, R. K., Lee, X., & Williams, B. R. G. (1997). Characterization of the solution complex between the interferon-induced, double-stranded RNA-activated protein kinase and HIV-I trans-activating region RNA. *Journal of Biological Chemistry*, 272(14), 9510–9516.

Cerutti, H., & Casas-Mollano, J. A. (2006). On the origin and functions of RNA-mediated silencing: from protists to man. *Current Genetics*, 50(2), 81–99.

Chakravarthy, S., Sternberg, S. H., Kellenberger, C. A., & Doudna, J. A. (2010). Substrate-specific kinetics of dicer-catalyzed RNA processing. *Journal of Molecular Biology*, 404(3), 392–402.

Chen, C., Zhu, C., Huang, J., Zhao, X., Deng, R., Zhang, H., Dou, J., Chen, Q., Xu, M., Yuan, H., Wang, Y., & Yu, J. (2015). SUMOylation of TARBP2 regulates miRNA/siRNA efficiency. *Nature Communications*, 6, 8899.

Chendrimada, T. P., Gregory, R. I., Kumaraswamy, E., Norman, J., Cooch, N., Nishikura, K., & Shiekhattar, R. (2005). TRBP recruits the Dicer complex to Ago2 for microRNA processing and gene silencing. *Nature*, 436(7051), 740–744.

Clemens, M. J. (1997). PKR--a protein kinase regulated by double-stranded RNA. *The International Journal of Biochemistry & Cell Biology*, 29(7), 945–949.

Cole, C., Sobala, A., Lu, C., Thatcher, S. R., Bowman, A., Brown, J. W. S., Green, P. J., Barton, G. J., & Hutvagner, G. (2009). Filtering of deep sequencing data reveals the existence of abundant Dicer-dependent small RNAs derived from tRNAs. *Rna*, 15(12), 2147–2160.

Daher, A., Laraki, G., Singh, M., Melendez-Peña, C. E., Bannwarth, S., Peters, A. H. F. M., Meurs, E. F., Braun, R. E., Patel, R. C., & Gatignol, A. (2009). TRBP control of PACT-induced phosphorylation of protein kinase R is reversed by stress. *Molecular and Cellular Biology*, 29(1), 254–265.

Daniels, S. M., Melendez-Peña, C. E., Scarborough, R. J., Daher, A., Christensen, H. S., El Far, M., Purcell, D. F. J., Lainé, S., & Gatignol, A. (2009). Characterization of the TRBP domain required for dicer interaction and function in RNA interference. *BMC Molecular Biology*, 10(1), 38.

Das, S., Ward, S. V., Markle, D., & Samuel, C. E. (2004). DNA Damage-binding Proteins and Heterogeneous Nuclear Ribonucleoprotein A1 Function as Constitutive KCS Element Components of the Interferon-inducible RNA-dependent Protein Kinase Promoter. *Journal of Biological Chemistry*, 279(8), 7313–7321.

De Veer, M. J., Sledz, C. A., & Williams, B. R. G. (2005). Detection of foreign RNA: Implications for RNAi. *Immunology and Cell Biology*, 83(3), 224-228.

Deng, W., & Lin, H. (2002). *miwi*, a murine homolog of piwi, encodes a cytoplasmic protein essential for spermatogenesis. *Developmental Cell*, 2(6), 819–830.

Ding, S. W., & Voinnet, O. (2007). Antiviral Immunity Directed by Small RNAs. *Cell*, 130(3), 413–426.

Drinnenberg, I. A., Weinberg, D. E., Xie, K. T., Mower, J. P., Wolfe, K. H., Fink, G. R., & Bartel, D. P. (2009). RNAi in budding yeast. *Science*, 326(5952), 544–550.

Dunoyer, P., Himber, C., Ruiz-Ferrer, V., Alioua, A., & Voinnet, O. (2007). Intra- and intercellular RNA interference in *Arabidopsis thaliana* requires components of the microRNA and heterochromatic silencing pathways. *Nature Genetics*, 39(7), 848–856.

Ender, C., Krek, A., Friedländer, M. R., Beitzinger, M., Weinmann, L., Chen, W., Pfeffer, S., Rajewsky, N., & Meister, G. (2008). A Human snoRNA with MicroRNA-Like Functions. *Molecular Cell*, 32(4), 519–528.

Faulkner, G. J. (2013). Retrotransposon Silencing During Embryogenesis: Dicer Cuts in LINE. *PLoS Genetics*, 9(11), e1003944.

Fensterl, V., & Sen, G. C. (2009). Interferons and viral infections. *BioFactors*, 35(1), 14–20.

Fire, A., Xu, S., Montgomery, M. K., Kostas, S. A., Driver, S. E., & Mello, C. C. (1998). Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature*, 391(6669), 806–811.

Flemr, M., Malik, R., Franke, V., Nejepinska, J., Sedlacek, R., Vlahoviček, K., & Svoboda, P. (2013). A retrotransposon-driven Dicer isoform directs endogenous siRNA production in mouse oocytes. *Cell*, 155(4), 807–816.

Flemr, M., Moravec, M., Libova, V., Sedlacek, R., & Svoboda, P. (2014). Lin28a Is Dormant, Functional, and Dispensable During Mouse Oocyte-to-Embryo Transition1. *Biology of Reproduction*, 90(6), 1–9.

Förstemann, K., Tomari, Y., Du, T., Vagin, V. V., Denli, A. M., Bratu, D. P., Klattenhoff, C., Theurkauf, W. E., & Zamore, P. D. (2005). Normal microRNA maturation and germ-line stem cell maintenance requires loquacious, a double-stranded RNA-binding domain protein. *PLoS Biology*, 3(7), 1187–1201.

Friedman, R. C., Farh, K. K. H., Burge, C. B., & Bartel, D. P. (2009). Most mammalian mRNAs are conserved targets of microRNAs. *Genome Research*, 19(1), 92–105.

Gantier, M. P., & Williams, B. R. G. (2007). The response of mammalian cells to double-stranded RNA. *Cytokine & growth factor reviews*, 18(5–6), 367–371.

Gao, Z., Wang, M., Blair, D., Zheng, Y., & Dou, Y. (2014). Phylogenetic analysis of the endoribonuclease Dicer family. *PLoS ONE*, 9(4), 1–7.

Gatignol, A., Buckler-White, A., Berkhout, B., & Jeang, K. T. (1991). Characterization of a human TAR RNA-binding protein that activates the HIV-1 LTR. *Science*, 251(5001), 1597–1600.

Gebauer, F. & Richter, J. D. (1997). Synthesis and function of mos: The control switch of vertebrate oocyte meiosis. *Bioessays*, 19, 23–28.

Goubau, D., Deddouche, S., & Reis, C. (2013). Cytosolic Sensing of Viruses. *Immunity*, 38(5), 855–869.

Gredell, J. A., Dittmer, M. J., Wu, M., Chan, C., & Walton, S. P. (2010). Recognition of siRNA asymmetry by TAR RNA binding protein. *Biochemistry*, 49(14), 3148–3155.

Grishok, A., Pasquinelli, A. E., Conte, D., Li, N., Parrish, S., Ha, I., Baillie, D. L., Fire, A., Ruvkun, G., & Mello, C. C. (2001). Genes and mechanisms related to RNA interference regulate expression of the small temporal RNAs that control *C. elegans* developmental timing. *Cell*, 106(1), 23–34.

Ha, M., & Kim, V. N. (2014). Regulation of microRNA biogenesis. *Nature Reviews Molecular Cell Biology*, 15(8), 509–524.

Haase, A. D., Jaskiewicz, L., Zhang, H., Lainé, S., Sack, R., Gatignol, A., & Filipowicz, W. (2005). TRBP, a regulator of cellular PKR and HIV-1 virus expression, interacts with Dicer and functions in RNA silencing. *EMBO Reports*, 6(10), 961–967.

Haasnoot, J., Westerhout, E. M., & Berkhout, B. (2007). RNA interference against viruses: strike and counterstrike. *Nature Biotechnology*, 25(12), 1435–1443.

Hashimoto, N., Watanabe, N., Furuta, Y., Tamemoto, H., Sagata, N., Yokoyama, M., Okazaki, K., Nagayoshi, M., Takeda, N., & Ikawa, Y. (1994). Parthenogenetic activation of oocytes in c-mos-deficient mice. *Nature*, 370(6484), 68–71.

Hauptmann, J., Dueck, A., Harlander, S., Pfaff, J., Merkl, R., & Meister, G. (2013). Turning catalytically inactive human Argonaute proteins into active slicer enzymes. *Nature Structural & Molecular Biology*, 20(7), 814–817.

Heras, S. R., Macias, S., Plass, M., Fernandez, N., Cano, D., Eyras, E., Garcia-Perez, J. L., & Cáceres, J. F. (2013). The Microprocessor controls the activity of mammalian retrotransposons. *Nature Structural & Molecular Biology*, 20(10), 1173–1181.

Hershey, J. W. B. (1991). Translational Control in Mammalian Cells. *Annual Review of Biochemistry*, 60, 717–755.

Jannot, G., Boisvert, M.-E. L., Banville, I. H., & Simard, M. J. (2008). Two molecular features contribute to the Argonaute specificity for the microRNA and RNAi pathways in *C. elegans*. *RNA*, 14(5), 829–835.

Jinek, M., & Doudna, J. A. (2009). A three-dimensional view of the molecular machinery of RNA interference. *Nature*, 457(January), 405–412.

Kaneko, H., Dridi, S., Tarallo, V., Gelfand, B. D., Fowler, B. J., Cho, W. G., Kleinman, M. E., Ponicsan, S. L., Hauswirth, W. W., Chiodo, V. A., Karikó, K., Yoo, J. W., Lee, D.-K., Hadziahmetovic, M., Song, Y., Misra, S., Chaudhuri, G., Buaas, F. W., Braun, R. E., Hinton, D. R., Zhang, Q., Grossniklaus, H. E., Provis, J. M., Madigan, M. C., Milam, A. H., Justice, N. L., Albuquerque, R. J. C., Blandford, A. D., Bogdanovich, S., Hirano, Y., Witt, J., Fuchs, E., Littman, D. R., Ambati, B. K., Rudin, C. M., Chong, M. M. W., Provost, P., Kugel, J. F., Goodrich, J. A., Dunaief, J. L., Baffi, J. Z., & Ambati, J. (2011). DICER1 deficit induces Alu RNA toxicity in age-related macular degeneration. *Nature*, 471(7338), 325–330.

Kennedy, E. M., Whisnant, A. W., Kornevati, A. V. R., Marshall, J. B., Bogerd, H. P., & Cullen, B. R. (2016). Production of functional small interfering RNAs by an amino-terminal deletion mutant of human Dicer. *Proceedings of the National Academy of Sciences*, 113(42), E6547–E6547.

Kim, J. K., Gabel, H. W., Kamath, R. S., Tewari, M., Pasquinelli, A., Rual, J. F., Kennedy, S., Dybbs, M., Bertin, N., Kaplan, J. M., Vidal, M., & Ruvkun, G. (2005). Functional genomic analysis of RNA interference in *C. elegans*. *Science*, 308(5725), 1164–1167.

Kiriakidou, M., Tan, G. S., Lamprinaki, S., De Planell-Saguer, M., Nelson, P. T., & Mourelatos, Z. (2007). An mRNA m7G Cap Binding-like Motif within Human Ago2 Represses Translation. *Cell*, 129(6), 1141–1151.

Kok, K. H., Ng, M. H. J., Ching, Y. P., & Jin, D. Y. (2007). Human TRBP and PACT directly interact with each other and associate with dicer to facilitate the production of small interfering RNA. *Journal of Biological Chemistry*, 282(24), 17649–17657.

Kostura, M., & Mathews, M. B. (1989). Purification and Activation of the Double-Stranded RNA-dependent eIF-2 kinase DAI. *Molecular and Cellular Biology*, 9(4), 1576–1586.

Kuhnen, K. L., & Samuel, C. E. (1997). Isolation of the interferon-inducible RNA-dependent protein kinase Pkr promoter and identification of a novel DNA element within the 5'-flanking region of human and mouse Pkr genes. *Virology*, 227(1), 119–130.

Kumar, M., & Carmichael, G. G. (1998). Antisense RNA: function and fate of duplex RNA in cells of higher eukaryotes. *Microbiology and Molecular Biology Reviews*, 62(4), 1415–1434.

Kurzynska-Kokorniak, A., Pokornowska, M., Koralewska, N., Hoffmann, W., Bienkowska-Szewczyk, K., & Figlerowicz, M. (2016). Revealing a new activity of the human Dicer DUF283 domain in vitro. *Scientific Reports*, 6(1), 23989.

Kwak, P. B., & Tomari, Y. (2012). The N domain of Argonaute drives duplex unwinding during RISC assembly. *Nature Structural & Molecular Biology*, 19(2), 145–151.

Lau, P. W., Guiley, K. Z., De, N., Potter, C. S., Carragher, B., & MacRae, I. J. (2012). The molecular architecture of human Dicer. *Nature Structural & Molecular Biology*, 19(4), 436440.

Lavorgna, G., Dahary, D., Lehner, B., Sorek, R., Sanderson, C. M., & Casari, G. (2004). In search of antisense. *Trends in Biochemical Sciences*, 29(2), 88–94.

Lee, Y. S., Nakahara, K., Pham, J. W., Kim, K., He, Z., Sontheimer, E. J., & Carthew, R. W. (2004). Distinct roles for Drosophila Dicer-1 and Dicer-2 in the siRNA/miRNA silencing pathways. *Cell*, 117(1), 69–81.

Lee, Y. S., Shibata, Y., Malhotra, A., & Dutta, A. (2009). A novel class of small RNAs: tRNA-derived RNA fragments (tRFs). *Genes and Development*, 23(22), 2639–2649.

Lewis, B. P., Burge, C. B., & Bartel, D. P. (2005). Conserved seed pairing, often flanked by adenosines, indicates that thousands of human genes are microRNA targets. *Cell*, 120(1), 15–20.

Lewis, B. P., Shih, I.-H., Jones-Rhoades, M. W., Bartel, D. P., & Burge, C. B. (2003). Prediction of Mammalian MicroRNA Targets. *Cell*, 115(7), 787–798.

Li, Y., Lu, J., Han, Y., Fan, X., & Ding, S.-W. (2013). RNA Interference Functions as an Antiviral Immunity Mechanism in Mammals. *Science*, 342(6155), 231–234.

Lingel, A., Simon, B., Izaurralde, E., & Sattler, M. (2004). Nucleic acid 3'-end recognition by the Argonaute2 PAZ domain. *Nature Structural & Molecular Biology*, 11(6), 576–577.

Liu, J., Carmell, M. A., Rivas, F. V., Marsden, C. G., Thomson, J. M., Song, J.-J., Hammond, S. M., Joshua-Tor, L., & Hannon, G. J. (2004). Argonaute2 is the catalytic engine of mammalian RNAi. *Science*, 305(5689), 1437–1441.

Liu, Q. (2003). R2D2, a Bridge Between the Initiation and Effector Steps of the Drosophila RNAi Pathway. *Science*, 301(5641), 1921–1925.

Ma, H., Wu, Y., Dang, Y., Choi, J., Zhang, J., & Wu, H. (2014). Pol III Promoters to Express Small RNAs: Delineation of Transcription Initiation. *Molecular Therapy - Nucleic Acids*, 3(March), e161.

Ma, J., Flemr, M., Stein, P., Berninger, P., Malik, R., Zavolan, M., Svoboda, P., & Schultz, R. M. (2010). MicroRNA Activity Is Suppressed in Mouse Oocytes. *Current Biology*, 20(3), 265–270.

MacRae, I. J., Ma, E., Zhou, M., Robinson, C. V., & Doudna, J. A. (2008). In vitro reconstitution of the human RISC-loading complex. *Proceedings of the National Academy of Sciences*, 105(2), 512–517.

Maillard, P. V., Ciaudo, C., Marchais, A., Li, Y., Jay, F., Ding, S. W., & Voinnet, O. (2013). Antiviral RNA interference in mammalian cells. *Science*, 342(6155), 235–238.

Maillard, P. V., Van der Veen, A. G., Deddouche-Grass, S., Rogers, N. C., Merits, A., & Reis E Sousa, C. (2016). Inactivation of the type I interferon pathway reveals long double-stranded RNA-mediated RNA interference in mammalian cells. *The EMBO Journal*, 8(4), 114–125.

Mallory, A., & Vaucheret, H. (2010). Form, Function, and Regulation of ARGONAUTE Proteins. *The Plant Cell*, 22(12), 3879–3889.

Manche, L., Green, S. R., Schmedt, C., & Mathews, M. B. (1992). Interactions between double-stranded RNA regulators and the protein kinase DAI. *Molecular and Cellular Biology*, 12(11), 5238–5248.

Martinez, J., & Tuschl, T. (2004). RISC is a 5' phosphomonoester-producing RNA endonuclease. *Genes and Development*, 18(9), 975–980.

Meister, G., Landthaler, M., Patkaniowska, A., Dorsett, Y., Teng, G., & Tuschl, T. (2004). Human Argonaute2 mediates RNA cleavage targeted by miRNAs and siRNAs. *Molecular Cell*, 15(2), 185–197.

Morris, K. V., Chan, S. W., & Jacobsen, S. E. (2004). Small Interfering RNA – Induced Transcriptional Gene Silencing in Human Cells. *Science*, 305(August), 1289–1293.

Mukherjee, K., Campos, H., & Kolaczkowski, B. (2013). Evolution of animal and plant dicers: Early parallel duplications and recurrent adaptation of antiviral RNA binding in plants. *Molecular Biology and Evolution*, 30(3), 627–641.

Nakanishi, K., Weinberg, D. E., Bartel, D. P., & Patel, D. J. (2012). Structure of yeast Argonaute with guide RNA. *Nature*, 486(7403), 368–374.

Nallagatla, S. R., Hwang, J., Toroney, R., Zheng, X., Cameron, C. E., & Bevilacqua, P. C. (2007). 5'-triphosphate-dependent activation of PKR by RNAs with short stem-loops. *Science*, 318(5855), 1455–1458.

Napoli, C. (1990). Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible Co-Suppression of Homologous Genes in trans. *The Plant Cell*, 2(4), 279–289.

Nejepinska, J., Malik, R., Filkowski, J., Flemr, M., Filipowicz, W., & Svoboda, P. (2012). DsRNA expression in the mouse elicits RNAi in oocytes and low adenosine deamination in somatic cells. *Nucleic Acids Research*, 40(1), 399–413.

Obbard, D. J., Gordon, K. H. J., Buck, A. H., & Jiggins, F. M. (2009). The evolution of RNAi as a defence against viruses and transposable elements. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 364(1513), 99–115.

- Ota, H., Sakurai, M., Gupta, R., Valente, L., Wulff, B. E., Ariyoshi, K., Iizasa, H., Davuluri, R. V., & Nishikura, K. (2013). ADAR1 forms a complex with dicer to promote MicroRNA processing and RNA-induced gene silencing. *Cell*, 153(3), 575–589.
- Pare, J. M., Tahbaz, N., Lopez-Orozco, J., LaPointe, P., Lasko, P., & Hobman, T. C. (2009). Hsp90 Regulates the Function of Argonaute 2 and Its Recruitment to Stress Granules and P-Bodies. *Molecular Biology of the Cell*, 20(14), 3273–3284.
- Park, H., Davies, M. V., Langland, J. O., Chang, H. W., Nam, Y. S., Tartaglia, J., Paoletti, E., Jacobs, B. L., Kaufman, R. J., & Venkatesan, S. (1994). TAR RNA-binding protein is an inhibitor of the interferon-induced protein kinase PKR. *Proceedings of the National Academy of Sciences of the United States of America*, 91(11), 4713–4717.
- Peaston, A. E., Evsikov, A. V., Gruber, J. H., de Vries, W. N., Holbrook, A. E., Solter, D., & Knowles, B. B. (2004). Retrotransposons regulate host genes in mouse oocytes and preimplantation embryos. *Developmental Cell*, 7(4), 597–606.
- Pratt, A. J., & MacRae, I. J. (2009). The RNA-induced silencing complex: A versatile gene-silencing machine. *Journal of Biological Chemistry*, 284(27), 17897–17901.
- Qiu, Y., Xu, Y., Zhang, Y., Zhou, H., Deng, Y., Li, X., Miao, M., Zhang, Q., Zhong, B., Hu, Y., Zhang, F.-C., Wu, L., Qin, C.-F., & Zhou, X. (2017). Human Virus-Derived Small RNAs Can Confer Antiviral Immunity in Mammals. *Immunity*, 46(6), 992–1004.
- Richards, O. C., Martin, S. C., Jense, H. G., & Ehrenfeld, E. (1984). Structure of poliovirus replicative intermediate RNA. Electron microscope analysis of RNA cross-linked in vivo with psoralen derivative. *Journal of Molecular Biology*, 173(3), 325–340.
- Robertson, H. D., & Mathews, M. B. (1996). The regulation of the protein kinase PKR by RNA. *Biochimie*, 78, 909–14.
- Saelens, X., Kalai, M., & Vandenebeele, P. (2001). Translation inhibition in apoptosis: Caspase-dependent PKR activation and eIF2- α phosphorylation. *Journal of Biological Chemistry*, 276(45), 41620–41628.
- Samuel, C. E. (1993). The eIF-2cr Protein Kinases, Regulators of Translation in Eukaryotes from Yeasts to Humans. *Journal of Biological Chemistry*, 268(11), 7603–7606.
- Schwarz, D. S., Hutvágner, G., Du, T., Xu, Z., Aronin, N., & Zamore, P. D. (2003). Asymmetry in the assembly of the RNAi enzyme complex. *Cell*, 115(2), 199–208.

Shyh-Chang, N., & Daley, G. Q. (2013). Lin28: Primal regulator of growth and metabolism in stem cells. *Cell Stem Cell*, 12(4), 395–406.

Soifer, H. S., Sano, M., Sakurai, K., Chomchan, P., Sætrom, P., Sherman, M. A., Collingwood, M. A., Behlke, M. A., & Rossi, J. J. (2008). A role for the Dicer helicase domain in the processing of thermodynamically unstable hairpin RNAs. *Nucleic Acids Research*, 36(20), 6511–6522.

Stein, P., Svoboda, P., & Schultz, R. M. (2003). Transgenic RNAi in mouse oocytes: A simple and fast approach to study gene function. *Developmental Biology*, 256(1), 187–193.

Stein, P., Zeng, F., Pan, H., & Schultz, R. M. (2005). Absence of non-specific effects of RNA interference triggered by long double-stranded RNA in mouse oocytes. *Developmental Biology*, 286(2), 464–471.

Sudhakar, A., Ramachandran, A., Ghosh, S., Hasnain, S. E., Kaufman, R. J., & Ramaiah, K. V. A. (2000). Phosphorylation of serine 51 in initiation factor 2 α (eIF2 α) promotes complex formation between eIF2 α (P) and eIF2B and causes inhibition in the guanine nucleotide exchange activity of eIF2B. *Biochemistry*, 39(42), 12929–12938.

Sullivan, C. S., Ganem, D., Sullivan, C. S., & Ganem, D. (2005). A Virus-Encoded Inhibitor That Blocks RNA Interference in Mammalian Cells A Virus-Encoded Inhibitor That Blocks RNA Interference in Mammalian Cells. *Journal of Virology*, 79(12), 7371–7379.

Svoboda, P. (2014). Renaissance of mammalian endogenous RNAi. *Federation of European Biochemical Societies*, 588(15), 2550–2556.

Svoboda, P., Stein, P., Hayashi, H., & Schultz, R. M. (2000). Selective reduction of dormant maternal mRNAs in mouse oocytes by RNA interference. *Development*, 127(19), 4147–4156.

Svoboda, P., Stein, P., & Schultz, R. M. (2001). RNAi in mouse oocytes and preimplantation embryos: effectiveness of hairpin dsRNA. *Biochem Biophys Res Commun*, 287(5), 1099–1104.

Tabara, H., Yigit, E., Siomi, H., & Mello, C. C. (2002). The dsRNA binding protein RDE-4 interacts with RDE-1, DCR-1, and a DExH-Box helicase to direct RNAi in *C. elegans*. *Cell*, 109(7), 861–871.

Tarallo, V., Hirano, Y., Gelfand, B. D., Dridi, S., Kerur, N., Kim, Y., Cho, W. G., Kaneko, H., Fowler, B. J., Bogdanovich, S., Albuquerque, R. J. C., Hauswirth, W. W., Chiodo, V. A.,

Kugel, J. F., Goodrich, J. A., Ponicsan, S. L., Chaudhuri, G., Murphy, M. P., Dunaief, J. L., Ambati, B. K., Ogura, Y., Yoo, J. W., Lee, D. K., Provost, P., Hinton, D. R., Nunez, G., Baffi, J. Z., Kleinman, M. E., & Ambati, J. (2012). DICER1 loss and Alu RNA induce age-related macular degeneration via the NLRP3 inflammasome and MyD88. *Cell*, 149(4), 847–859.

Taylor, D. W., Shigematsu, H., Cianfrocco, M. A., Noland, C. L., Nagayama, K., Nogales, E., Jennifer, A., Wang, H., Biology, C., Division, S., Berkeley, L., Division, B., & Berkeley, L. (2013). Substrate-specific structural rearrangements of human Dicer. *Nature Structural & Molecular Biology*, 20(6), 662–670.

Thomis, D. C., & Samuel, C. E. (1992). Mechanism of interferon action: autoregulation of RNA-dependent P1/eIF-2 alpha protein kinase (PKR) expression in transfected mammalian cells. *Proceedings of the National Academy of Sciences of the United States of America*, 89(15), 10837–10841.

Tian, Y., Simanshu, D. K., Ma, J. B., Park, J. E., Heo, I., Kim, V. N., & Patel, D. J. (2014). A Phosphate-Binding Pocket within the Platform-PAZ-Connector Helix Cassette of Human Dicer. *Molecular Cell*, 53(4), 606–616.

Tomari, Y. (2004). A Protein Sensor for siRNA Asymmetry. *Science*, 306(5700), 1377–1380.

Ullu, E., Tschudi, C., & Chakraborty, T. (2004). RNA interference in protozoan parasites. *Cellular Microbiology*, 6(6), 509–519.

Vermeulen, A., Behlen, L., Reynolds, A., Wolfson, A., Marshall, W. S., Karpilow, J., & Khvorova, A. (2005). The contributions of dsRNA structure to Dicer specificity and efficiency. *RNA*, 11(5), 674–82.

Viswanathan, S. R., Daley, G. Q., & Gregory, R. I. (2008). Selective Blockade of MicroRNA Processing by Lin28. *Science*, 320(5872), 97–100.

Volpe, T. A. (2002). Regulation of Heterochromatic Silencing and Histone H3 Lysine-9 Methylation by RNAi. *Science*, 297(5588), 1833–1837.

Ward, S. V., & Samuel, C. E. (2002). Regulation of the interferon-inducible PKR kinase gene: the KCS element is a constitutive promoter element that functions in concert with the interferon-stimulated response element. *Virology*, 296(1), 136–146.

Wee, L. M., Flores-Jasso, C. F., Salomon, W. E., & Zamore, P. D. (2012). Argonaute divides Its RNA guide into domains with distinct functions and RNA-binding properties. *Cell*, 151(5), 1055–1067.

Welker, N. C., Maity, T. S., Ye, X., Aruscavage, P. J., Ammie, A., Liu, Q., & Bass, B. L. (2012). Dicer's helicase domain discriminates dsRNA termini to promote an altered reaction mode. *Molecular Cell*, 41(5), 589–599.

Wianny, F., & Zernicka-Goetz, M. (2000). Specific interference with gene function by double-stranded RNA in early mouse development. *Nature Cell Biology*, 2(2), 70–75.

Wilson, R. C., Tambe, A., Kidwell, M. A., Noland, C. L., Schneider, C. P., & Doudna, J. A. (2015). Dicer-TRBP complex formation ensures accurate mammalian MicroRNA biogenesis. *Molecular Cell*, 57(3), 397–408.

Wu, Q., Wang, X., & Ding, S. W. (2010). Viral suppressors of RNA-Based viral immunity: Host targets. *Cell Host and Microbe*, 8(1), 12–15.

Xie, Z., Allen, E., Wilken, A., & Carrington, J. C. (2005). DICER-LIKE 4 functions in trans-acting small interfering RNA biogenesis and vegetative phase change in *Arabidopsis thaliana*. *Proceedings of the National Academy of Sciences*, 102(36), 12984–12989.

Yang, N., & Kazazian, H. H. (2006). L1 retrotransposition is suppressed by endogenously encoded small interfering RNAs in human cultured cells. *Nature Structural & Molecular Biology*, 13(9), 763–771.

Yigit, E., Batista, P. J., Bei, Y., Pang, K. M., Chen, C. C. G., Tolia, N. H., Joshua-Tor, L., Mitani, S., Simard, M. J., & Mello, C. C. (2006). Analysis of the *C. elegans* Argonaute Family Reveals that Distinct Argonautes Act Sequentially during RNAi. *Cell*, 127(4), 747–757.

Yoon, C. H.; Lee, E.; Lim, D.; Bae, Y. (2009). PKR, a p53 target gene, plays a crucial role in the tumor-suppressor function of p53. *Proceedings of the National Academy of Sciences of the United States of America*, 106(19), 7852–7857.

Yuan, Y.R., Pei, Y., Ma, J.B., Kuryavj, V., Zhadina, M., Meister, G., Chen, H.Y., Dauter, Z., Tuschl, T., & Patel, D. J. (2015). Crystal Structure of *A. aeolicus* Argonaute, a Site-Specific DNA- Guided Endoribonuclease, Provides Insights into RISC-Mediated mRNA Cleavage. *Molecular Cell*, 19(3), 405–419.

Zhang, H., Kolb, F. A., Brondani, V., Billy, E., & Filipowicz, W. (2002). Human Dicer preferentially cleaves dsRNAs at their termini without a requirement for ATP. *EMBO Journal*, 21(21), 5875–5885.

Zhang, H., Kolb, F. A., Jaskiewicz, L., Westhof, E., & Filipowicz, W. (2004). Single processing center models for human Dicer and bacterial RNase III. *Cell*, 118(1), 57–68.

Zheng, X., & Bevilacqua, P. C. (2004). Activation of the protein kinase PKR by short double-stranded RNAs with single-stranded tails. *RNA*, 10(12), 1934–1945.