

OPRAVENÝ SEZNAM POUŽITÉ LITERATURY

*Reviews označené **

Abbracchio, M. P., Fogliatto, G., Paoletti, A. M., Rovati, G. E. and Cattabeni, F. (1992) 'Prolonged in vitro exposure of rat brain slices to adenosine analogues: Selective desensitization of adenosine A1 but not A2 receptors.' *European Journal of Pharmacology*, 227, 317–324.

Acimovic, Y. and Coe, I. R. (2002) 'Molecular Evolution of the Equilibrative Nucleoside Transporter Family: Identification of Novel Family Members in Prokaryotes and Eukaryotes.' *Molecular Biology and Evolution*, 19, 2199–2210.

Albasanz, J. L., Perez, S., Barrachina, M., Ferrer, I. and Martín, M. (2008) 'Up-regulation of Adenosine Receptors in the Frontal Cortex in Alzheimer's Disease.' *Brain Pathology*, 18, 211–219.

Ambrósio, A. F., Malva, J. O., Carvalho, A. P. and Carvalho, C. M. (1997) 'Inhibition of N-,P/Q- and other types of Ca²⁺ channels in rat hippocampal nerve terminals by the adenosine A1 receptor.' *European Journal of Pharmacology*, 340, 301–10.

Angulo, E., Casadó, V., Mallol, J., Canela, E. I., Viñals, F., Ferrer, I., Lluís, C. and Franco, R. (2003) 'A1 adenosine receptors accumulate in neurodegenerative structures in Alzheimer disease and mediate both amyloid precursor protein processing and tau phosphorylation and translocation.' *Brain Pathology*, 13, 440–51.

Arendash, G. W., Schleif, W., Rezai-Zadeh, K., Jackson, E. K., Zacharia, L. C., Cracchiolo, J. R., Shippy, D. and Tan, J. (2006) 'Caffeine protects Alzheimer's mice against cognitive impairment and reduces brain β -amyloid production.' *Neuroscience*, 142, 941–952.

Augusto, E., Matos, M., Sévigny, J., El-Tayeb, A., Bynoe, M. S., Müller, C. E., Cunha, R. A. and Chen, J.-F. (2013) 'Ecto-5'-nucleotidase (CD73)-mediated formation of adenosine is critical for the striatal adenosine A2A receptor functions.' *Journal of Neuroscience*, 33, 11390–9.

Baldwin, J. M., Schertler, G. F. and Unger, V. M. (1997) 'An alpha-carbon template for the transmembrane helices in the rhodopsin family of G-protein-coupled receptors.' *Journal of Molecular Biology*, 272, 144–64.

*Baldwin, S. A., Mackey, J. R., Cass, C. E. and Young, J. D. (1999) 'Nucleoside transporters: molecular biology and implications for therapeutic development.' *Molecular Medicine Today*, 5, 216–224.

Baldwin, S. A., Yao, S. Y. M., Hyde, R. J., Ng, A. M. L., Foppolo, S., Barnes, K., Ritzel, M. W. L., Cass, C. E. and Young, J. D. (2005) 'Functional characterization of novel human and mouse equilibrative nucleoside transporters (hENT3 and mENT3) located in intracellular membranes.' *Journal of Biological Chemistry*, 280, 15880–7.

*Banati, R. B., Gehrmann, J., Schubert, P. and Kreutzberg, G. W. (1993) 'Cytotoxicity of microglia.' *Glia*, 7, 111–118.

*Baqi, Y. (2015) 'Ecto-nucleotidase inhibitors: recent developments in drug discovery.' *Mini Reviews in Medicinal Chemistry*, 15, 21–33.

Barnes, K., Dobrzynski, H., Foppolo, S., Beal, P. R., Ismat, F., Scullion, E. R., Sun, L., Tellez, J., Ritzel, M. W. L., Claycomb, W. C., Cass, C. E., Young, J. D., Billeter-Clark, R., Boyett, M. R. and Baldwin, S. A. (2006) 'Distribution and functional characterization of equilibrative nucleoside transporter-4, a novel cardiac adenosine transporter activated at acidic pH.' *Circulation Research*, 99, 510–9.

Barsotti, C. and Ipata, P. L. (2004) 'Metabolic regulation of ATP breakdown and of adenosine

production in rat brain extracts.' *International Journal of Biochemistry & Cell Biology*, 36, 2214–2225.

*Beal, P. R., Yao, S. Y. M., Baldwin, S. A., Young, J. D., King, A. E. and Cass, C. E. (2004) 'The equilibrative nucleoside transporter family, SLC29.' *Pflugers Archiv European Journal of Physiology*, 447, 735–743.

Björklund, O., Shang, M., Tonazzini, I., Daré, E. and Fredholm, B. B. (2008) 'Adenosine A1 and A3 receptors protect astrocytes from hypoxic damage.' *European Journal of Pharmacology*, 596, 6–13.

*Blum, D., Chern, Y., Domenici, M. R., Buée, L., Lin, C.-Y., Rea, W., Ferré, S. and Popoli, P. (2018) 'The Role of Adenosine Tone and Adenosine Receptors in Huntington's Disease.' *Journal of Caffeine and Adenosine Research*, 8, 43–58.

*Boison, D., Chen, J.-F. and Fredholm, B. B. (2010) 'Adenosine signaling and function in glial cells.' *Cell Death & Differentiation*, 17, 1071–1082.

Brown, S. J., James, S., Reddington, M. and Richardson, P. J. (1990) 'Both A1 and A2a purine receptors regulate striatal acetylcholine release.' *Journal of Neurochemistry*, 55, 31–8.

Cabello, N., Gandía, J., Bertarelli, D. C. G., Watanabe, M., Lluís, C., Franco, R., Ferré, S., Luján, R. and Ciruela, F. (2009) 'Metabotropic glutamate type 5, dopamine D2 and adenosine A2a receptors form higher-order oligomers in living cells.' *Journal of Neurochemistry*, 109, 1497–507.

Calker, D. van, Müller, M. and Hamprecht, B. (1979) 'Adenosine regulates via two different types of receptors, the accumulation of cyclic AMP in cultured brain cells.' *Journal of Neurochemistry*, 33, 999–1005.

Canas, P. M., Porciúncula, L. O., Cunha, G. M. A., Silva, C. G., Machado, N. J., Oliveira, J. M. A., Oliveira, C. R. and Cunha, R. A. (2009) 'Adenosine A2A receptor blockade prevents synaptotoxicity and memory dysfunction caused by beta-amyloid peptides via p38 mitogen-activated protein kinase pathway.' *Journal of Neuroscience*, 29, 14741–51.

Carter, A. J., O'Connor, W. T., Carter, M. J. and Ungerstedt, U. (1995) 'Caffeine enhances acetylcholine release in the hippocampus in vivo by a selective interaction with adenosine A1 receptors.' *Journal of Pharmacology and Experimental Therapeutics*, 273, 637–42.

Ciruela, F., Casadó, V., Rodrigues, R. J., Luján, R., Burgueño, J., Canals, M., Borycz, J., Rebola, N., Goldberg, S. R., Mallol, J., Cortés, A., Canela, E. I., López-Giménez, J. F., Milligan, G., Lluís, C., Cunha, R. A., Ferré, S. and Franco, R. (2006) 'Presynaptic control of striatal glutamatergic neurotransmission by adenosine A1-A2A receptor heteromers.' *Journal of Neuroscience*, 26, 2080–7.

Ciruela, F., Escriche, M., Burgueno, J., Angulo, E., Casado, V., Soloviev, M. M., Canela, E. I., Mallol, J., Chan, W. Y., Lluís, C., McIlhinney, R. A. and Franco, R. (2001) 'Metabotropic glutamate 1alpha and adenosine A1 receptors assemble into functionally interacting complexes.' *Journal of Biological Chemistry*, 276, 18345–51.

*Ciruela, F., Gómez-Soler, M., Guidolin, D., Borroto-Escuela, D. O., Agnati, L. F., Fuxe, K. and Fernández-Dueñas, V. (2011) 'Adenosine receptor containing oligomers: their role in the control of dopamine and glutamate neurotransmission in the brain.' *Biochimica et Biophysica Acta*, 1808, 1245–55.

Clark, R. B., Gross, R., Su, Y. F. and Perkins, J. P. (1974) 'Regulation of adenosine 3':5'-monophosphate content in human astrocytoma cells by adenosine and the adenine nucleotides.' *Journal of Biological Chemistry*, 249, 5296–303.

Coelho, J. E., Rebola, N., Fragata, I., Ribeiro, J. A., de Mendonça, A. and Cunha, R. A. (2006) 'Hypoxia-induced desensitization and internalization of adenosine A1 receptors in the rat hippocampus.' *Neuroscience*, 138, 1195–203.

*Compston, A. and Coles, A. (2002) 'Multiple sclerosis.' *The Lancet*, 359, 1221–1231.

Correia-de-Sá, P., Timóteo, M. A. and Ribeiro, J. A. (1996) 'Presynaptic A1 inhibitory/A2A facilitatory adenosine receptor activation balance depends on motor nerve stimulation paradigm at the rat hemidiaphragm.' *Journal of Neurophysiology*, 76, 3910–9.

*Cunha, R. A. (2001) 'Adenosine as a neuromodulator and as a homeostatic regulator in the nervous system: different roles, different sources and different receptors.' *Neurochemistry International*, 38, 107–125.

Cunha, R. A., Correia-de-Sá, P., Sebastião, A. M. and Ribeiro, J. A. (1996) 'Preferential activation of excitatory adenosine receptors at rat hippocampal and neuromuscular synapses by adenosine formed from released adenine nucleotides.' *British Journal of Pharmacology*, 119, 253–60.

Dall'Igna, O. P., Porciúncula, L. O., Souza, D. O., Cunha, R. A., Lara, D. R. and Dall'Igna, O. P. (2003) 'Neuroprotection by caffeine and adenosine A2A receptor blockade of beta-amyloid neurotoxicity.' *British Journal of Pharmacology*, 138, 1207–9.

*Daniel, P. B., Walker, W. H. and Habener, J. F. (1998) 'Cyclic AMP signaling and gene regulation.' *Annual Review of Nutrition*, 18, 353–83.

Dickenson, J. M., Blank, J. L. and Hill, S. J. (1998) 'Human adenosine A1 receptor and P2Y2-purinoceptor-mediated activation of the mitogen-activated protein kinase cascade in transfected CHO cells.' *British Journal of Pharmacology*, 124, 1491–9.

Dixon, A. K., Gubitza, A. K., Sirinathsinghji, D. J., Richardson, P. J. and Freeman, T. C. (1996) 'Tissue distribution of adenosine receptor mRNAs in the rat.' *British Journal of Pharmacology*, 118, 1461–8.

Dolphin, A. C., Forda, S. R. and Scott, R. H. (1986) 'Calcium-dependent currents in cultured rat dorsal root ganglion neurones are inhibited by an adenosine analogue.' *Journal of Physiology*, 373, 47–61.

Fathalla, A. M., Soliman, A. M. and Moustafa, A. A. (2017) 'Selective A2A receptors blockade reduces degeneration of substantia nigra dopamine neurons in a rotenone-induced rat model of Parkinson's disease: A histological study.' *Neuroscience Letters*, 643, 89–96.

Ferre, S., von Euler, G., Johansson, B., Fredholm, B. B. and Fuxe, K. (1991) 'Stimulation of high-affinity adenosine A2 receptors decreases the affinity of dopamine D2 receptors in rat striatal membranes.' *Proceedings of the National Academy of Sciences of the United States of America*, 88, 7238–41.

Ferré, S., Karcz-Kubicha, M., Hope, B. T., Popoli, P., Burgueño, J., Gutiérrez, M. A., Casadó, V., Fuxe, K., Goldberg, S. R., Lluís, C., Franco, R. and Ciruela, F. (2002) 'Synergistic interaction between adenosine A2A and glutamate mGlu5 receptors: implications for striatal neuronal function.' *Proceedings of the National Academy of Sciences of the United States of America*, 99, 11940–5.

Ferré, S., Torvinen, M., Antoniou, K., Irenius, E., Civelli, O., Arenas, E., Fredholm, B. B. and Fuxe, K. (1998) 'Adenosine A1 receptor-mediated modulation of dopamine D1 receptors in stably cotransfected fibroblast cells.' *Journal of Biological Chemistry*, 273, 4718–24.

Fink, J. S., Kalda, A., Ryu, H., Stack, E. C., Schwarzschild, M. A., Chen, J.-F. and Ferrante, R. J. (2004) 'Genetic and pharmacological inactivation of the adenosine A2A receptor attenuates 3-nitropropionic acid-induced striatal damage.' *Journal of Neurochemistry*, 88, 538–44.

*Fredholm, B. B., Abbracchio, M. P., Burnstock, G., Daly, J. W., Harden, T. K., Jacobson, K. A., Leff, P. and Williams, M. (1994) 'Nomenclature and classification of purinoceptors.' *Pharmacological Reviews*, 46, 143–56.

*Fredholm, B. B., Arslan, G., Halldner, L., Kull, B., Schulte, G. and Wasserman, W. (2000) 'Structure and function of adenosine receptors and their genes.' *Naunyn-Schmiedeberg's Archives of Pharmacology*, 362, 364–374.

Freissmuth, M., Schütz, W. and Linder, M. E. (1991) 'Interactions of the bovine brain A1-adenosine receptor with recombinant G protein alpha-subunits. Selectivity for rGi alpha-3.' *Journal of Biological Chemistry*, 266, 17778–83.

Fuxe, K., Agnati, L. F., Benfenati, F., Celani, M., Zini, I., Zoli, M. and Mutt, V. (1983) 'Evidence for the existence of receptor-receptor interactions in the central nervous system. Studies on the regulation of monoamine receptors by neuropeptides.' *Journal of Neural Transmission*, 18, 165–79.

*Gilman, A. G. (1987) 'G Proteins: Transducers of Receptor-Generated Signals.' *Annual Review of Biochemistry*, 56, 615–649.

Ginés, S., Hillion, J., Torvinen, M., Le Crom, S., Casadó, V., Canela, E. I., Rondin, S., Lew, J. Y., Watson, S., Zoli, M., Agnati, L. F., Verniera, P., Lluís, C., Ferré, S., Fuxe, K. and Franco, R. (2000) 'Dopamine D1 and adenosine A1 receptors form functionally interacting heteromeric complexes.' *Proceedings of the National Academy of Sciences of the United States of America*, 97, 8606–11.

Giralt, A., Saavedra, A., Carretón, O., Xifró, X., Alberch, J. and Pérez-Navarro, E. (2011) 'Increased PKA signaling disrupts recognition memory and spatial memory: role in Huntington's disease.' *Human Molecular Genetics*, 20, 4232–4247.

*Gray, J. H., Owen, R. P. and Giacomini, K. M. (2004) 'The concentrative nucleoside transporter family, SLC28.' *Pflugers Archiv European Journal of Physiology*, 447, 728–734.

*Greene, R. W. and Haas, H. L. (1991) 'The electrophysiology of adenosine in the mammalian central nervous system.' *Progress in Neurobiology*, 36, 329–41.

Griffiths, M., Yao, S. Y., Abidi, F., Phillips, S. E., Cass, C. E., Young, J. D. and Baldwin, S. A. (1997) 'Molecular cloning and characterization of a nitrobenzylthioinosine-insensitive (ei) equilibrative nucleoside transporter from human placenta.' *Biochemical Journal*, 328 (Pt 3, 739–43.

Haas, H. L. and Greene, R. W. (1984) 'Adenosine enhances afterhyperpolarization and accommodation in hippocampal pyramidal cells.' *Pflugers Archiv: European Journal of Physiology*, 402, 244–7.

Hamilton, S. R., Yao, S. Y., Ingram, J. C., Hadden, D. A., Ritzel, M. W., Gallagher, M. P., Henderson, P. J., Cass, C. E., Young, J. D. and Baldwin, S. A. (2001) 'Subcellular distribution and membrane topology of the mammalian concentrative Na⁺-nucleoside cotransporter rCNT1.' *Journal of Biological Chemistry*, 276, 27981–8.

Hillion, J., Canals, M., Torvinen, M., Casado, V., Scott, R., Terasmaa, A., Hansson, A., Watson, S., Olah, M. E., Mallol, J., Canela, E. I., Zoli, M., Agnati, L. F., Ibanez, C. F., Lluís, C., Franco, R., Ferre, S. and Fuxe, K. (2002) 'Coaggregation, cointernalization, and codesensitization of adenosine A2A receptors and dopamine D2 receptors.' *Journal of Biological Chemistry*, 277, 18091–7.

Chen, G.-J., Harvey, B. K., Shen, H., Chou, J., Victor, A. and Wang, Y. (2006) 'Activation of adenosine A3 receptors reduces ischemic brain injury in rodents.' *Journal of Neuroscience Research*, 84, 1848–1855.

Chen, J. F., Xu, K., Petzer, J. P., Staal, R., Xu, Y. H., Beilstein, M., Sonsalla, P. K., Castagnoli, K., Castagnoli, N. and Schwarzschild, M. A. (2001) 'Neuroprotection by caffeine and A(2A) adenosine receptor inactivation in a model of Parkinson's disease.' *Journal of Neuroscience*, 21, RC143.

Chen, Z., Janes, K., Chen, C., Doyle, T., Bryant, L., Tosh, D. K., Jacobson, K. A. and Salvemini, D. (2012) 'Controlling murine and rat chronic pain through A₃ adenosine receptor activation.' *The FASEB Journal*, 26, 1855–1865.

Chen, Z., Xiong, C., Pancyr, C., Stockwell, J., Walz, W. and Cayabyab, F. S. (2014) 'Prolonged adenosine A1 receptor activation in hypoxia and pial vessel disruption focal cortical ischemia facilitates clathrin-mediated AMPA receptor endocytosis and long-lasting synaptic inhibition in rat hippocampal CA3-CA1

synapses: differential regulation of GluA2 and GluA1 subunits by p38 MAPK and JNK.' *Journal of Neuroscience*, 34, 9621–43.

Ikeda, K., Kurokawa, M., Aoyama, S. and Kuwana, Y. (2002) 'Neuroprotection by adenosine A2A receptor blockade in experimental models of Parkinson's disease.' *Journal of Neurochemistry*, 80, 262–70.

Jiang, Q., Lee, B. X., Glashofer, M., van Rhee, A. M. and Jacobson, K. A. (1997) 'Mutagenesis reveals structure-activity parallels between human A2A adenosine receptors and biogenic amine G protein-coupled receptors.' *Journal of Medicinal Chemistry*, 40, 2588–95.

Johnston, J. B., Silva, C., Gonzalez, G., Holden, J., Warren, K. G., Metz, L. M. and Power, C. (2001) 'Diminished adenosine A1 receptor expression on macrophages in brain and blood of patients with multiple sclerosis.' *Annals of Neurology*, 49, 650–658.

Kamiya, T., Saitoh, O., Yoshioka, K. and Nakata, H. (2003) 'Oligomerization of adenosine A2A and dopamine D2 receptors in living cells.' *Biochemical and Biophysical Research Communications*, 306, 544–9.

*Kandimalla, R. and Reddy, P. H. (2017) 'Therapeutics of Neurotransmitters in Alzheimer's Disease.' *Journal of Alzheimer's Disease*, 57, 1049–1069.

Katada, T., Northup, J. K., Bokoch, G. M., Ui, M. and Gilman, A. G. (1984) 'The inhibitory guanine nucleotide-binding regulatory component of adenylate cyclase. Subunit dissociation and guanine nucleotide-dependent hormonal inhibition.' *Journal of Biological Chemistry*, 259, 3578–85.

Kirk, I. P. and Richardson, P. J. (1994) 'Adenosine A2a receptor-mediated modulation of striatal [3H]GABA and [3H]acetylcholine release.' *Journal of Neurochemistry*, 62, 960–6.

*Klinger, M., Freissmuth, M. and Nanoff, C. (2002) 'Adenosine receptors: G protein-mediated signalling and the role of accessory proteins.' *Cellular Signalling*, 14, 99–108.

*Kolahdouzan, M. and Hamadeh, M. J. (2017) 'The neuroprotective effects of caffeine in neurodegenerative diseases.' *CNS Neuroscience & Therapeutics*, 23, 272–290.

Kull, B., Svenningsson, P. and Fredholm, B. B. (2000) 'Adenosine A(2A) receptors are colocalized with and activate g(olf) in rat striatum.' *Molecular Pharmacology*, 58, 771–7.

Lee, F. S. and Chao, M. V. (2001) 'Activation of Trk neurotrophin receptors in the absence of neurotrophins.' *Proceedings of the National Academy of Sciences*, 98, 3555–3560.

Li, W., Silva, H. B., Real, J., Wang, Y.-M., Rial, D., Li, P., Payen, M.-P., Zhou, Y., Muller, C. E., Tomé, A. R., Cunha, R. A. and Chen, J.-F. (2015) 'Inactivation of adenosine A2A receptors reverses working memory deficits at early stages of Huntington's disease models.' *Neurobiology of Disease*, 79, 70–80.

Li, X. X., Nomura, T., Aihara, H. and Nishizaki, T. (2001) 'Adenosine enhances glial glutamate efflux via A2a adenosine receptors.' *Life Sciences*, 68, 1343–50.

Libert, F., Schiffmann, S. N., Lefort, A., Parmentier, M., Gérard, C., Dumont, J. E., Vanderhaeghen, J. J. and Vassart, G. (1991) 'The orphan receptor cDNA RDC7 encodes an A1 adenosine receptor.' *The EMBO Journal*, 10, 1677–82.

*Linden, J. (2005) 'Adenosine in tissue protection and tissue regeneration.' *Molecular Pharmacology*, 67, 1385–7.

Linden, J., Thai, T., Figler, H., Jin, X. and Robeva, A. S. (1999) 'Characterization of human A(2B) adenosine receptors: radioligand binding, western blotting, and coupling to G(q) in human embryonic kidney 293 cells and HMC-1 mast cells.' *Molecular Pharmacology*, 56, 705–13.

- Lloyd, H. G. and Fredholm, B. B. (1995) 'Involvement of adenosine deaminase and adenosine kinase in regulating extracellular adenosine concentration in rat hippocampal slices.' *Neurochemistry International*, 26, 387–95.
- Maenhaut, C., Van Sande, J., Libert, F., Abramowicz, M., Parmentier, M., Vanderhaegen, J. J., Dumont, J. E., Vassart, G. and Schiffmann, S. (1990) 'RDC8 codes for an adenosine A2 receptor with physiological constitutive activity.' *Biochemical and Biophysical Research Communications*, 173, 1169–78.
- Manev, H., Favaron, M., Guidotti, A. and Costa, E. (1989) 'Delayed increase of Ca²⁺ influx elicited by glutamate: role in neuronal death.' *Molecular Pharmacology*, 36, 106–12.
- Matos, M., Augusto, E., Santos-Rodrigues, A. Dos, Schwarzschild, M. A., Chen, J.-F., Cunha, R. A. and Agostinho, P. (2012) 'Adenosine A2A receptors modulate glutamate uptake in cultured astrocytes and gliosomes.' *Glia*, 60, 702–716.
- de Mendonça, A., Sebastião, A. M. and Ribeiro, J. A. (1995) 'Inhibition of NMDA receptor-mediated currents in isolated rat hippocampal neurones by adenosine A1 receptor activation.' *Neuroreport*, 6, 1097–100.
- *de Mendonça, A., Sebastião, A. M. and Ribeiro, J. A. (2000) 'Adenosine: does it have a neuroprotective role after all?' *Brain Research*, 33, 258–74.
- Meng, F., Xie, G. X., Chalmers, D., Morgan, C., Watson, S. J. and Akil, H. (1994) 'Cloning and expression of the A2a adenosine receptor from guinea pig brain.' *Neurochemical Research*, 19, 613–21.
- Monopoli, A., Lozza, G., Forlani, A., Mattavelli, A. and Ongini, E. (1998) 'Blockade of adenosine A2A receptors by SCH 58261 results in neuroprotective effects in cerebral ischaemia in rats.' *Neuroreport*, 9, 3955–9.
- *Morris, A. J. and Malbon, C. C. (1999) 'Physiological Regulation of G Protein-Linked Signaling.' *Physiological Reviews*, 79, 1373–1430.
- *Müller, C. E. and Jacobson, K. A. (2011) 'Recent developments in adenosine receptor ligands and their potential as novel drugs.' *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1808, 1290–1308.
- *Nakata, H., Yoshioka, K., Kamiya, T., Tsuga, H. and Oyanagi, K. (2005) 'Functions of Heteromeric Association Between Adenosine and P2Y Receptors.' *Journal of Molecular Neuroscience*, 26, 233–238.
- *Neer, E. J. (1995) 'Heterotrimeric G proteins: organizers of transmembrane signals.' *Cell*, 80, 249–57.
- Nguyen, M. D., Ross, A. E., Ryals, M., Lee, S. T. and Venton, B. J. (2015) 'Clearance of rapid adenosine release is regulated by nucleoside transporters and metabolism.' *Pharmacology Research & Perspectives*, 3, e00189.
- *Nopoulos, P. C. (2016) 'Huntington disease: a single-gene degenerative disorder of the striatum.' *Dialogues in Clinical Neuroscience*, 18, 91–8.
- Offermanns, S. and Simon, M. I. (1995) 'G alpha 15 and G alpha 16 couple a wide variety of receptors to phospholipase C.' *Journal of Biological Chemistry*, 270, 15175–80.
- Palmer, T. M., Gettys, T. W. and Stiles, G. L. (1995) 'Differential interaction with and regulation of multiple G-proteins by the rat A3 adenosine receptor.' *Journal of Biological Chemistry*, 270, 16895–902.
- *Panickar, K. S. and Norenberg, M. D. (2005) 'Astrocytes in cerebral ischemic injury: morphological and general considerations.' *Glia*, 50, 287–98.
- Pleli, T., Mondorf, A., Ferreiros, N., Thomas, D., Dvorak, K., Biondi, R. M., Heringdorf, D. M. Z., Zeuzem, S., Geisslinger, G., Zimmermann, H., Waidmann, O. and Piiper, A. (2018) 'Activation of Adenylyl Cyclase

Causes Stimulation of Adenosine Receptors.' *Cellular Physiology and Biochemistry*, 45, 2516–2528.

Poli, A., Lucchi, R., Zottini, M. and Traversa, U. (1993) 'Adenosine A1 receptor-mediated inhibition of evoked glutamate release is coupled to calcium influx decrease in goldfish brain synaptosomes.' *Brain Research*, 620, 245–50.

Popoli, P., Betto, P., Reggio, R. and Ricciarello, G. (1995) 'Adenosine A2A receptor stimulation enhances striatal extracellular glutamate levels in rats.' *European Journal of Pharmacology*, 287, 215–7.

*Rahman, A. (2009) 'The role of adenosine in Alzheimer's disease.' *Current Neuropharmacology*, 7, 207–16.

*Ramakers, B. P., Pickkers, P., Deussen, A., Rongen, G. A., van den Broek, P., van der Hoeven, J. G., Smits, P. and Riksen, N. P. (2008) 'Measurement of the endogenous adenosine concentration in humans in vivo: methodological considerations.' *Current Drug Metabolism*, 9, 679–85.

*Ribeiro, J. A., Sebastião, A. M. and de Mendonça, A. (2002) 'Adenosine receptors in the nervous system: pathophysiological implications.' *Progress in Neurobiology*, 68, 377–392.

Ritzel, M. W., Ng, A. M., Yao, S. Y., Graham, K., Loewen, S. K., Smith, K. M., Ritzel, R. G., Mowles, D. A., Carpenter, P., Chen, X. Z., Karpinski, E., Hyde, R. J., Baldwin, S. A., Cass, C. E. and Young, J. D. (2001) 'Molecular identification and characterization of novel human and mouse concentrative Na⁺-nucleoside cotransporter proteins (hCNT3 and mCNT3) broadly selective for purine and pyrimidine nucleosides (system cib).' *Journal of Biological Chemistry*, 276, 2914–27.

Ritzel, M. W., Yao, S. Y., Huang, M. Y., Elliott, J. F., Cass, C. E. and Young, J. D. (1997) 'Molecular cloning and functional expression of cDNAs encoding a human Na⁺-nucleoside cotransporter (hCNT1).' *American Journal of Physiology-Cell Physiology*, 272, C707–C714.

Ritzel, M. W., Yao, S. Y., Ng, A. M., Mackey, J. R., Cass, C. E. and Young, J. D. (no date) 'Molecular cloning, functional expression and chromosomal localization of a cDNA encoding a human Na⁺/nucleoside cotransporter (hCNT2) selective for purine nucleosides and uridine.' *Molecular Membrane Biology*, 15, 203–11.

Rivkees, S. A. and Reppert, S. M. (1992) 'RFL9 encodes an A2b-adenosine receptor.' *Molecular Endocrinology*, 6, 1598–1604.

Sexl, V., Mancusi, G., Höller, C., Gloria-Maercker, E., Schütz, W. and Freissmuth, M. (1997) 'Stimulation of the mitogen-activated protein kinase via the A2A-adenosine receptor in primary human endothelial cells.' *Journal of Biological Chemistry*, 272, 5792–9.

Shao, Y.-M., Ma, X., Paira, P., Tan, A., Herr, D. R., Lim, K. L., Ng, C. H., Venkatesan, G., Klotz, K.-N., Federico, S., Spalluto, G., Cheong, S. L., Chen, Y. Z. and Pastorin, G. (2018) 'Discovery of indolylpiperazinylpyrimidines with dual-target profiles at adenosine A2A and dopamine D2 receptors for Parkinson's disease treatment.' *PLOS ONE*, 13, e0188212.

Schiffmann, S. N., Jacobs, O. and Vanderhaeghen, J. J. (1991) 'Striatal restricted adenosine A2 receptor (RDC8) is expressed by enkephalin but not by substance P neurons: an in situ hybridization histochemistry study.' *Journal of Neurochemistry*, 57, 1062–7.

Schulte, G. and Fredholm, B. B. (2000) 'Human adenosine A(1), A(2A), A(2B), and A(3) receptors expressed in Chinese hamster ovary cells all mediate the phosphorylation of extracellular-regulated kinase 1/2.' *Molecular Pharmacology*, 58, 477–82.

*Schulte, G. and Fredholm, B. B. (2003a) 'Signalling from adenosine receptors to mitogen-activated protein kinases.' *Cellular Signalling*, 15, 813–27.

Schulte, G. and Fredholm, B. B. (2003b) 'The G(s)-coupled adenosine A(2B) receptor recruits divergent

pathways to regulate ERK1/2 and p38.' *Experimental Cell Research*, 290, 168–76.

Simpson, R. E., O'Regan, M. H., Perkins, L. M. and Phillis, J. W. (1992) 'Excitatory transmitter amino acid release from the ischemic rat cerebral cortex: effects of adenosine receptor agonists and antagonists.' *Journal of Neurochemistry*, 58, 1683–90.

Skladanowski, A. C. and Newby, A. C. (1990) 'Partial purification and properties of an AMP-specific soluble 5'-nucleotidase from pigeon heart.' *Biochemical Journal*, 268, 117–22.

*Sternweis, P. C. and Smrcka, A. V (1993) 'G proteins in signal transduction: the regulation of phospholipase C.' *Ciba Foundation Symposium*, 176, 96-106–11.

Stockwell, J., Chen, Z., Niazi, M., Nosib, S. and Cayabyab, F. S. (2016) 'Protein phosphatase role in adenosine A1 receptor-induced AMPA receptor trafficking and rat hippocampal neuronal damage in hypoxia/reperfusion injury.' *Neuropharmacology*, 102, 254–65.

*Sveinbjornsdottir, S. (2016) 'The clinical symptoms of Parkinson's disease.' *Journal of Neurochemistry*, 139, 318–324.

*Thorn, J. A. and Jarvis, S. M. (1996) 'Adenosine transporters.', *General Pharmacology: The Vascular System*, 27, 613–620.

Trussell, L. O. and Jackson, M. B. (1985) 'Adenosine-activated potassium conductance in cultured striatal neurons.' *Proceedings of the National Academy of Sciences of the United States of America*, 82, 4857–61.

Tsutsui, S., Schnermann, J., Noorbakhsh, F., Henry, S., Yong, V. W., Winston, B. W., Warren, K. and Power, C. (2004) 'A1 adenosine receptor upregulation and activation attenuates neuroinflammation and demyelination in a model of multiple sclerosis.' *Journal of Neuroscience*, 24, 1521–9.

Tyebji, S., Saavedra, A., Canas, P. M., Pliassova, A., Delgado-García, J. M., Alberch, J., Cunha, R. A., Gruart, A. and Pérez-Navarro, E. (2015) 'Hyperactivation of D1 and A2A receptors contributes to cognitive dysfunction in Huntington's disease.' *Neurobiology of Disease*, 74, 41–57.

*Ueland, P. M. (1982) 'Pharmacological and biochemical aspects of S-adenosylhomocysteine and S-adenosylhomocysteine hydrolase.' *Pharmacological Reviews*, 34.

Vijayalakshmi, D. and Belt, J. A. (1988) 'Sodium-dependent nucleoside transport in mouse intestinal epithelial cells. Two transport systems with differing substrate specificities.' *Journal of Biological Chemistry*, 263, 19419–23.

Wang, J., Su, S. F., Dresser, M. J., Schaner, M. E., Washington, C. B. and Giacomini, K. M. (1997) 'Na(+)-dependent purine nucleoside transporter from human kidney: cloning and functional characterization.' *American Journal of Physiology*, 273, F1058-65.

*Wardas, J. (2002) 'Neuroprotective role of adenosine in the CNS.' *Polish Journal of Pharmacology*, 54, 313–26.

Wei, C. J., Singer, P., Coelho, J., Boison, D., Feldon, J., Yee, B. K. and Chen, J.-F. (2011) 'Selective inactivation of adenosine A(2A) receptors in striatal neurons enhances working memory and reversal learning.' *Learning & Memory*, 18, 459–74.

*Wilkie, T. M., Gilbert, D. J., Olsen, A. S., Chen, X., Amatruda, T. T., Korenberg, J. R., Trask, B. J., de Jong, P., Reed, R. R., Simon, M. I., Jenkins, N. A. and Copeland, N. G. (1992) 'Evolution of the mammalian G protein α subunit multigene family.' *Nature Genetics*, 1, 85–91.

Wu, X., Yuan, G., Brett, C. M., Hui, A. C. and Giacomini, K. M. (1992) 'Sodium-dependent nucleoside transport in choroid plexus from rabbit. Evidence for a single transporter for purine and pyrimidine

nucleosides.' *Journal of Biological Chemistry*, 267, 8813–8.

Xiao, D., Bastia, E., Xu, Y.-H., Benn, C. L., Cha, J.-H. J., Peterson, T. S., Chen, J.-F. and Schwarzschild, M. A. (2006) 'Forebrain adenosine A2A receptors contribute to L-3,4-dihydroxyphenylalanine-induced dyskinesia in hemiparkinsonian mice.' *Journal of Neuroscience*, 26, 13548–55.

Yao, S. Y., Ng, A. M., Muzyka, W. R., Griffiths, M., Cass, C. E., Baldwin, S. A. and Young, J. D. (1997) 'Molecular cloning and functional characterization of nitrobenzylthioinosine (NBMPR)-sensitive (es) and NBMPR-insensitive (ei) equilibrative nucleoside transporter proteins (rENT1 and rENT2) from rat tissues.' *Journal of Biological Chemistry*, 272, 28423–30.

Yoon, K. W. and Rothman, S. M. (1991) 'Adenosine inhibits excitatory but not inhibitory synaptic transmission in the hippocampus.' *Journal of Neuroscience*, 11, 1375–80.

Yoshioka, K., Saitoh, O. and Nakata, H. (2001) 'Heteromeric association creates a P2Y-like adenosine receptor.' *Proceedings of the National Academy of Sciences of the United States of America*, 98, 7617–22.

*Young, J. D., Yao, S. Y. M., Sun, L., Cass, C. E. and Baldwin, S. A. (2008) 'Human equilibrative nucleoside transporter (ENT) family of nucleoside and nucleobase transporter proteins.' *Xenobiotica*, 38, 995–1021.

Zhou, Q. Y., Li, C., Olah, M. E., Johnson, R. A., Stiles, G. L. and Civelli, O. (1992) 'Molecular cloning and characterization of an adenosine receptor: the A3 adenosine receptor.' *Proceedings of the National Academy of Sciences of the United States of America*, 89, 7432–6.

Zhu, X., Mei, M., Lee, H., Wang, Y., Han, J., Perry, G. and Smith, M. A. (2005) 'P38 Activation Mediates Amyloid- β Cytotoxicity.' *Neurochemical Research*, 30, 791–796.

*Zimmermann, H., Zebisch, M. and Sträter, N. (2012) 'Cellular function and molecular structure of ecto-nucleotidases.' *Purinergic Signalling*, 8, 437–502.