

10 Literatura

- Ahtiainen, L., Uski, I., Thesleff, I., Mikkola, M.L. (2016) ‘Early epithelial signaling center governs tooth budding morphogenesis’, *The Journal of Cell Biology*, 214(6), p. 753–767.
- Bayés, M., Hartung, A. J., Ezer, S., Pispa, J., Thesleff, I., Srivastava, A. K., Kere, J. (1998) ‘The Anhidrotic Ectodermal Dysplasia Gene (EDA) Undergoes alternative splicing and encodes ectodysplasin-A with deletion mutations in collagenous repeats’, *Human Molecular Genetics*, 7(11), p. 1661–1669.
- Beachy, P. A., Karhadkar, S. S., Berman, D. M. (2004) ‘Tissue repair and stem cell renewal in carcinogenesis’, *Nature*, 432, p. 324.
- Bitgood, M. J. and McMahon, A. P. (1995) ‘Hedgehog and Bmp genes are coexpressed at many diverse sites of cell – cell interaction in the mouse embryo’, *Developmental Biology*, 172(1), p. 126–138.
- Chiang, C., Litingtung, Y., Lee, E., Young, K. E., Corden, J. L., Westphal, H., Beachy, P. A. (1996) ‘Cyclopia and defective axial patterning in mice lacking Sonic hedgehog gene function’, *Nature*, 383, p. 407–413.
- Choi, H., Ahn, Y.-H., Kim, T.-H., Bae, C.-H., Lee, J.-C., You, H.-K., Cho, E.-S. (2016) ‘TGF- β Signaling regulates cementum formation through Osterix expression’, *Scientific Reports*, 6, p. 26046.
- Clauss, F., Chassaing, N., Smahi, A., Vincent, M., Calvas, P., Molla, M., Lesot, H., Alembik, Y., Hadj-Rabia, S., Bodemer, C., Manière, M., Schmittbuhl, M. (2010) ‘X-linked and autosomal recessive Hypohidrotic Ectodermal Dysplasia: genotypic-dental phenotypic findings’, *Clinical Genetics*, 78(3), p. 257–266.
- Clevers, H. (2006) ‘Wnt/ β -Catenin Signaling in Development and Disease’, *Cell*, 127(3), p. 469–480.
- Cobourne, M. T., Miletich, I., Sharpe, P. T. (2004) ‘Restriction of sonic hedgehog signalling during early tooth development’, *Development*, 131(12), p. 2875–2885.

Cobourne, M. T. and Sharpe, P. T. (2010) ‘Making up the numbers: The molecular control of mammalian dental formula’, *Seminars in Cell & Developmental Biology*, 21(3), p. 314–324.

Consolaro, A. (2015) ‘Orthodontic movement in deciduous teeth’, *Dental Press Journal of Orthodontics*, 20(2), p. 16–9.

Courtney, J. M., Blackburn, J., Sharpe, P. T. (2005) ‘The Ectodysplasin and NF κ B signalling pathways in odontogenesis’, *Archives of Oral Biology*, 50, p. 159–163.

Dassule, H. R., Lewis, P., Bei, M., Maas, R., McMahon, A. P. (2000) ‘Sonic hedgehog regulates growth and morphogenesis of the tooth’, *Development*, 127(22), p. 4775–4785.

Falconer, D. S. (1952) ‘A totally sex-linked gene in the house mouse’, *Nature* 169, p. 664–665.

Ferguson, B. M., Brockdorff, N., Formstone, E., Ngyuen, T., Kronmiller, J. E., Zonana, J. (1997) ‘Cloning of Tabby, the murine homolog of the human EDA gene: Evidence for a membrane-associated protein with a short collagenous domain’, *Human Molecular Genetics*, 6(9), p. 1589–1594.

Ferguson, C. A., Tucker, A. S., Heikinheimo, K., Nomura, M., Oh, P., Li, E., Sharpe, P. T. (2001) ‘The role of effectors of the activin signalling pathway, activin receptors IIA and IIB, and Smad2, in patterning of tooth development’, *Development*, 128(22), p. 4605–4613.

Fete, T. J. (2014) ‘Respiratory problems in patients with ectodermal dysplasia syndromes’, *American Journal of Medical Genetics, Part A*, 164(10), p. 2478–2481.

Genderen, C.V., Okamura, R.M., Fariñas, I., Quo, R.G., Parslow, T.G., Bruhn, L., Grosschedl, R. (1994) ‘Development of several organs that require inductive epithelial-mesenchymal interactions is impaired in LEF-1 deficient mice’, *Genes and Development*, 8, p. 2691–2703.

Glick, A.B., Kulkarni, A., Tennenbaum, T., Hennings, H., Flanders, K.C., O'Reilly, M., Sporn, M.B., Karlsson, S., Yuspa, S.H. (1993) ‘Loss of expression of transforming growth factor beta in skin and skin tumors is associated with hyperproliferation and a high risk for malignant conversion.’, *Proceedings of the National Academy of Sciences of the United States of America*, 90(13), p. 6076–6080.

Gritli-Linde, A., Bei, M., Maas, R., Zhang, X. M., Linde, A., McMahon, A. P. (2002) ‘Shh signaling within the dental epithelium is necessary for cell proliferation, growth and polarization’, *Development*, 129(23), p. 5323–5337.

Gruneberg, H. (1965) ‘Genes and genotypes affecting the teeth of the mouse’, *Journal of embryology and experimental morphology*, 14(2), p. 137–159.

Harada, H., Kettunen, P., Jung, H. S., Mustonen, T., Wang, Y. A., Thesleff, I. (1999) ‘Localization of putative stem cells in dental epithelium and their association with Notch and FGF signaling’, *Journal of Cell Biology*, 147(1), p. 105–120.

Hardcastle, Z., Mo, R., Hui, C. C., Sharpe, P. T. (1998) ‘The Shh signalling pathway in tooth development: defects in Gli2 and Gli3 mutants’, *Development*, 125(15), p. 2803–2811.

Harfe, B.D., Scherz, P.J., Nissim, S., Tian, H., McMahon, A.P., Tabin, C.J. (2004) ‘Evidence for an expansion-based temporal Shh gradient in specifying vertebrate digit identities’, *Cell*, 118, p. 517–528.

Hayashi, S. and McMahon, A. P. (2002) ‘Efficient recombination in diverse tissues by a tamoxifen-inducible form of Cre: A tool for temporally regulated gene activation/inactivation in the mouse’, *Developmental Biology*, 244(2), p. 305–318.

Headon, D. J., Emmal, S. A., Ferguson, B. M., Tucker, A. S., Justice, M. J., Sharpe, P. T., Zonana, J., Overbeek, P. A. (2001) ‘Gene defect in ectodermal dysplasia implicates a death domain adapter in development’, *Nature*, 414(6866), p. 913–916.

Headon, D. J. and Overbeek, P. A. (1999) ‘Involvement of a novel Tnf receptor homologue in hair follicle induction’, *Nature Genetics*, 22(4), p. 370–374.

Heldin, C.-H., Miyazono, K., ten Dijke, P. (1997) ‘TGF- β signalling from cell membrane to nucleus through SMAD proteins’, *Nature*, 390, p. 465.

Hongo, I., Kengaku, M., Okamoto, H. (1999) ‘FGF Signaling and the anterior neural induction in *Xenopus*’, *Developmental Biology*, 216(2), p. 561–581.

Hovorakova, M., Lesot, H., Peterka, M., Peterkova, R. (2005) ‘The developmental relationship between the deciduous dentition and the oral vestibule in human embryos’, *Anatomy and Embryology*, 209(4), p. 303–313.

Hovorakova, M., Lesot, H., Vonesch, J. L., Peterka, M., Peterkova, R. (2007) ‘Early development of the lower deciduous dentition and oral vestibule in human embryos’, *European Journal of Oral Sciences*, 115(4), p. 280–287.

Hovorakova, M., Prochazka, J., Lesot, H., Smrckova, L., Churava, S., Boran, T., Kozmik, Z., Klein, O., Peterkova, R., Peterka, M. (2011) ‘Shh expression in a rudimentary tooth offers new insights into development of the mouse incisor’, *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 316 B(5), p. 347–358.

Hovorakova, M., Smrckova, L., Lesot, H., Lochovska, K., Peterka, M., Peterkova, R. (2013) ‘Sequential Shh expression in the development of the mouse upper functional incisor’, *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 320(7), p. 455–464.

Hovorakova, M., Lochovska, K., Zahradnicek, O., Domonkosova Tibenska, K., Dornhoferova, M., Horakova-Smrckova, L., Bodorikova, S. (2016) ‘One odontogenic cell-population contributes to the development of the mouse incisors and of the oral vestibule’, *PLoS ONE* 11(9): e0162523.

Ingham, P. W. and McMahon, A. P. (2001) ‘Hedgehog signaling in animal development: paradigms and principles’, *Genes & Development*, 15(23), p. 3059–3087.

Iseki, S., Araga, A., Ohuchi, H., Nohno, T., Yoshioka, H., Hayashi, F., Noji, S. (1996) ‘Sonic hedgehog is expressed in epithelial cells during development of whisker, hair, and tooth’, *Biochemical and Biophysical Research Communications*, 218(3), p. 688–693.

Jernvall, J., Kettunen, P., Karavanova, I., Martin, L. B., Thesleff, I. (1994) ‘Evidence for the role of the enamel knot as a control center in mammalian tooth cusp formation: Non-dividing cells express growth stimulating Fgf-4 gene’, *International Journal of Developmental Biology*, 38(3), p. 463–469.

Jernvall, J., Aberg, T., Kettunen, P., Keranen, S., Thesleff, I. (1998) 'The life history of an embryonic signaling center: BMP-4 induces p21 and is associated with apoptosis in the mouse tooth enamel knot', *Development*, 125(2), p. 161–169.

Jernvall, J. and Thesleff, I. (2000) 'Reiterative signaling and patterning during mammalian tooth morphogenesis', *Mechanisms of Development*, 92(1), p. 19–29.

Jussila, M., and Thesleff, I. (2012) 'Signaling networks regulating tooth organogenesis and regeneration, and the specification of dental mesenchymal and epithelial cell lineages', *Cold Spring Harbor Perspectives in Biology*, 4(4), a008425.

Kangas, A. T., Evans, A. R., Thesleff, I., Jernvall, J. (2004) 'Nonindependence of mammalian dental characters', *Nature*, 432, p. 211.

Keränen, S. V. E., Åberg, T., Kettunen, P., Thesleff, I., Jernvall, J. (1998) 'Association of developmental regulatory genes with the development of different molar tooth shapes in two species of rodents', *Development Genes and Evolution*, 208(9), p. 477–486.

Kere, J., Srivastava, A. K., Montonen, O., Zonana, J., Thomas, N., Ferguson, B., Munoz, F., Morgan, D., Clarke, A., Baybayan, P., Chen, E. Y., Ezer, S., Saarialho-Kere, U., De La Chapelle, A., Schlessinger, D. (1996) 'X-linked anhidrotic (hypohidrotic) ectodermal dysplasia is caused by mutation in a novel transmembrane protein', *Nature Genetics*, 13, p. 409.

Kingsley, D. M. (1994) 'The TGF-beta superfamily: new members, new receptors, and new genetic tests of function in different organisms', *Genes & Development*, 8(2), p. 133–146.

Koga, C., Adati, N., Nakata, K., Mikoshiba, K., Furuhata, Y., Sato, S., Tei, H., Sakaki, Y., Kurokawa, T., Shiokawa, K., Yokoyama, K.K. (1999) 'Characterization of a novel member of the FGF family, XFGF-20, in *Xenopus laevis*', *Biochemical and Biophysical Research Communications*, 261(3), p. 756–765.

Kohn, A. D. and Moon, R. T. (2005) 'Wnt and calcium signaling: β -Catenin-independent pathways', *Cell Calcium*, 38(3), p. 439–446.

Komiya, Y. and Habas, R. (2008) 'Wnt signal transduction pathways', *Organogenesis*, 4(2), p. 68–75.

Koyama, E., Wu, C., Shimo, T., Iwamoto, M., Ohmori, T., Kurisu, K., Ookura, T., Bashir, M. M., Abrams, W. R., Tucker, T., Pacifici, M. (2001) ‘Development of stratum intermedium and its role as a Sonic hedgehog-signaling structure during odontogenesis’, *Developmental Dynamics*, 222(2), p. 178–191.

Kristenova-Cermakova, P., Peterka, M., Lisi, S., Lesot, H., Peterkova, R. (2002) ‘Postnatal lower jaw dentition in different phenotypes of tabby mice’, *Connective tissue research*, 43 (2–3), p. 283–288.

Kristenová, P., Peterka, M., Lisi, S., Gendrault, J. L., Lesot, H., Peterková, R. (2003) ‘Different morphotypes of functional dentition in the lower molar region of tabby (EDA) mice’, *Orthodontics & Craniofacial Research*, 5(4), p. 205–214.

Laurikkala, J., Mikkola, M.L., Mustonen, T., Åberg, T., Koppinen, P., Pispa, J., Nieminen, P., Galceran, J., Grosschedl, R., Thesleff, I. (2001) ‘TNF signaling via the ligand-receptor pair ectodysplasin and edar controls the function of epithelial signaling centers and is regulated by Wnt and activin during tooth organogenesis’, *Developmental Biology*, 229(2), p. 443–455.

Lesot, H., Vonesch, J. L., Peterka, M., Turecková, J., Peterková, R., Ruch, J. V. (1996) ‘Mouse molar morphogenesis revisited by three-dimensional reconstruction. II. Spatial distribution of mitoses and apoptosis in cap to bell staged first and second upper molar teeth’, *International Journal of Developmental Biology*, 40(5), p. 1017–1031.

Lesot, H., Kristenova, P., Haze, A., Deutsch, D., Peterka, M., Peterkova, R. (2004) ‘Lower Incisors in the Tabby Mutant Mouse’, Paper presented at: 18th ICCBMT (Alberta, Canada).

Liu, F., Chu, E. Y., Watt, B., Zhang, Y., Gallant, N. M., Andl, T., Yang, S. H., Lu, M. M., Piccolo, S., Schmidt-Ullrich, R., Taketo, M. M., Morrisey, E. E., Atit, R., Dlugosz, A. A., Millar, S. E. (2008) ‘Wnt/β-catenin signaling directs multiple stages of tooth morphogenesis’, *Developmental Biology*, 313(1), p. 210–224.

Liu, F. and Millar, S. E. (2010) ‘Wnt/β-catenin signaling in oral tissue development and disease’, *Journal of Dental Research*, 89(4), p. 318–330.

Lochovska, K., Peterkova, R., Pavlikova, Z., Hovorakova, M. (2015) ‘Sprouty gene dosage influences temporal-spatial dynamics of primary enamel knot formation’, *BMC Developmental Biology*, 15(1), p. 21.

Marigo, V., Roberts, D. J., Lee, S. M. K., Tsukurov, O., Levi, T., Gastier, J. M., Epstein, D.J., Gilbert, D.J., Copeland, N.G., Seidman, C.E. (1995) ‘Cloning, expression, and chromosomal location of SHH and IHH: Two human homologues of the drosophila segment polarity gene hedgehog’, *Genomics*, 28(1), p. 44–51.

Marino, M. W., Dunn, A., Grail, D., Inglese, M., Noguchi, Y., Richards, E., Jungbluth, A., Wada, H., Moore, M., Williamson, B., Basu, S., Old, L. J. (1997) ‘Characterization of tumor necrosis factor-deficient mice’, *Proceedings of the National Academy of Sciences of the United States of America*, 94(15), p. 8093–8098.

McMahon, A. P., Ingham, P. W., Tabin, C. J. (2003) ‘Developmental roles and clinical significance of Hedgehog signaling’, *Current topics in developmental biology*, 53, p. 1–114.

Melnick, M., Phair, R. D., Lapidot, S. A., Jaskoll, T. (2009) ‘Salivary gland branching morphogenesis: a quantitative systems analysis of the Eda/Edar/NF κ B paradigm’, *BMC Developmental Biology*, 9(1), p. 32.

Miard, S., Peterková, R., Vonesch, J. L., Peterka, M., Ruch, J. V., Lesot, H. (1999) ‘Alterations in the incisor development in the Tabby mouse’, *International Journal of Developmental Biology*, 43(6), p. 517–529.

Mikkola, M.L. (2008) ‘TNF superfamily in skin appendage development’, *Cytokine & growth factor reviews*, 19 3-4, p. 219-30.

Moon, R. T. (2005) ‘Wnt/ β -Catenin Pathway’, *Science*, 2005(271), p. cm1.

Moon, R. T. and Shah, K. (2002) ‘Signalling polarity’, *Nature*, 417, p. 239.

Moss-Salentijn, L. (1978) ‘Vestigial teeth in the rabbit, rat and mouse; their relationship to the problem of lacteal dentitions. Development, function and evolution of teeth’, *Academic Press, London*, p. 13-29.

Motyl, T., Grzelkowska, K., Zimowska, W., Skierski, J., Waręski, P., Płoszaj, T., Trzeciak, L. (1998) ‘Expression of bcl-2 and bax in TGF- β 1-induced apoptosis of L1210 leukemic cells’, *European Journal of Cell Biology*, 75(4), p. 367–374.

Munne, P. M., Felszeghy, S., Jussila, M., Suomalainen, M., Thesleff, I., Jernvall, J. (2010) ‘Splitting placodes: effects of bone morphogenetic protein and Activin on the patterning and identity of mouse incisors’, *Evolution & Development*, 12(4), p. 383–392.

Mustonen, T., Pispa, J., Mikkola, M.L., Pummila, M., Kangas, A.T., Pakkasjärvi, L., Jaatinen, R., Thesleff, I. (2003) ‘Stimulation of ectodermal organ development by Ectodysplasin-A1’, *Developmental Biology*, 259(1), p. 123–136.

Mustonen, T., Ilmonen, M., Pummila, M., Kangas, A.T., Laurikkala, J., Jaatinen, R., Pispa, J., Gaide, O., Schneider, P., Thesleff, I., Mikkola, M.L. (2004) ‘Ectodysplasin A1 promotes placodal cell fate during early morphogenesis of ectodermal appendages’, *Development*, 131(20), p. 4907–4919.

Neubüser, A., Peters, H., Balling, R., Martin, G. R. (1997) ‘Antagonistic interactions between FGF and BMP signaling pathways: A mechanism for positioning the sites of tooth formation’, *Cell*, 90(2), p. 247–255.

Ntani, G., Day, P. F., Baird, J., Godfrey, K. M., Robinson, S. M., Cooper, C., Inskip, H. M. (2015) ‘Maternal and early life factors of tooth emergence patterns and number of teeth at 1 and 2 years of age’, *Journal of Developmental Origins of Health and Disease*, 6(4), p. 299–307.

Nunn, R., Murray, A. and Sandler, J. (2011) ‘Loss of deciduous teeth – is timing important to the GDP?’, *Dental update*, 38(1), p. 55-58,61-64.

Nusse, R. and Varmus, H. E. (1992) ‘Wnt genes’, *Cell*, 69(7), p. 1073–1087.

Nüsslein-Volhard, C. and Wieschaus, E. (1980) ‘Mutations affecting segment number and polarity in Drosophila’, *Nature*, 287, p. 795.

Nutt, S. L., Dingwell, K. S., Holt, C. E., Amaya, E. (2001) ‘Xenopus sprouty2 inhibits FGF-mediated gastrulation movements but does not affect mesoderm induction and patterning’, *Genes and Development*, 15(9), p. 1152–1166.

Ohazama, A., Courtney, J.-M., Sharpe, P. T. (2004) ‘Opg, Rank, and Rankl in tooth development: Co-ordination of odontogenesis and osteogenesis’, *Journal of Dental Research*, 83(3), p. 241–244.

Ooe, T. (1956) ‘On the development of position of the tooth germs in the human deciduous front teeth’, *Okajimas folia anatomica Japonica*, 28, p. 317–340.

Ornitz, D.M., Xu, J., Colvin, J.S., McEwen, D.G., MacArthur, C.A., Coulier, F., Gao, G., Goldfarb, M. (1996) ‘Receptor Specificity of the Fibroblast Growth Factor Family’, *Journal of Biological Chemistry*, 271(25), p. 15292–15297.

Peterka, M., Lesot, H. and Peterková, R. (2002) ‘Body Weight in Mouse Embryos Specifies Staging of Tooth Development’, *Connective Tissue Research*, 43(2–3), p. 186–190.

Peterkova, R., Hovorakova, M., Peterka, M., Lesot, H. (2014) ‘Three-dimensional analysis of the early development of the dentition’, *Australian Dental Journal*, 59(1), p. 55–80.

Peterková, R., Lesot, H., Vonesch, J. L., Peterka, M., Ruch, J. V. (1996) ‘Mouse molar morphogenesis revisited by three dimensional reconstruction. I. Analysis of initial stages of the first upper molar development revealed two transient buds’, *International Journal of Developmental Biology*, 40(5), p. 1009–1016.

Peterková, R., Peterka, M., Viriot, L., Lesot, H. (2000) ‘Dentition development and budding morphogenesis’, *Journal of craniofacial genetics and developmental biology*, 20(4), p. 158–172.

Peterková, R., Peterka, M., Viriot, L., Lesot, H. (2002a) ‘Development of the vestigial tooth primordia as part of mouse odontogenesis.’, *Connective tissue research*, 43(2–3), p. 120–128.

Peterková, R., Kristenová, P., Lesot, H., Lisi, S., Vonesch, J. L., Gendrault, J. L., Peterka, M. (2002b) ‘Different morphotypes of the tabby (EDA) dentition in the mouse mandible result from a defect in the mesio-distal segmentation of dental epithelium’, *Orthodontics & Craniofacial Research*, 5(4), p. 215–226.

Peterkova R. (1985) ‘The common developmental origin and phylogenetic aspects of teeth, rugae palatinæ, and fornix vestibuli oris in the mouse’, *Journal of craniofacial genetics and developmental biology*, 5, p. 89–104.

Peters, K. G., Werner, S., Chen, G., Williams, L. T. (1992) ‘Two FGF receptor genes are differentially expressed in epithelial and mesenchymal tissues during limb formation and organogenesis in the mouse’, *Development*, 114(1), p. 233–243.

Pispa, J., Jung, H. S., Jernvall, J., Kettunen, P., Mustonen, T., Tabata, M. J., Kere, J., Thesleff, I. (1999) ‘Cusp patterning defect in Tabby mouse teeth and its partial rescue by FGF’, *Developmental Biology*, 216(2), p. 521–534.

Pispa, J. and Thesleff, I. (2003) ‘Mechanisms of ectodermal organogenesis’, *Developmental Biology*, 262(2), p. 195–205.

Polakis, P. (2000) ‘Wnt signaling and cancer Wnt signaling and cancer’, 650, p. 1837–1851.

Prochazka, J., Pantalacci, S., Churava, S., Rothova, M., Lambert, A., Lesot, H., Klein, O., Peterka, M., Laudet, V., Peterkova, R. (2010) ‘Patterning by heritage in mouse molar row development’, *Proceedings of the National Academy of Sciences*, 107(35), p. 15497–15502.

Pummila, M., Fliniaux, I., Jaatinen, R., James, M.J., Laurikkala, J., Schneider, P., Thesleff, I., Mikkola, M.L. (2007) ‘Ectodysplasin has a dual role in ectodermal organogenesis: inhibition of Bmp activity and induction of Shh expression’, *Development*, 134(1), p. 117–125.

Richard, A. C., Peters, J. E., Lee, J. C., Vahedi, G., Schäffer, A. A., Siegel, R. M., Lyons, P.A., Smith, K. G. C. (2016) ‘Targeted genomic analysis reveals widespread autoimmune disease association with regulatory variants in the TNF superfamily cytokine signalling network’, *Genome Medicine*, 8(1), p. 76.

Roberts, A. B., Anzano, M. A., Lamb, L. C., Smith, J. M., Sporn, M. B. (1981) ‘New class of transforming growth factors potentiated by epidermal growth factor: isolation from non-neoplastic tissues’, *Proceedings of the National Academy of Sciences of the United States of America*, 78(9), p. 5339–5343.

Rodriguez, A., Griffiths-Jones, S., Ashurst, J. L., Bradley, A. (2004) ‘Identification of mammalian microRNA host genes and transcription units.’, *Genome research*, 14(10A), p. 1902–1910.

Ruch, J. V. (1998) ‘Odontoblast commitment and differentiation’, *Biochemistry and Cell Biology*, 76(6), p. 923–938.

Sadier, A., Viriot, L., Pantalacci, S., Laudet, V. (2014) ‘The ectodysplasin pathway: From diseases to adaptations’, *Trends in Genetics*, 30(1), p. 24–31.

Sarkar, L., Cobourne, M., Naylor, S., Smalley, M., Dale, T., Sharpe, P. T. (2000) ‘Wnt/Shh interactions regulate ectodermal boundary formation during mammalian tooth development’, *Proceedings of the National Academy of Sciences*, 97(9), p. 4520–4524.

Schneider, H., Faschingbauer, F., Schuepbach-Mallepell, S., Körber, I., Wohlfart, S., Dick, A., Wahlbuhl, M., Kowalczyk-Quintas, C., Vigolo, M., Kirby, N., Tannert, C., Rompel, O., Rascher, W., Beckmann, M.W., Schneider, P. (2018) ‘Prenatal correction of X-linked hypohidrotic ectodermal dysplasia’, *The New England journal of medicine*, 378 17, p. 1604–1610.

Srivastava, A. K., Pispa, J., Hartung, A. J., Du, Y., Ezer, S., Jenks, T., Shimada, T., Pekkanen, M., Mikkola, M. L., Ko, M. S. H., Thesleff, I., Kere, J., Schlessinger, D. (1997) ‘The Tabby phenotype is caused by mutation in a mouse homologue of the EDA gene that reveals novel mouse and human exons and encodes a protein (ectodysplasin-A) with collagenous domains’, *Proceedings of the National Academy of Sciences*, 94(24), p. 13069–13074.

Tamura, M. and Nemoto, E. (2016) ‘Role of the Wnt signaling molecules in the tooth’, *Japanese Dental Science Review*, 52(4), p. 75–83.

Tarpey, P.S., Pemberton, T.J., Stockton, D., Das, P., Ninis, V.N., Edkins, S.J., Futreal, P.A., Wooster, R., Kamath, S., Nayak, R.S., Stratton, M.R., Patel, P.I. (2007) ‘A novel Gln358Glu mutation in ectodysplasin A associated with X-linked dominant incisor hypodontia’, *American Journal of Medical Genetics Part A.*, 143A(4), p. 390–394.

Thesleff, I. and Sharpe, P. (1997) ‘Signalling networks regulating dental development’, *Mechanisms of Development*, 67(2), p. 111–123.

Tompkins, K. (2006) ‘Molecular mechanisms of cytodifferentiation in mammalian tooth development’, *Connective Tissue Research*, 47(3), p. 111–118.

Tonge, C. H. (1969) ‘The time-structure relationship of tooth development in human embryogenesis’, *Journal of Dental Research*, 48(5), p. 745–752.

Tucker, A. S., Headon, D. J., Schneider, P., Ferguson, B. M., Overbeek, P., Tschopp, J., Sharpe, P. T. (2000) ‘Edar/Eda interactions regulate enamel knot formation in tooth morphogenesis’, *Development*, 127(21), p. 4691–4700.

Tucker, A. S., Headon, D. J., Courtney, J.-M., Overbeek, P., Sharpe, P. T. (2004) ‘The activation level of the TNF family receptor, Edar, determines cusp number and tooth number during tooth development’, *Developmental Biology*, 268(1), p. 185–194.

Turečková, J., Lesot, H., Vonesch, J. L., Peterka, M., Peterková, R., & Ruch, J. V. (1996) ‘Apoptosis is involved in the disappearance of the diastemal dental primordia in mouse embryo’, *International Journal of Developmental Biology*, 40(2), p. 483–489.

Vaahokari, A., Åberg, T. and Thesleff, I. (1996b) ‘Apoptosis in the developing tooth: association with an embryonic signaling center and suppression by EGF and FGF-4’, *Development (Cambridge, England)*, 122(1), p. 121–129.

Vaahokari, A., Åberg, T., Jernvall, J., Keränen, S., Thesleff, I. (1996a) ‘The enamel knot as a signaling center in the developing mouse tooth’, *Mechanisms of Development*, 54(1), p. 39–43.

Viriot, L., Lesot, H., Vonesch, J. L., Ruch, J. V., Peterka, M., Peterková, R. (2000) ‘The presence of rudimentary odontogenic structures in the mouse embryonic mandible requires reinterpretation of developmental control of first lower molar histomorphogenesis’, *International Journal of Developmental Biology*, 44(2), p. 233–240.

Viriot, L., Peterková, R., Peterka, M., Lesot, H. (2002) ‘Evolutionary implications of the occurrence of two vestigial tooth germs during early odontogenesis in the mouse lower jaw’, *Connective Tissue Research*, 43(2–3), p. 129–133.

Wainwright, B. J., Scambler, P. J., Stanier, P., Watson, E. K., Bell, G., Wicking, C., Estivill, X., Courtney, M., Boue, A., Pedersen, P. S. (1988) ‘Isolation of a human gene with protein sequence similarity to human and murine int-1 and the Drosophila segment polarity mutant wingless’, *The EMBO journal*, 7(6), p. 1743–1748.

Wajant, H., Pfizenmaier, K. and Scheurich, P. (2003) ‘Tumor necrosis factor signaling’, *Cell Death And Differentiation*, 10, p. 45.

Wang, X. P., Suomalainen, M., Jorgez, C. J., Matzuk, M. M., Werner, S., Thesleff, I. (2004) 'Follistatin regulates enamel patterning in mouse incisors by asymmetrically inhibiting BMP signaling and ameloblast differentiation', *Developmental Cell*, 7(5), p. 719–730.

Willert, K., Brown, J. D., Danenberg, E., Duncan, A. W., Weissman, I. L., Reya, T., Nusse, R. (2003) 'Wnt proteins are lipid-modified and can act as stem cell growth factors', *Nature*, 423, p. 448.

Woodward, M. F. (1894) 'On the milk dentition of the rodentia with a description of a vestigial milk incisor in the mouse (*Mus musculus*)', *Anatomischer Anzeiger*, 9, p. 619-631.

Wu, C., Shimo, T., Liu, M., Pacifici, M., Koyama, E. (2003) 'Sonic hedgehog functions as a mitogen during bell stage of odontogenesis', *Connective Tissue Research*, 44(1), p. 92–96.

Yun, Y., Won, J.E., Jeon, E., Lee, S., Kang, W., Jo, H., Jang, J., Shin, U.S., Kim, H. (2010) 'Fibroblast Growth Factors: Biology, Function, and Application for Tissue Regeneration', *Journal of Tissue Engineering*, 1(1), p. 218142.

Zhang, Y., Tomann, P., Andl, T., Gallant, N. M., Huelsken, J., Jerchow, B., Schmidt-Ullrich, R. (2009) 'Reciprocal requirements for Eda/Edar/NF- κ B and Wnt/ β -catenin signaling pathways in hair follicle induction', *Developmental Cell*, 17(1), p. 49–61.