

## 8. Seznam citované literatury

- Akolekar R., Beta J., Picciarelli G., Ogilvie C., D'Antonio F. Procedure-related risk of miscarriage following amniocentesis and chorionic villus sampling: a systematic review and meta-analysis. *Ultrasound in Obstetrics & Gynecology*, 2014, 45.1: 16-26.
- Alberry M.S., Maddocks D.G., Hadi M.A., Metawi H., Hunt L.P., Abdel-Fattah S.A., Avent N.D., Soothill P.W. Quantification of cell free fetal DNA in maternal plasma in normal pregnancies and in pregnancies with placental dysfunction. *American Journal of Obstetrics & Gynecology*, 2009, 200.1: 98-e1.
- Ariga H., Ohto H., Busch M.P., Imamura S., Watson R., Reed W., Lee T.H. Kinetics of fetal cellular and cell-free DNA in the maternal circulation during and after pregnancy: Implications for noninvasive prenatal diagnosis. *Transfusion*, 2001, 41.12: 1524-1530.
- Arnemann J., Epplen J.T., Cooke H.J., Sauermann U., Engel W., Schmidtke J. A human Y-chromosomal DNA sequence expressed in testicular tissue. *Nucleic Acids Research*, 1987, 15.21: 8713-8724.
- Ashoor G., Syngelaki A., Poon L.C.Y., Rezende J.C., Nicolaides K.H. Fetal fraction in maternal plasma cell-free DNA at 11 - 13 weeks' gestation: relation to maternal and fetal characteristics. *Ultrasound in Obstetrics & Gynecology*, 2013, 41.1: 26-32.
- Ashoor G., Syngelaki A., Wagner M., Birdir C., Nicolaides K.H. Chromosome-selective sequencing of maternal plasma cell-free DNA for first-trimester detection of trisomy 21 and trisomy 18. *American Journal of Obstetrics & Gynecology*, 2012, 206.4: 322.e1-322.e5.
- Atamaniuk J., Vidotto C., Tschan H., Bachl N., Stuhlmeier K.M., Müller M.M. Increased concentrations of cell-free plasma DNA after exhaustive exercise. *Clinical Chemistry*, 2004, 50.9: 1668-1670.
- Barrett A.N., McDonnell T.C.R., Chan K.C.A., Chitty L.S. Digital PCR analysis of maternal plasma for noninvasive detection of sickle cell anemia. *Clinical Chemistry*, 2012, 58.6: 1026-1032.
- Bartha J.L., Finning K., Soothill P.W. Fetal sex determination from maternal blood at 6 weeks of gestation when at risk for 21-hydroxylase deficiency. *Obstetrics & Gynecology*, 2003, 101.5: 1135-1136.

- Bastos-Rodrigues L., Pimenta J.R., Pena S.D.J. The genetic structure of human populations studied through short insertion-deletion polymorphisms. *Annals of Human Genetics*, 2006, 70.5: 658–665.
- Benachi A., Steffann J., Gautier E., Ernault P., Olivi M., Dumez Y., Costa J.M. Fetal DNA in maternal serum: does it persist after pregnancy? *Human Genetics*, 2003, 113.1: 76–79.
- Benoit B. Early fetal gender determination. *Ultrasound in Obstetrics & Gynecology*, 1999, 13.5: 299–300
- Berta P., Hawkins J.B., Sinclair A.H., Taylor A., Griffiths B.L., Goodfellow P.N., Fellous M. Genetic evidence equating SRY and the testis-determining factor. *Nature*, 1990, 348.6300: 448–450.
- Bianchi D.W. Circulating fetal DNA: Its origin and diagnostic potential - A review. *Placenta*, 2004, 25.18: S93–S101.
- Bianchi D.W., Flint A.F., Pizzimenti M.F., Knoll J.H., Latt S.A. Isolation of fetal DNA from nucleated erythrocytes in maternal blood. *Proceedings of the National Academy of Sciences*, 1990, 87.9: 3279-3283.
- Bianchi D.W., Parsa S., Bhatt S., Halks-Miller M., Kurtzman K., Sehnert A.J., Swanson A. Fetal sex chromosome testing by maternal plasma DNA sequencing: Clinical laboratory experience and biology. *Obstetrics & Gynecology*, 2015, 125.2: 375-382.
- Bianchi D.W., Platt L.D., Goldberg J.D., Abuhamad A.Z., Sehnert A.J., Rava R.P. Genome-wide fetal aneuploidy detection by maternal plasma DNA sequencing. *Obstetrics & Gynecology*, 2012, 119.5: 890-901.
- Bianchi D.W., Zickwolf G.K., Weil G.J., Sylvester S., DeMaria M.A. Male fetal progenitor cells persist in maternal blood for as long as 27 years postpartum. *Proceedings of the National Academy of Sciences*, 1996, 93.2: 705-708.
- Bio-Rad, Products for Life Science Research & Clinical Diagnostics [online]. Copyright © 2018 Bio [cit. 20. 09. 2018]. Dostupné z: <http://www.bio-rad.com/>
- Bogart M.H., Pandian M.R., Jones O.W. Abnormal maternal serum chorionic gonadotropin levels in pregnancies with fetal chromosome abnormalities. *Prenatal Diagnosis*, 1987, 7.9: 623-630.
- Boon E.M.J., Schlecht H.B., Martin P., Daniels G., Vossen R.H.A.M., den Dunnen J.T., Bakker B., Elles R. Y chromosome detection by Real Time PCR and pyrophosphorolysis-activated polymerisation using free fetal DNA isolated from

- maternal plasma. *Prenatal Diagnosis*, 2007, 27.10: 932-937.
- Butler E., Li R. Genetic markers for sex identification in forensic DNA analysis. *Journal of Forensic Investigation*, 2014, 2.3: 10.
- Calda P. Etické problémy prenatalní diagnostiky a terapie na počátku 3. tisíciletí. *Interní medicína pro praxi*, 2003, 5.3: 6-10.
- Calda P., Břešťák M., Fischerová D. *Ultrazvuková diagnostika v těhotenství a gynekologii*. 2. vydání, Praha: Aprofema, 2010, ISBN 978-80-903706-2-3.
- Caputo M., Amador M.A., Santos S., Corach D. Potential forensic use of a 33 X-InDel panel in the Argentinean population. *International journal of legal medicine*, 2016, 131.1: 107-112.
- Carpenter G. Case of muscular dystrophy. *Proceedings of the Royal Society of Medicine*, 1909, 2: 56–59
- Caughey A.B., Hopkins L.M., Norton M.E. Chorionic villus sampling compared with amniocentesis and the difference in the rate of pregnancy loss. *Obstetrics & Gynecology*, 2006, 108.3: 612-616.
- Chan K.C.A., Zhang A., Hui A.B.Y., Wong N., Lau T.K., Leung T.N., Lo K-W., Huang D.W.S., Lo Y.M.D. Size distributions of maternal and fetal DNA in maternal plasma. *Clinical Chemistry*, 2004, 50.1: 88-92.
- Chan L.Y.S., Leung T.N., Chan K.C.A., Tai H.L., Lau T.K., Wong E.M.C., Lo Y.M.D. Serial analysis of fetal DNA concentrations in maternal plasma in late pregnancy. *Clinical Chemistry*, 2003, 49.4: 678-680.
- Chi C., Hyett J.A., Finning K.M., Lee C.A., Kadir R.A. Non-invasive first trimester determination of fetal gender: A new approach for prenatal diagnosis of haemophilia. *BJOG: An International Journal of Obstetrics & Gynecology*, 2006, 113.2: 239-242.
- Chiu R.W.K., Lo Y.M.D. Application of fetal DNA in maternal plasma for noninvasive prenatal diagnosis. *Expert Review of Molecular Diagnostics*, 2002, 2.1: 32-40.
- Chiu R.W.K., Chan K.C.A., Gao Y., Lau V.Y.M., Zheng W., Leung T.Y., Foo C.H.F., Xie B., Tsui N.B.Y., Lun F.M.F., Zee B.C.Y., Lau T.K., Cantor C.R., Lo Y.M.D. Noninvasive prenatal diagnosis of fetal chromosomal aneuploidy by massively parallel genomic sequencing of DNA in maternal plasma. *Proceedings of the National Academy of Sciences*, 2008, 105.51: 20458-20463.
- Chueh J., Golbus M.S. Prenatal diagnosis using fetal cells from the maternal circulation. *Western Journal of Medicine*, 1993, 159.3: 308.

- Chromosome idiogram. Genetics Home Reference - NIH [online]. [cit. 20. 09. 2018]  
Dostupné z: <https://ghr.nlm.nih.gov/chromosome/X#idiogram>
- Conner S.N., Longman R.E., Cahill A.G. The role of ultrasound in the diagnosis of fetal genetic syndromes. *Best Practice & Research Clinical Obstetrics & Gynecology*, 2014, 28.3: 417-428.
- Le Conte G., Letourneau A., Jani J., Kleinfinger P., Lohmann L., Costa J.M., Benachi A. Cell-free fetal DNA analysis in maternal plasma as a screening test for trisomy 21, 18 and 13 in twin pregnancies. *Ultrasound in Obstetrics & Gynecology*, 2017, 52.3: 318-324.
- Da Costa Francez P.A., Rodrigues E.M.R., de Velasco A.M., dos Santos S.E.B. Insertion-deletion polymorphisms-utilization on forensic analysis. *International Journal of Legal Medicine*, 2012, 126.4: 491-496.
- Costa J.M., Benachi A., Gautier E. New strategy for prenatal diagnosis of X-linked disorders. *New England Journal of Medicine*, 2002a, 346.19: 1502-1502.
- Costa J.M., Benachi A., Gautier E., Jouannic J., Ernault P., Dumez Y. First-trimester fetal sex determination in maternal serum using real-time PCR. *Prenatal Diagnosis*, 2001, 21.12: 1070-1074.
- Costa J.M., Giovangrandi Y., Ernault P., Lohmann L., Nataf V., El Halali N., Gautier E. Fetal RHD genotyping in maternal serum during the first trimester of pregnancy. *British Journal of Haematology*, 2002b, 119.1: 255-260.
- Debrand E., Lykoudi A., Bradshaw E., Allen S.K. A non-invasive droplet digital PCR (ddPCR) assay to detect paternal CFTR mutations in the cell-free fetal DNA (cffDNA) of three pregnancies at risk of cystic fibrosis via compound heterozygosity. *PLoS One*, 2015, 10.11: e0142729.
- Devaney S.A., Palomaki G.E., Scott J.A., Bianchi D.W. Noninvasive fetal sex determination using cell-free fetal DNA: a systematic review and meta-analysis. *Jama*, 2011, 306.6: 627-636.
- Dunne G.M., Cunat J.S. Sonographic determination of fetal gender before 25 weeks gestation. *American Journal of Roentgenology*, 1982, 140.4: 741-743.
- Edelmann J., Hering S., Augustin C., Szibor R. InDel polymorphisms - An additional set of markers on the X-chromosome. *Forensic Science International: Genetics Supplement Series*, 2009, 2.1: 510-512.
- Edelmann J., Kohl M., Dressler J., Hoffmann A. X-chromosomal 21-INDEL marker panel in German and Baltic populations. *International Journal of Legal Medicine*,

- 2016, 130.2: 357-360.
- Efrat Z., Akinfenwa O.O., Nicolaides K.H. First-trimester determination of fetal gender by ultrasound. *Ultrasound in Obstetrics & Gynecology*, 1999, 13.5: 305-307.
- Emerson D.S., Felker R.E., Brown D.L. The sagittal sign. An early second trimester sonographic indicator of fetal gender. *Journal of Ultrasound in Medicine*, 1989, 8.6: 293-297.
- Falzarano M.S., Scotton C., Passarelli C., Ferlini A. Duchenne muscular dystrophy: From diagnosis to therapy. *Molecules*, 2015, 20.10: 18168-18184.
- Fan G., Ye Y., Luo H., Hou Y. Screening of Multi-InDel markers on X-chromosome for forensic purpose. *Forensic Science International: Genetics Supplement Series*, 2015, 5: e42-e44.
- Farina A., LeShane E.S., Romero R., Gomez R., Chaiworapongsa T., Rizzo N., Bianchi D.W. High levels of fetal cell-free DNA in maternal serum: A risk factor for spontaneous preterm delivery. *American Journal of Obstetrics & Gynecology*, 2005, 193.2: 421-425.
- Ferres M.A., Hui L., Bianchi D.W. Antenatal noninvasive DNA testing: Clinical experience and impact. *American Journal of Perinatology*, 2014, 31.7: 577-582.
- Finning K.M., Chitty L.S. Non-invasive fetal sex determination: Impact on clinical practice. *Seminars in Fetal and Neonatal Medicine*, 2008, 13. 2: 69-75.
- Francez P.A.D.C., Ribeiro-Rodrigues E.M., dos Santos S.E.B. Allelic frequencies and statistical data obtained from 48 AIM INDEL loci in an admixed population from the Brazilian Amazon. *Forensic Science International: Genetics*, 2012, 6.1: 132-135.
- Freitas S.C.N., Resque R.L., Ribeiro-Rodrigues E.M., Guerreiro J.F., Santos N.P.C., Ribeiro-Dos-Santos A., Santos S. X-linked insertion/deletion polymorphisms: Forensic applications of a 33-markers panel. *International Journal of Legal Medicine*, 2010, 124.6: 589-593.
- Galbiati S., Smid M., Gambini D., Ferrari A., Restagno G., Viora E., Campogrande M., Bastonero S., Pagliano M., Calza S., Ferrari M., Cremonesi L. Fetal DNA detection in maternal plasma throughout gestation. *Human Genetics*, 2005, 117.2-3: 243-248.
- González-González M.C., García-Hoyos M., Trujillo M.J., Rodríguez de Alba M., Lorda-Sánchez I., Díaz-Recasens J., Gallardo E., Ayuso C., Ramos C. Prenatal detection of a cystic fibrosis mutation in fetal DNA from maternal plasma.

- Prenatal Diagnosis*, 2002, 22.10: 946-948.
- González-González M.C., Trujillo M.J., Rodríguez de Alba M., García-Hoyos M., Lorda-Sánchez I., Díaz-Recasens J., Ayuso C., Ramos C. Huntington disease- unaffected fetus diagnosed from maternal plasma using QF-PCR. *Prenatal Diagnosis*, 2003, 23.3: 232-234.
- Gorduza V.E., Socolov D.G., Socolov R.V. *Congenital Anomalies - From the Embryo to the Neonate*, Prenatal biochemical and ultrasound markers in chromosomal anomalies – Chapter 18, IntechOpen, 2018, ISBN 978-1-78923-115-1.
- Guibert J., Benachi A., Grebille A.G., Ernault P., Zorn J.R., Costa J.M. Kinetics of SRY gene appearance in maternal serum: Detection by real time PCR in early pregnancy after assisted reproductive technique. *Human Reproduction*, 2003, 18.8: 1733-1736.
- Haddow J.E., Palomaki G.E., Knight G.J., Williams J., Pulkkinen A., Canick J.A., Saller D.N., Bowers G.B. Prenatal screening for Down's Syndrome with use of maternal serum markers. *New England Journal of Medicine*, 1992, 327.9: 588-593.
- Haghiac M., Vora N.L., Basu S., Johnson K.L., Presley L., Bianchi D.W., De Mouzon S.H. Increased death of adipose cells, a path to release cell-free DNA into systemic circulation of obese women. *Obesity*, 2012, 20.11: 2213-2219.
- Hájek Z., Kulovaný E., Milan M. *Základy prenatální diagnostiky*. Praha: Grada, 2000, ISBN 80-716-9391-X.
- Hammer-Jacobsen E. Therapeutic abortion on account of X-ray examination during pregnancy. *Danish Medical Bulletin*, 1959, 6.4: 113-122.
- Harrington K., Armstrong V., Freeman J., Aquilina J., Campbell S. Fetal sexing by ultrasound in the second trimester: Maternal preference and professional ability. *Ultrasound in Obstetrics & Gynecology*, 1996, 8.5: 318-321.
- Hartwig T.S., Ambye L., Werge L., Weiergang M.K., Høgh A., Nørgaard P., Sørensen S., Joergensen F.S. OP22.07: Validation of NIPT as a screening test for Trisomy 21, 18, 13 and fetal sex performed at Hvidovre Hospitals NIPT Centre, Copenhagen, Denmark. *Ultrasound in Obstetrics & Gynecology*, 2017, 50.1: 120-120.
- Hill M., Finning K., Martin P., Hogg J., Meaney C., Norbury G., Daniels G., Chitty L. Non-invasive prenatal determination of fetal sex: Translating research into clinical practice. *Clinical Genetics*, 2011, 80.1: 68-75.
- Honda H., Miharuru N., Ohashi Y., Samura O., Kinutani M., Hara T., Ohama K. Fetal

- gender determination in early pregnancy through qualitative and quantitative analysis of fetal DNA in maternal serum. *Human Genetics*, 2002, 110.1: 75-79.
- Horinek A., Korabecna M., Panczak A., Gallova Z.U., Nouzova K., Calda P., Hancarova M. Cell-free fetal DNA in maternal plasma during physiological single male pregnancies: Methodology issues and kinetics. *Fetal Diagnosis and Therapy*, 2008, 24.1: 15-21.
- Hromadnikova I., Houbova B., Hridelova D., Voslarova S., Kofer J., Komrska V., Habart D. Replicate real-time PCR testing of DNA in maternal plasma increases the sensitivity of non-invasive fetal sex determination. *Prenatal Diagnosis*, 2003, 23.3: 235-238.
- Hromadnikova I., Vechetova L., Vesela K., Benesova B., Doucha J., Kulovany E., Vlk R. Non-invasive fetal RHD exon 7 and exon 10 genotyping using real-time PCR testing of fetal DNA in maternal plasma. *Fetal Diagnosis and Therapy*, 2005, 20.4: 275-280.
- Hsiao C.H., Wang H.C., Hsieh C.F., Hsu J.J. Fetal gender screening by ultrasound at 11 to 13+6 weeks. *Acta Obstetrica et Gynecologica Scandinavica*, 2008, 87.1: 8-13.
- Hsu L.Y.F., Dubin E.C., Kerenyi T., Hirschhorn K. Results and pitfalls in prenatal cytogenetic diagnosis. *Journal of Medical Genetics*, 1973, 10.2: 112-119.
- Hunter A. Invasive prenatal testing. *Canadian Family Physician*, 1988, 34: 903-906.
- Ibarra A., Restrepo T., Rojas W., Castillo A., Amorim A., Martínez B., Burgos G., Ostos H., Álvarez K., Camacho M., Suarez Z., Pereira R., Gusmão L. Evaluating the X chromosome-specific diversity of Colombian populations using insertion/deletion polymorphisms. *PloS One*, 2014, 9.1: e87202.
- Kessler H.H., Mühlbauer G., Stelzl E., Daghofer E., Santner B.I., Marth E. Fully automated nucleic acid extraction: MagNa pure LC. *Clinical Chemistry*, 2001, 47.6: 1124-1126.
- Leon S.A., Shapiro B., Sklaroff D.M., Yaros M.J. Free DNA in the serum of cancer patients and the effect of therapy. *Cancer Research*, 1977, 37.3: 646-650.
- Leung T.N., Zhang J., Lau T.K., Hjelm N.M., Lo Y.M.D. Maternal plasma fetal DNA as a marker for preterm labour. *The Lancet*, 1998, 352.9144: 1904-1905.
- Lev-Toaff A.S., Ozhan S., Pretorius D., Bega G., Kurtz A.B., Kuhlman K. Three-dimensional multiplanar ultrasound for fetal gender assignment: Value of the mid-sagittal plane. *Ultrasound in Obstetrics & Gynecology*, 2000, 16.4: 345-350.
- Levy S., Sutton G., Ng P.C., Feuk L., Halpern A.L., Walenz B.P., Axelrod N., Huang J.,

- Kirkness E.F., Denisov G., Lin Y., MacDonald J.R., Pang A.W.C., Shago M., Stockwell T.B., Tsiamouri A., Bafna V., Bansal V., Kravitz S.A., Busam D.A., Beeson K.Y., McIntosh T.C., Remington K.A., Abril J.F., Gill J., Borman J., Rogers Y.H., Frazier M.E., Scherer S.W., Strausberg R.L., Venter J.C. The diploid genome sequence of an individual human. *PLoS Biology*, 2007, 5.10: e254.
- Li C.N., Hsu H.L., Wu T.L., Tsao K.C., Sun C.F., Wu J.T. Cell-free DNA is released from tumor cells upon cell death: A study of tissue cultures of tumor cell lines. *Journal of Clinical Laboratory Analysis*, 2003, 17.4: 103-107.
- Li Y., Zimmermann B., Rusterholz C., Kang A., Holzgreve W., Hahn S. Size separation of circulatory DNA in maternal plasma permits ready detection of fetal DNA polymorphisms. *Clinical Chemistry*, 2004, 50.6: 1002-1011.
- Lo Y.M.D. Noninvasive prenatal diagnosis using fetal cells in maternal blood. *Molecular Diagnosis of Genetic Diseases*, 1996, 5: 237-244.
- Lo Y.M.D, Chiu R.W.K., Lau T.K., Chui D.H.K., Leung T.N., Chow K.C.K. Prenatal exclusion of  $\beta$ -thalassaemia major by examination of maternal plasma. *The Lancet*, 2002, 360.9338: 998-1000.
- Lo Y.M.D., Corbetta N., Chamberlain P.F., Rai V., Sargent I.L., Redman C.W., Wainscoat J.S. Presence of fetal DNA in maternal plasma and serum. *The Lancet*, 1997, 350.9076: 485-487.
- Lo Y.M.D., Hjelm N.M., Fidler C., Sargent I.L., Murphy M.F., Chamberlain P.F., Poon P.M., Redman C.W., Wainscoat J.S. Prenatal diagnosis of fetal RhD status by molecular analysis of maternal plasma. *New England Journal of Medicine*, 1998a, 339.24: 1734-1738.
- Lo Y.M.D., Lau T.K., Zhang J., Leung T.N., Chang A.M.Z., Hjelm N.M., Elmes R.S., Bianchi D.W. Increased fetal DNA concentrations in the plasma of pregnant women carrying fetuses with trisomy 21. *Clinical Chemistry*, 1999a, 45.10: 1747-1751.
- Lo Y.M.D., Leung T.N., Tein M.S.C., Sargent I.L., Zhang J., Lau T.K., Haines C.J., Redman C.W.G. Quantitative abnormalities of fetal DNA in maternal serum in preeclampsia. *Clinical Chemistry*, 1999b, 45.2: 184-188.
- Lo Y.M.D., Tein M.S.C., Lau T.K., Haines C.J., Leung T.N., Poon P.M.K., Wainscoat J.S., Johnson P.J., Chang A.M.Z., Hjelm N.M. Quantitative analysis of fetal DNA in maternal plasma and serum: Implications for noninvasive prenatal diagnosis. *The American Journal of Human Genetics*, 1998b, 62.4: 768-775.



- Lo Y.M.D., Zhang J., Leung T.N., Lau T.K., Chang A.M.Z., Hjelm N.M. Rapid clearance of fetal DNA from maternal plasma. *The American Journal of Human Genetics*, 1999c, 64.1: 218-224.
- Mahallawi M.N., Omran O., Tamara T., Teama S. Early detection of fetal gender from maternal blood using polymerase chain reaction. *Egyptian Journal of Medical Human Genetics*, 2007, 8.1: 47-55.
- Majer S., Bauer M., Magnet E., Strele A., Giegerl E., Eder M., Lang U., Pertl B. Maternal urine for prenatal diagnosis - an analysis of cell-free fetal DNA in maternal urine and plasma in the third trimester. *Prenatal Diagnosis*, 2007, 27.13: 1219-1223.
- Martin J.P., Bell J. A pedigree of mental defect showing sex-linkage. *Journal of Neurology and Psychiatry*, 1943, 6.3-4: 154-157.
- Meagher S., Davison G. Early second-trimester determination of fetal gender by ultrasound. *Ultrasound in Obstetrics & Gynecology*, 1996, 8.5: 322-324.
- Mills R.E., Luttig C.T., Larkins C.E., Beauchamp A., Tsui C., Pittard W.S., Devine S.E. An initial map of insertion and deletion (INDEL) variation in the human genome. *Genome Research*, 2006a,b, 16.9: 1182-1190.
- Mills R.E., Pittard W.S., Mullaney J.M., Farooq U., Creasy T.H., Mahurkar A.A., Kemeza D.M., Strassler D.S., Ponting C.P., Webber C., Devine S.E. Natural genetic variation caused by small insertions and deletions in the human genome. *Genome Research*, 2011, 21.6: 830-839.
- Minon J.M., Gerard C., Senterre J.M., Schaaps J.P., Foidart J.M. Routine fetal RHD genotyping with maternal plasma: A four-year experience in Belgium. *Transfusion*, 2008, 48.2: 373-381.
- Monni G., Zoppi M.A., Iuculano A., Piras A., Arras M. Invasive or non-invasive prenatal genetic diagnosis? *Journal of Perinatal Medicine*, 2014, 42.5: 545-548.
- Nelson M.M., Emery A.E.H. Amniotic fluid cells; prenatal sex prediction and culture. *British Medical Journal*, 1970, 1.5695: 523-526.
- Niermeijer M.F., Sachs E.S., Jahodova M. Prenatal diagnosis of genetic disorders. *Journal of Medical Genetics*, 1976, 13.3: 182-194.
- Thompson J.S., Thompson M.W., Nussbaum R.L., McInnes R.R., Willard H.F. *Klinická genetika: Thompson & Thompson*. 6. vydání, Triton, 2004, ISBN 80-725-4475-6.
- Oka K., Asari M., Omura T., Yoshida M., Maseda C., Yajima D., Matsubara K., Shiono

- H., Matsuda M., Shimizu K. Genotyping of 38 insertion/deletion polymorphisms for human identification using universal fluorescent PCR. *Molecular and Cellular Probes*, 2014, 28.1: 13-18.
- Papageorgiou E.A., Patsalis P.C. Non-invasive prenatal diagnosis of aneuploidies: New technologies and clinical applications. *Genome Medicine*, 2012, 4.5: 46.
- Pereira R., Pereira V., Gomes I., Tomas C., Morling N., Amorim A., Prata M.J., Carracedo Á., Gusmão L. A method for the analysis of 32 X chromosome insertion deletion polymorphisms in a single PCR. *International Journal of Legal Medicine*, 2012, 126.1: 97-105.
- Pereira R., Phillips C., Alves C., Amorim A., Carracedo Á., Gusmão L. A new multiplex for human identification using insertion/deletion polymorphisms. *Electrophoresis*, 2009a, 30.21: 3682-3690.
- Pereira R., Phillips C., Alves C., Amorim A., Carracedo Á., Gusmão L. Insertion/deletion polymorphisms: A multiplex assay and forensic applications. *Forensic Science International: Genetics Supplement Series*, 2009b, 2.1: 513-515.
- Pereira V., Moncada E., Diez I.E., Tomas C., Amorim A., Morling N., Gusmão L., Prata M.J. Genetic characterization of Somali and Iraqi populations using a set of 33 X-chromosome INDELS. *Forensic Science International: Genetics Supplement Series*, 2011, 3.1: e137-e138.
- Pertl B., Sekizawa A., Samura O., Orescovic I., Rahaim P.T., Bianchi D.W. Detection of male and female fetal DNA in maternal plasma by multiplex fluorescent polymerase chain reaction amplification of short tandem repeats. *Human Genetics*, 2000, 106.1: 45-49.
- Powers J.M., Schaumburg H.H. Adreno-leukodystrophy (sex-linked Schilder's disease): A pathogenetic hypothesis based on ultrastructural lesions in adrenal cortex, peripheral nerve and testis. *The American Journal of Pathology*, 1974, 76.3: 481.
- Quintana S., Di Gerónimo V., Estévez M.S., Passucci J., Rivero M. Early fetal sex determination in maternal plasma by real-time PCR. *Acta Bioquímica Clínica Latinoamericana*, 2015, 49.2: 229-234.
- Rijnders R.J.P., van der Schoot C.E., Bossers B., de Vroede M.A., Christiaens G.C. Fetal sex determination from maternal plasma in pregnancies at risk for congenital adrenal hyperplasia. *Obstetrics & Gynecology*, 2001, 98.3: 374-378.
- Rijnders R.J.P., Van Der Luijt R.B., Peters E.D.J., Goeree J.K., Van Der Schoot C.E., Ploos Van Amstel J.K., Christiaens G.C. Earliest gestational age for fetal sexing in

cell-free maternal plasma. *Prenatal Diagnosis*, 2003, 23.13: 1042-1044.

Roche Life Science | Welcome [online]. Copyright ©1999 [cit. 20. 09. 2018]. Dostupné z:  
[https://lifescience.roche.com/en\\_cz.html](https://lifescience.roche.com/en_cz.html)

Ross M.T., Grafham D.V., Coffey A.J., Scherer S., McLay K., Muzny D., Platzer M., Howell G.R., Burrows C., Bird C.P., Frankish A., Lovell F.L., Howe K.L., Ashurst J.L., Fulton R.S., Sudbrak R., Wen G., Jones M.C., Hurles M.E., Andrews T.D., Scott C.E., Searle S., Ramser J., Whittaker A., Deadman R., Carter N.P., Hunt S.E., Chen R., Cree A., Gunaratne P., Havlak P., Hodgson A., Metzker M.L., Richards S., Scott G., Steffen D., Sodergren E., Wheeler D.A., Worley K.C., Ainscough R., Ambrose K.D., Ansari-Lari M.A., Aradhya S., Ashwell R.I.S., Babbage A.K., Bagguley C.L., Ballabio A., Banerjee R., Barker G.E., Barlow K.F., Barrett I.P., Bates K.N., Beare D.M., Beasley H., Beasley O., Beck A., Bethel G., Blechschmidt K., Brady N., Bray-Allen S., Bridgeman A.M., Brown A.J., Brown M.J., Bonnin D., Bruford E.A., Buhay C., Burch P., Burford D., Burgess J., Burrill W., Burton J., Bye J.M., Carder C., Carrel L., Chako J., Chapman J.C., Chavez D., Chen E., Chen G., Chen Y., Chen Z., Chinault C., Ciccodicola A., Clark S.Y., Clarke G., Clee C.M., Clegg S., Clerc-Blankenburg K., Clifford K., Copley V., Cole C.G., Conquer J.S., Corby N., Connor R.E., David R., Davies J., Davis C., Davis J., Delgado O., DeShazo D., Dhami P., Ding Y., Dodsworth S., Draper H., Dugan-Rocha S., Dunham A., Dunn M., Durbin K.J., Dutta I., Eades T., Ellwood M., Emery-Cohen A., Errington H., Eyans K.L., Faulkner L., Francis F., Frankland J., Fraser A.E., Galgoczy P., Gilbert J., Gill R., Glöckner G., Gregory S.G., Griffiths C., Grocock R., Gu Y., Gwilliam R., Hamilton C., Hart E.A., Hawes A., Heath P.D., Heitmann K., Hennig S., Hernandez J., Hinzmann B., Ho S., Hoffs M., Howden P.J., Huckle E.J., Hume J., Hunt P.J., Hunt A.R., Isherwood J., Jacob L., Johnson D., Jones S. Jong P.J., Joseph S.S., Keenan S., Kelly S., Kershaw J.K., Khan Z., Kioschis P., Klages S., Knights A.J., Kosiura A., Kovar-Smith C., Laird G.K., Langford C., Lawlor S., Leversha M., Lewis L., Liu W., Lloyd C., Lloyd D.M., Loulseged H., Loveland J.E., Lovell J.D., Lozado R., Lu J., Lyne R., Ma J., Maheshwari M., Matthews L.H., McDowall J., McLaren S., Mc Murray A., Meidl P., Meitinger T., Milne S., Miner G., Mistry S.L., Morgan M., Morris S., Müller I., Mullikin J.C., Nguyen N., Nordsiek G., Nyakatura G., O'Dell C.N., Okwuonu G., Palmer S., Pandian R., Parker D., Parrish J., Pasternak S., Patel D., Pearce A.V., Pearson D.M., Pelan S.E., Perez L., Porter K.M., Ramsey Y.,

Reichwald K., Rhodes S., Ridler K.A., Shlessinger D., Scheuler M.G., Sehra H.K., Shaw-Smith C., Shen H., Sheridan E.M., Shownkeen R., Skuce C.D., Smith M.L., Sotheran E.C., Steingruber H.E., Steward C.A., Storey R., Swann R.M., Swarbreck D., Tabor P.E., Taudien S., Taylor T., Teague B., Thomas K., Thorpe A., Timms K., Tracey A., Trevanion S., Tromans A.C., d'Urso M., Verduzco D., Villasana D., Waldron L., Wall M., Wang Q., Warren J., Warry G.L., Wei X., West A., Whitehead S.L., Whiteley M.N., Wilkinson J.E., Willey D.L., Williams G., Williams L., Williamson A., Williamson H., Wilming L., Woodmansey R.L., Wray P.W., Yen J., Zhang J., Zhou J., Zoghbi H., Zorilla S., Buck D., Reinhardt R., Poustka A., Rosenthal A., Lehrach H., Meindl A., Minx P.J., Hillier L.W., Wilard H.F., Wilson R.K., Waterson R.H., Rice C.M., Vaudin M., Coulson A., Nelson D.L., Weinstock G., Sulston J.E., Durbin R., Hubbard T., Gibbs R.A., Beck S., Rogers J., Bentley D.R. The DNA sequence of the human X chromosome. *Nature*, 2005, 434.7031: 325-337.

Saito H., Sekizawa A., Morimoto T., Suzuki M., Yanaihara T. Prenatal DNA diagnosis of a single-gene disorder from maternal plasma. *The Lancet*, 2000, 356.9236: 1170.

Santacroce R., Vecchione G., Tomaiuolo M., Sessa F., Sarno M., Colaizzo D., Grandone E., Margaglione M. Identification of fetal gender in maternal blood is a helpful tool in the prenatal diagnosis of haemophilia. *Haemophilia*, 2006, 12.4: 417-422.

Santos N.P.C., Ribeiro-Rodrigues E.M., Ribeiro-dos-Santos Â.K.C., Pereira R., Gusmão L., Amorim A., Guerreiro J.F., Zago M.A., Matte C., Hutz M.H., Santos S.E.B. Assessing individual interethnic admixture and population substructure using a 48-insertion-deletion (INSEL) ancestry-informative marker (AIM) panel. *Human Mutation*, 2010, 31.2: 184-190.

Sekizawa A., Jimbo M., Saito H., Iwasaki M., Matsuoka R., Okai T., Farina A. Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction. *American Journal of Obstetrics and Gynecology*, 2003, 188.2: 480-484.

Sekizawa A., Jimbo M., Saito H., Iwasaki M., Sugito Y., Yukimoto Y., Otsuka J., Okai T. Increased cell-free fetal DNA in plasma of two women with invasive placenta. *Clinical Chemistry*, 2002, 48.2: 353-354.

- Sekizawa A., Kondo T., Iwasaki M., Watanabe A., Jimbo M., Saito H., Okai T. Accuracy of fetal gender determination by analysis of DNA in maternal plasma. *Clinical Chemistry*, 2001, 47.10: 1856-1858.
- Simpson J.L., Bianchi D., Brambati B., Campbell S., De La Cruz F., Elias S., Evans M., Ferguson-Smith M.A., Golbus M., Holzgreve W., Jackson L., Katz M., Platt L., Timer-Tritsch I., Wald N., Zakut H., Boulyjenkov V. Noninvasive screening for prenatal genetic diagnosis. *Bulletin of the World Health Organization*, 1995, 73.6: 799-804.
- Simpson J.L., Elias S. Isolating fetal cells in maternal circulation for prenatal diagnosis. *Prenatal Diagnosis*, 1994, 14.13: 1229-1242.
- Spencer K., Coombes E.J., Mallard A.S., Ward A.M.. Free beta human choriongonadotropin in down's syndrome screening: A multicentre study of its role compared with other biochemical markers. *Annals of Clinical Biochemistry*, 1992, 29.5: 506-518.
- Spencer K., Souter V., Tul N., Snijders R., Nicolaides K.H. A screening program for trisomy 21 at 10-14 weeks using fetal nuchal translucency, maternal serum free ss-human chorionic gonadotropin and pregnancy-associated plasma protein-A. *Ultrasound in Obstetrics & Gynecology*, 1999, 13.4: 231-237.
- Steele M., Breg W.R. Chromosome analysis of human amniotic-fluid cells. *The Lancet*, 1966, 287.7434: 383-385.
- Steinman C.R. Free DNA in serum and plasma from normal adults. *The Journal of Clinical Investigation*, 1975, 56.2: 512-515.
- Stroun M., Lyautey J., Lederrey C., Olson-Sand A., Anker P. About the possible origin and mechanism of circulating DNA: Apoptosis and active DNA release. *Clinica Chimica Acta*, 2001, 313.1-2: 139-142.
- Suzuki N., Kamataki A., Yamaki J., Homma Y. Characterization of circulating DNA in healthy human plasma. *Clinica Chimica Acta*, 2008, 387.1-2: 55-58.
- Svobodová I., Pazourková E., Hořínek A., Novotná M., Calda P., Korabečna M. Performance of droplet digital PCR in non-invasive fetal RHD genotyping - Comparison with a routine real-time PCR based approach. *PloS One*, 2015, 10.11: e0142572.
- Tabor A., Vestergaard C.H.F., Lidegaard Ø. Fetal loss rate after chorionic villus sampling and amniocentesis: an 11-year national registry study. *Ultrasound in Obstetrics & Gynecology*, 2009, 34.1: 19-24.

- Tan E.M., Schur P.H., Carr R.I., Kunkel H.G. Deoxybonucleic acid (DNA) and antibodies to DNA in the serum of patients with systemic lupus erythematosus. *The Journal of Clinical Investigation*, 1966, 45.11: 1732-1740.
- Verkerk A.J.M.H., Pieretti M., Sutcliffe J.S., Fu Y.H., Kuhl D.P.A., Pizzuti A., Reiner O., Richards S., Victoria M.F., Zhang F., Eussen B.E., van Ommen G.J.B., Blonden L.A.J., Riggins G.J., Chastain J.L., Kunst C.B., Galjaard H., Caskey C.T., Nelson D.L., Oostra B.A., Warran S.T. Identification of a gene (FMR-1) containing a CGG repeat coincident with a breakpoint cluster region exhibiting length variation in fragile X syndrome. *Cell*, 1991, 65.5: 905-914.
- Wald N.J., Cuckle H.S., Densem J.W., Nanchahal K., Royston P., Chard T., Haddow J.E., Knight G.J., Palomaki G.E., Canick J.A. Maternal serum screening for Down's syndrome in early pregnancy. *British Medical Journal*, 1988, 297.6653: 883-887.
- Wang E., Batey A., Struble C., Musci T., Song K., Oliphant A. Gestational age and maternal weight effects on fetal cell-free DNA in maternal plasma. *Prenatal Diagnosis*, 2013, 33.7: 662-666.
- Wataganara T., Chen A.Y., LeShane E.S., Sullivan L.M., Borgatta L., Bianchi D.W., Johnson K.L. Cell-free fetal DNA levels in maternal plasma after elective first-trimester termination of pregnancy. *Fertility and Sterility*, 2004, 81.3: 638-644.
- Wataganara T., LeShane E.S., Farina A., Messerlian G.M., Lee T., Canick J.A., Bianchi D.W. Maternal serum cell-free fetal DNA levels are increased in cases of trisomy 13 but not trisomy 18. *Human Genetics*, 2003, 112.2: 204-208.
- Webb A., Madgett T.E., Miran T., Sillence K., Kaushik N., Kiernan M., Avent N.D. Non invasive prenatal diagnosis of aneuploidy: next generation sequencing or fetal DNA enrichment? *Balkan Journal of Medical Genetics*, 2012, 15:17-26.
- What are the different ways in which a genetic condition can be inherited? - Genetics Home Reference - NIH [online]. Copyright © 2018 [cit. 20. 09. 2018] Dostupné z: <https://ghr.nlm.nih.gov/primer/inheritance/inheritancepatterns>.
- Whitlow B.J., Lazanakis M.S., Economides D.L. The sonographic identification of fetal gender from 11 to 14 weeks of gestation. *Ultrasound in Obstetrics & Gynecology*, 1999, 13.5: 301-304.
- Wright C.F., Wei Y., Higgins J.P.T., Sago G.S. Non-invasive prenatal diagnostic test accuracy for fetal sex using cell-free DNA a review and meta-analysis. *BMC Research Notes*, 2012, 5.1: 476.

- Wu T.L., Zhang D., Chia J.H., Tsao K.C., Sun C.F., Wu J.T. Cell-free DNA: Measurement in various carcinomas and establishment of normal reference range. *Clinica Chimica Acta*, 2002, 321.1-2: 77-87.
- Xiao Yan Zhong, Holzgreve W., Hahn S. Risk free simultaneous prenatal identification of fetal Rhesus D status and sex by multiplex real-time PCR using cell free fetal DNA in maternal plasma. *Swiss Medical Weekly*, 2001, 131.5/6: 70-74.
- Yee Ho S.S., Barrett A., Thadani H., Asibal C.L., Koay E.S.C., Choolani M. Application of real-time PCR of sex-independent insertion-deletion polymorphisms to determine fetal sex using cell-free fetal DNA from maternal plasma. *Clinical Chemistry and Laboratory Medicine (CCLM)*, 2015, 53.8: 1189-1195.
- Youssef A., Arcangeli T., Radico D., Contro E., Guasina F., Bellussi F., Maroni E., Morselli-Labate A.M., Farina A., Pilu G., Pelusi G., Ghi T. Accuracy of fetal gender determination in the first trimester using three-dimensional ultrasound. *Ultrasound in Obstetrics & Gynecology*, 2011, 37.5: 557-561.
- Zhang S., Sun K., Bian Y., Zhao Q., Wang Z., Ji C., Li C. Developmental validation of an X-Insertion/Deletion polymorphism panel and application in HAN population of China. *Scientific Reports*, 2015, 5:18336.
- Zhong X.Y., Holzgreve W., Hahn S. Detection of fetal Rhesus D and sex using fetal DNA from maternal plasma by multiplex polymerase chain reaction. *BJOG: An International Journal of Obstetrics & Gynecology*, 2000, 107.6: 766-769.
- Zhong X.Y., Laivuori H., Livingston J.C., Ylikorkala O., Sibai B.M., Holzgreve W., Hahn S. Elevation of both maternal and fetal extracellular circulating deoxyribonucleic acid concentrations in the plasma of pregnant women with preeclampsia. *American Journal of Obstetrics & Gynecology*, 2001, 184.3: 414-419.
- Zidkova A., Horinek A., Kebrdlova V., Korabecna M. Application of the new insertion-deletion polymorphism kit for forensic identification and parentage testing on the Czech population. *International Journal of Legal Medicine*, 2013, 127.1: 7-10.
- Zimmermann B., Hill M., Gemelos G., Demko Z., Banjevic M., Baner J., Ryan A., Sigurjonsson S., Chopra N., Dodd M., Levy B., Rabinowitz M. Noninvasive prenatal aneuploidy testing of chromosomes 13, 18, 21, X, and Y, using targeted sequencing of polymorphic loci. *Prenatal diagnosis*, 2012, 32.13: 1233-1241.