

## SEZNAM LITERATURY (doplňk)

AGNEW, Patricia a Frederick MAAS. An Interim Australian Version Of The Jebsen Test Of Hand Function. *Australian Journal of Physiotherapy* [online]. 1982, **28**(2), 23-29 [cit. 2019-03-13]. DOI: 10.1016/S0004-9514(14)60767-4. ISSN 00049514. Dostupné z:

AMBLER, Zdeněk. *Základy neurologie: [učebnice pro lékařské fakulty]*. 7. vyd. Praha: Galén, 2011. ISBN 978-80-7262-707-3.

ASHFORD, S, et al. Evaluation of functional outcome measures for the hemiparetic upper limb: A systematic review. *Journal of Rehabilitation Medicine* [online]. 2008, 40(10), 787-795 [cit. 2019-03-13]. DOI: 10.2340/16501977-0276. ISSN 1650-1977. Dostupné z: <https://medicaljournals.se/jrm/content/abstract/10.2340/16501977-0276>

BARRECA, Susan R., et al. Test-Retest Reliability, Validity, and Sensitivity of the Chedoke Arm and Hand Activity Inventory: A New Measure of Upper-Limb Function for Survivors of Stroke. *Archives of Physical Medicine and Rehabilitation* [online]. 2005, **86**(8), 1616-1622 [cit. 2019-03-13]. DOI: 10.1016/j.apmr.2005.03.017. ISSN 00039993. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S0003999305003230>

BARRECA, Susan, Carolyn K. GOWLAND, Paul STRATFORD, et al. Development of the Chedoke Arm and Hand Activity Inventory: Theoretical Constructs, Item Generation, and Selection. *Topics in Stroke Rehabilitation* [online]. 2004 **11**(4), 31-42 [cit. 2019-03-13]. DOI: 10.1310/JU8P-UVK6-68VW-CF3W. ISSN 1074-9357. Dostupné z: <http://www.tandfonline.com/doi/full/10.1310/JU8P-UVK6-68VW-CF3W>

BAUDE, Marjolaine et al. Intra- and inter-rater reliability of the Modified Frenchay Scale to measure active upper limb function in hemiparetic patients. *Annals of Physical and Rehabilitation Medicine* [online]. 2016, **59**, e59-e60 [cit. 2020-01-18]. DOI: 10.1016/j.rehab.2016.07.138. ISSN 18770657. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S1877065716302184>

BOŘIL, Tomáš. Testy středních hodnot. In: *fu.ff.cuni.cz* [online]. 29-04-2015 [cit. 2019-09-19]. Dostupné z: [https://fu.ff.cuni.cz/STAT/16\\_testy\\_strednich\\_hodnot.html](https://fu.ff.cuni.cz/STAT/16_testy_strednich_hodnot.html)

BRUNNER, Iris, et al. Is upper limb virtual reality training more intensive than conventional training for patients in the subacute phase after stroke? An analysis of treatment intensity and content. *BMC Neurology* [online]. 2016, **16**(1), - [cit. 2018-05-14]. DOI: 10.1186/s12883-016-0740-y. ISSN 1471-2377. Dostupné z: <http://bmcneurol.biomedcentral.com/articles/10.1186/s12883-016-0740-y>

BRUNNER, Iris, et al. Virtual reality training for upper extremity in subacute stroke (VIRTUES): study protocol for a randomized controlled multicenter trial. *BMC Neurology* [online]. 2014, **14**(1), - [cit. 2018-04-08]. DOI: 10.1186/s12883-014-0186-z. ISSN 1471-2377. Dostupné z: <http://bmcneurol.biomedcentral.com/articles/10.1186/s12883-014-0186-z>

BRYNDZIAR, Tomáš, Petra ŠEDOVIÁ a Robert MIKULÍK. Stroke Incidence in Europe – a Systematic Review. *Česká a slovenská neurologie a neurochirurgie* [online]. 2017, **80/113**(2), 180-189 [cit. 2019-02-21]. DOI: 10.14735/amcsnn2017180. ISSN 12107859. Dostupné z: <http://www.csnn.eu/en/czech-slovak-neurology-article/stroke-incidence-in-europe-a-systematic-review-60563>

BUMA, F. E., et al. Funkce mozku a výsledek horních končetin v mozkové příhodě: průřezová fMRI studie. *PLoS ONE*. 2015, 10: 10. dva: 10.1371 / journal.pone.0139746

CARROLL, Douglas. A quantitative test of upper extremity function. *Journal of Chronic Diseases* [online]. 1965, **18**(5), 479-491 [cit. 2020-01-18]. DOI: 10.1016/0021-9681(65)90030-5. ISSN 00219681. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/0021968165900305>

COOK, C., MCCLUSKY, A., BOWMAN, J. Occupational therapists report increased use outcome measures after participation in an education programme. *The British Journal of Occupational Therapy* [online]. 2006, **70**(11), 487-492 [cit. 2019-03-07]. Dostupné z: <file:///C:/Users/And'a/Desktop/arar%20články/07.pdf>

BUDÍKOVÁ, Marie, Tomáš LERCH a Štěpán MIKOLÁŠ. *Základní statistické metody*. Brno: Masarykova univerzita v Brně, 2005. ISBN 80-210-3886-1. CROMWELL, F.S (1965). Occupational therapists manual for basic skills assessment: primary prevocational evaluation. Pasadena, (CA): Fair Oaks Printing; 29-31.

CROW, J Lesley a Barbara C HARMELING-VAN DER WEL. Hierarchical Properties of the Motor Function Sections of the Fugl-Meyer Assessment Scale for People After Stroke: A Retrospective Study. *Physical Therapy* [online]. 2008, **88**(12), 1554-1567 [cit. 2019-03-13]. DOI: 10.2522/ptj.20070186. ISSN 0031-9023. Dostupné z: <https://academic.oup.com/ptj/ptj/article/2742223/Hierarchical>

DE SOUZA, L. H., R. Langton HEWER a S. MILLER. Assessment of recovery of arm control in hemiplegic stroke patients. 1. Arm function tests. *International Rehabilitation Medicine* [online]. 2009, **2**(1), 3-9 [cit. 2019-02-13]. DOI: 10.3109/09638288009163947. ISSN 0379-0797. Dostupné z: <http://www.tandfonline.com/doi/full/10.3109/09638288009163947>

DUNN, W., et al. Somatosensation assessment using the NIH Toolbox. *Neurology* [online]. 2013, **80**(11, Supplement 3), S41-S44 [cit. 2019-05-06]. DOI: 10.1212/WNL.0b013e3182872c54. ISSN 0028-3878. Dostupné z: <http://www.neurology.org/cgi/doi/10.1212/WNL.0b013e3182872c54>

FABIÁN, Václav. *Základní statistické metody*. Praha: Nakladatelství Československé akademie věd, 1963.

FIGUEIREDO, Sabrina. Wolf Motor Function Test (WMFT) In: Stroke Engine [online]. 2011 [cit. 2019-03-08]. Dostupné z: <https://www.strokeengine.ca/en/assess/wmft/>

FIGUEIREDO, Sabrina. Nine Hole Peg Test (NHPT). In: *Stroke Engine* [online]. 09-06-2011 [cit. 2019-03-10]. Dostupné z: [https://www.strokengine.ca/en/psycho/nhpt\\_psycho/](https://www.strokengine.ca/en/psycho/nhpt_psycho/)

FIGUEIREDO, Sabrina. Box and Blocks Test (BBT). In: *Stroke Engine* [online]. 09-06-2011 [cit. 2019-03-10]. Dostupné z: <https://www.strokengine.ca/en/assess/bbt/>

FIGUEIREDO, Sabrina. The Chedoke Arm and Hand Activity Inventory (CAHAI). In: *Stroke Engine* [online]. 08-01-2009 [cit. 2019-03-08]. Dostupné z: <https://www.strokengine.ca/en/assess/cahai/>

FIGUEIREDO, Sabrina. Action Research Arm Test (ARAT). In: *Stroke Engine* [online]. 09-06-2011 [cit. 2019-03-08]. Dostupné z: <https://www.strokengine.ca/en/assess/arat/>

FUGL-MEYER, A.R., et al. The post-stroke hemiplegic patient. *Scandinavian Journal of Rehabilitation* [cit. 2019-03-13]. 1975, 7, 13-31 [cit. 2019-03-13]. Dostupné z: [https://neurophys.gu.se/english/departments/clinical\\_neuroscience\\_and\\_rehabilitation/rehabilitation-medicine/fugl-meyer](https://neurophys.gu.se/english/departments/clinical_neuroscience_and_rehabilitation/rehabilitation-medicine/fugl-meyer)

GÁL, Ota, Martina, HOSKOVCOVÁ a Robert JECH. Neuroplasticita, restituce motorických funkcí a možností rehabilitace spastické parézy. *Rehabilitation* [online]. 2015, 22(3), 101-127 [cit. 2019-03-03]. ISSN 12112658. Dostupné z: <http://web.b.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=1&sid=ea6c6244-ae30-4060-b352-1b2e24d213d0%40pdc-v-sessmgr05>

GRACIES, Jean-Michel, et al. Botulinum toxin in spasticity. In: MOORE, Peter, M.

GRATTAN, E. S., et al. Interpreting Action Research Arm Test Assessment Scores to Plan Treatment. *OTJR: Occupation, Participation and Health* [online]. 2018, 39(1), 64-73 [cit. 2019-04-29]. DOI: 10.1177/1539449218757740. ISSN 1539-4492. Dostupné z: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6070435/>

GUSTAFSSON, Susanne, et al. Occupational Therapists' and Patients' Perceptions of ABILHAND, a New Assessment Tool for Measuring Manual Ability. *Scandinavian Journal of Occupational Therapy* [online]. 2004, 11(3), 107-117 [cit. 2019-03-13]. DOI: 10.1080/11038120410020692. ISSN 1103-8128. Dostupné z: <http://www.tandfonline.com/doi/full/10.1080/11038120410020692>

HADRABA, Ivan. Úchop v protetice: 1. část. In: *Ortotika protetika* [online]. Praha: FOPTO, 1999 [cit. 2016-04-05]. Dostupné z: <http://www.ortotikaprotetika.cz/oldweb/Wc8a7b70693248.htm>

HADRABA, I. Úchop v protetice – 2. část. [online]. 2002, [cit. 2019-08-03]. Dostupné z: <http://www.ortopedickaprotetika.cz/ViewArticle.php?Article=80>

HALADOVÁ, Eva a Ludmila NECHVÁTALOVÁ. *Vyšetřovací metody hybného systému*. Vyd. 2. nezm. Brno: Národní centrum ošetrovatelství a nelékařských zdravotnických oborů, 2003. ISBN 80-7013-393-7.

HELLER, A., et al. Arm function after stroke: measurement and recovery over the first three months. *Journal of Neurology, Neurosurgery & Psychiatry* [online]. 1987, **50**(6), 714-719 [cit. 2019-02-14]. DOI: 10.1136/jnnp.50.6.714. ISSN 0022-3050. Dostupné z: <http://jnnp.bmj.com/cgi/doi/10.1136/jnnp.50.6.714>

HENDL, Jan. *Přehled statistických metod zpracování dat: analýza a metaanalýza dat*. Vyd. 2., opr. Praha: Portál, 2006. ISBN 8073671239.

HENDL, Jan. *Kvalitativní výzkum: základní teorie, metody a aplikace*. Čtvrté, přepracované a rozšířené vydání. Praha: Portál, 2016. ISBN 978-80-262-0982-9.

HEŘMÁNKOVÁ, Kristýna. *Využití Modifikované Frenchayské škály u pacientů se spastickou parézou po cévní mozkové příhodě* [online]. Praha, 2016. [cit. 2019-02-15]. Bakalářská práce. Univerzita Karlova, 1. lékařská fakulta, katedra rehabilitace. Vedoucí práce Mgr. Anna Krulová. Dostupné z: <https://is.cuni.cz/webapps/zpp/detail/166668/>

HIGGINS, J., et al. Development and initial psychometric evaluation of the Stroke Arm Ladder – a measure of upper extremity function post stroke\*. *Clinical Rehabilitation* [online]. 2011, **25**(8), 740-759 [cit. 2019-03-13]. DOI: 10.1177/0269215510389496. ISSN 0269-2155. Dostupné z: <http://journals.sagepub.com/doi/10.1177/0269215510389496>

HILIEROVÁ, L., et al. Statistické vlastnosti nové škály - skóre vizuálního hodnocení funkčního úkolu ruky u pacientů po cévní mozkové příhodě. *Rehabilitace a fyzikální lékařství*. 2006, **13**(3), 107-111 [cit. 2019-03-13]. ISSN: 1211-2658.

HSIEH, Ching-Ljn a Hsueh I-PING. Inter-rater reliability and validity of the Action Research Arm Test in stroke patients. *Age and Ageing* [online]. Republic of China, 1998, 107-103 [cit. 2017-11-10]. ISSN 0002-0729 Dostupné z: <http://1url.cz/ftSXg>

HUMMEL, F. Effects of non-invasive cortical stimulation on skilled motor function in chronic stroke. *Brain* [online]. 2005, **128**(3), 490-499 [cit. 2019-03-13]. DOI: 10.1093/brain/awh369. ISSN 1460-2156. Dostupné z: <https://academic.oup.com/brain/article-lookup/doi/10.1093/brain/awh369>

ILIĆ, N. V., et al. Effects of anodal tDCS and occupational therapy on fine motor skill deficits in patients with chronic stroke. *Restorative Neurology and Neuroscience* [online]. 2016, **34**(6), 935-945 [cit. 2019-02-14]. DOI: 10.3233/RNN-160668. ISSN 09226028. Dostupné z: <http://www.medra.org/servlet/aliasResolver?alias=iospress&doi=10.3233/RNN-160668>

JECH, Robert. Klinické aspekty spasticity. *Neurologie pro praxi* [online]. 2015, **16**(1), 14-19 [cit. 2019-03-03]. Dostupné z: <https://www.neurologiepropraxi.cz/pdfs/neu/2015/01/04.pdf>

JELÍNKOVÁ Jana a Mária KRIVOŠÍKOVÁ. *Koncepce oboru ergoterapie* [online]. ČAE, 2007 [cit. 2017-05-14]. Dostupné z: [http://www.ergoterapie.cz/files/koncepce\\_oboru\\_ergoterapie.pdf](http://www.ergoterapie.cz/files/koncepce_oboru_ergoterapie.pdf)

JOHANSSON, Gudrun M. a Charlotte K. HÄGER. Measurement properties of the Motor Evaluation Scale for Upper Extremity in Stroke patients (MESUPES). *Disability and Rehabilitation* [online]. 2012, **34**(4), 288-294 [cit. 2019-03-13]. DOI: 10.3109/09638288.2011.606343. ISSN 0963-8288. Dostupné z: <http://www.tandfonline.com/doi/full/10.3109/09638288.2011.606343>

KEITH, R.A., et al. The Functional Independence Measure: a new tool for rehabilitation. *Advances in Clinical Rehabilitation* [online]. 1987, 1, 06-18 [cit. 2019-03-07]. Dostupné z: <https://www.ncbi.nlm.nih.gov/pubmed/3503663>

KELLOR, M., et al. Hand strength and dexterity. *American Journal of Occupational Therapy*, 1971, **25**(2), 77-83 2011 [cit. 2019-03-10].

KHALLAF, Mohamed E., Mariam A. AMEER a Eman E. FAYED. Effect of task specific training and wrist-fingers extension splint on hand joints range of motion and function after stroke. *NeuroRehabilitation*[online]. 2017, **41**(2), 437-444 [cit. 2019-02-21]. DOI: 10.3233/NRE-162128. ISSN 10538135. Dostupné z: <http://www.medra.org/servlet/aliasResolver?alias=iospress&doi=10.3233/NRE-162128>

KOLÁŘ, Pavel. *Rehabilitace v klinické praxi*. Praha: Galén, c2009. ISBN 9788072626571.

KOPP, B., et al. The arm motor ability test: Reliability, validity, and sensitivity to change of an instrument for assessing disabilities in activities of daily living. *Archives of Physical Medicine and Rehabilitation* [online]. 1997, **78**(6), 615-620 [cit. 2019-02-14]. DOI: 10.1016/S0003-9993(97)90427-5. ISSN 00039993. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S0003999397904275>

KRIVOŠÍKOVÁ, Mária. *Úvod do ergoterapie*. Praha: Grada, 2011. ISBN 978-80-247-2699-1.

LARBERE, Pauline. Karaté Adapt: rééducation du membre supérieur post AVC en phase chronique: apport d'une technique de Karaté Adapté [online]. Francie, 2014, 94 s. [cit. 2019-02-14]. Diplomová práce. Université de Poitiers. Vedoucí práce: Anne Delaubier. Dostupné z: <http://nuxeo.edel.univ-poitiers.fr/nuxeo/site/esupversions/46acb3f7-d778-4209-bcc0-26328f1b2067>

LANG, Catherine E et al. Assessment of upper extremity impairment, function, and activity after stroke: foundations for clinical decision making. *Journal of Hand Therapy* [online]. 2013, **26**(2), 104-115 [cit. 2019-05-27]. DOI: 10.1016/j.jht.2012.06.005. ISSN 08941130. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S0894113012000749>

LEE, Johanna H. van der, et al. The responsiveness of the Action Research Arm Test and the Fugl Meyer assessment scale in chronic stroke patients. *Journal of Rehabilitation Medicine* [online]. 2001, (33), 110-113 [cit. 2017-11-04]. ISSN 1650-1977. Dostupné z: <http://1url.cz/9tSXS>

LEE, Johanna H. van der, et al. Improving the Action Research Arm test: a unidimensional hierarchical scale. *Clinical Rehabilitation* [online]. 2016, **16**(6), 646-653 [cit. 2018-04-03]. DOI: 10.1191/0269215502cr534oa. ISSN 0269-2155. Dostupné z: <http://journals.sagepub.com/doi/10.1191/0269215502cr534oa>

LEVIN, M. F., KLEIM, J. A. WOLF, S. L. What Do Motor „Recovery“ and „Compensation“ Mean in Patients Following Stroke? *Neurorehabilitation and Neural Repair*, 2009, **23**(4): 313-319. ISSN 1545-9683.

LIN, J.-H., et al. Psychometric Comparisons of 4 Measures for Assessing Upper-Extremity Function in People With Stroke. *Physical Therapy* [online]. 2009, **89**(8), 840-850 [cit. 2019-03-22]. DOI: 10.2522/ptj.20080285. ISSN 0031-9023. Dostupné z: <https://academic.oup.com/ptj/article-lookup/doi/10.2522/ptj.20080285>

LYLE, Ronald C. A performance test for assessment of upper limb function in physical rehabilitation treatment and research. *International Journal of Rehabilitation Research* [online]. 1981, **4**(4), 483-492 [cit. 2018-04-07]. ISSN 1473-5660. Dostupné z: <http://1url.cz/NtAJT>

MACHÁČKOVÁ, Kateřina. *Základy testování v ergoterapii*. Ostrava: Ostravská univerzita v Ostravě, 2011. ISBN 978-80-7464-048-3

MATHIOWETZ, V., et al. Adult Norms for the Nine Hole Peg Test of Finger Dexterity. *The Occupational Therapy Journal of Research* [online]. 1985, **5**(1), 24-38 [cit. 2019-03-13]. DOI: 10.1177/153944928500500102. ISSN 0276-1599. Dostupné z: <http://journals.sagepub.com/doi/10.1177/153944928500500102>

MARVIN, Katie. Stroke Arm Ladder (SAL). In: *Stroke Engine* [online]. 15-02-2012 [cit. 2019-03-10]. Dostupné z: <https://www.strokingengine.ca/en/assess/sal/>

MAYER, M. a HLUŠTÍK, P. Ruka hemiparetického pacienta. Neurofyziologie, patofyziologie, rehabilitace. *Rehabilitácia*. 2004, **41**, 9-13.

MCDERMOTT, Annabel. Motor Evaluation Scale For Upper Extremity in stroke patients (MESUPES) In: *Stroke Engine* [online]. 2015 [cit. 2019-03-03]. Dostupné z: <https://www.strokingengine.ca/en/assess/mesupes/>

MCDONNELL, Michelle, C. CRAMER, Steven a Andrea BIALOCERKOWSKI. Action Research Arm Test. *Australian Physiotherapy Association* [online]. 2008, **54**(1), 220-221 [cit. 2017-11-04]. ISSN 00049517. Dostupné z: <http://1url.cz/5tSOu>

MCDONNELL, M. et al. Standardizing the Approach to Evidence-Based Upper Limb Rehabilitation after Stroke. *Topics in Stroke Rehabilitation* [online]. 2015, **20**(5), 432-440 [cit. 2019-05-14]. DOI: 10.1310/tsr2005-432. ISSN 1074-9357. Dostupné z: <http://www.tandfonline.com/doi/full/10.1310/tsr2005-432>

MĚKOTA, Karel a Jiří NOVOSAD. *Motorické schopnosti*. Olomouc: Univerzita Palackého, 2005. ISBN 80-244-0981-x.

NAVRÁTILOVÁ, Lucie, et al. Objektivizace efektu fyzioterapie s využitím virtuální reality na horní končetině u pacientů po cévní mozkové příhodě. *Profese online* [online]. 2017, **10**(2), 29-38 [cit. 2018-05-15]. DOI: 10.5507/pol.2017.008. ISSN 18034330. Dostupné z: <http://profeseonline.upol.cz/doi/10.5507/pol.2017.008.html>

NAUMANN. *Handbook of Botulinum toxin*. Oxford: Blackwell Science, 2002, s. 221-274.

NIJLAND, R. et al. Comparison of two validated tests for upper limb function after stroke: The Wolf Motor Function Test and the Action Research Arm Test. *Journal of Rehabilitation Medicine* [online]. 2010, **42**(7), 694-696 [cit. 2018-05-07]. DOI: 10.2340/16501977-0560. ISSN 1650-1977. Dostupné z: <https://medicaljournals.se/jrm/content/abstract/10.2340/16501977-0560>

NOMIKOS, Polykarpos Angelos, Nicola SPENCE a Mansour Abdullah ALSHEHRI. Test-retest reliability of physiotherapists using the action research arm test in chronic stroke. *Journal of Physical Therapy Science* [online]. 2018, **30**(10), 1271-1277 [cit. 2019-03-22]. DOI: 10.1589/jpts.30.1271. ISSN 0915-5287. Dostupné z: [https://www.jstage.jst.go.jp/article/jpts/30/10/30\\_jpts-2018-218/article](https://www.jstage.jst.go.jp/article/jpts/30/10/30_jpts-2018-218/article)

NORDIN, Ā., et al. Intra-rater and inter-rater reliability at the item level of the Action Research Arm Test for patients with stroke. *Journal of Rehabilitation Medicine* [online]. 2014, **46**(8), 738-745 [cit. 2018-05-07]. DOI: 10.2340/16501977-1831. ISSN 1650-1977. Dostupné z: <https://pdfs.semanticscholar.org/9b1b/e9b15f0ccf85bb8cb4d53b3d13c24e38d8ec.pdf>

PAVLOVA, E.L. a J. BORG. Impact of Tactile Sensation on Dexterity: A Cross-Sectional Study of Patients With Impaired Hand Function After Stroke. *Journal of Motor Behavior* [online]. 2017, **50**(2), 134-143 [cit. 2019-04-21]. DOI: 10.1080/00222895.2017.1306482. ISSN 0022-2895. Dostupné z: <https://www.tandfonline.com/doi/full/10.1080/00222895.2017.1306482>

PENTA, M., THONNARD, J-L. a L. TESIO. ABILHAND: a Rasch-built measure of manual ability. *Physical Medicine and Rehabilitation*. 1998, **79**(9), 1038-1042 [cit. 2019-03-13]. Dostupné z: <http://www.swisswuff.ch/images/adl/adl-pdf/penta1998abilhand.pdf>

PFEIFFER, Jan. *Neurologie v rehabilitaci: pro studium a praxi*. Praha: Grada, 2007. ISBN 9788024711355.

PIKE, Shannon, et al. A systematic review of the psychometric properties of the Action Research Arm Test in neurorehabilitation. *Australian Occupational Therapy Journal* [online]. 2018, **65**(5), 449-471 [cit. 2019-03-26]. DOI: 10.1111/1440-1630.12527. ISSN 00450766. Dostupné z: <http://doi.wiley.com/10.1111/1440-1630.12527>

PINKOWSKI, C. Action Research Arm Test (ARAT) – Armfunktionen messen. *Physiopraxis* [online]. 2017, **15**(11/12), 50-51 [cit. 2019-05-13]. DOI: 10.1055/s-0043-115370. ISSN 1439-023X. Dostupné z: <http://www.thieme-connect.de/DOI/DOI?10.1055/s-0043-115370>

PLATZ, T., et al. Reliability and validity of arm function assessment with standardized guidelines for the Fugl-Meyer Test, Action Research Arm Test and Box and Block Test: a multicentre study. *Clinical Rehabilitation* [online]. 2016, **19**(4), 404-411 [cit. 2018-04-27]. DOI: 10.1191/0269215505cr832oa. ISSN 0269-2155. Dostupné z: <http://journals.sagepub.com/doi/10.1191/0269215505cr832oa>.

RRIS, David M., Gitendra USWATTE, Jean E. CRAGO, Edwin W. COOK a Edward TAUB. The reliability of the Wolf Motor Function Test for assessing upper extremity function after stroke. *Archives of Physical Medicine and Rehabilitation* [online]. 2001, **82**(6), 750-755 [cit. 2019-03-13]. DOI: 10.1053/apmr.2001.23183. ISSN 00039993. Dostupné z: <http://linkinghub.elsevier.com/retrieve/pii/S0003999301435970>

RYAN, Shirley. Action Research Arm Test. In: AbilityLab [online]. 2016 [cit. 2019-06-20]. Dostupné z: <https://www.sralab.org/rehabilitation-measures/action-research-arm-test>

SEIDL, Zdeněk. *Neurologie pro studium i praxi*. 2., přeprac. a dopl. vyd. Praha: Grada, 2015. ISBN 978-80-247-5247-1.

SEMENKO, Brenda, et al. An Evidence Based Occupational Therapy Toolkit for Assessment and Treatment of the Upper Extremity Post Stroke. 2015, 1-63 Dostupné z: <http://www.wrha.mb.ca/staff/occupational-therapy/files/Stroke-UEToolkit.pdf>

SIMPSON, L., A., et al. Functional Recovery Following Stroke. *Neurorehabilitation and Neural Repair* [online]. 2012, **27**(3), 240-250 [cit. 2018-05-07]. DOI: 10.1177/1545968312461719. ISSN 1545-9683. Dostupné z: <http://journals.sagepub.com/doi/10.1177/1545968312461719>

SINGER, Barbara a Jimena GARCIA-VEGA. The Fugl-Meyer Upper Extremity Scale. *Journal of Physiotherapy* [online]. 2017, **63**(1) [cit. 2019-03-13]. DOI: 10.1016/j.jphys.2016.08.010. ISSN 18369553. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S1836955316300716>

SOMMERFELD, D. et al. Spasticity After Stroke. *Stroke* [online]. 2004, **35**(1), 134-139 [cit. 2019-03-13]. DOI: 10.1161/01.STR.0000105386.05173.5E. ISSN 0039-2499. Dostupné z: <https://www.ahajournals.org/doi/10.1161/01.STR.0000105386.05173.5E>

SONG, Chiang-Soon. Intrarater Reliability of the Action Research Arm Test for Individuals with Parkinson's Disease. *Journal of Physical Therapy Science* [online]. 2012, **24**(12), 1355-1357 [cit. 2019-06-20]. DOI: 10.1589/jpts.24.1355. ISSN 0915-5287. Dostupné



[z:http://japanlinkcenter.org/DN/JST.JSTAGE/jpts/24.1355?lang=en&from=CrossRef&type=abstract](http://japanlinkcenter.org/DN/JST.JSTAGE/jpts/24.1355?lang=en&from=CrossRef&type=abstract)

STRAUDI, S., et al. The impact of the pharmacotherapy on stroke recovery. A retrospective cohort study. *Annals of Physical and Rehabilitation Medicine* [online]. 2018, **61**, e190-e191 [cit. 2019-02-14].

STUCK, Rebecca A., MARSHALL Lisa M. a Ramachandran SIVAKUMAR. Feasibility of SaeboFlex Upper-limb Training in Acute Stroke Rehabilitation: A Clinical Case Series. *Occupational Therapy International* [online]. 2014, **21**(3), 108-114 [cit. 2018-04-08]. DOI: 10.1002/oti.1369. ISSN 09667903. Dostupné z: <http://doi.wiley.com/10.1002/oti.1369>

SVOBODA, Mojmir. *Psychologická diagnostika dospělých*. Vyd. 4., V nakl. Portál 3. Praha: Portál, 2010. ISBN 978-80-7367-706-0.

ŠVESTKOVÁ, Olga a Kateřina SVĚCENÁ. *Ergoterapie: skripta pro studenty bakalářského oboru Ergoterapie na 1. lékařské fakultě Univerzity Karlovy*. Praha: Univerzita Karlova, 1. lékařská fakulta, [2013]. ISBN 978-80-260-4100-9.

ŠTĚTKÁŘOVÁ, Ivana, Edvard EHLER a Robert JECH. *Spasticita a její léčba*. Praha: Maxdorf, c2012. Jessenius. ISBN 978-80-7345-302-2.

THIELBAR, Kelly O., et al. Training finger individuation with a mechatronic-virtual reality system leads to improved fine motor control post-stroke. *Journal of NeuroEngineering and Rehabilitation* [online]. 2014, **11**(1), 171- [cit. 2018-04-08]. DOI: 10.1186/1743-0003-11-171. ISSN 1743-0003. Dostupné z: <http://jneuroengrehab.biomedcentral.com/articles/10.1186/1743-0003-11-171>

TORRE, K. et al. Somatosensory-Related Limitations for Bimanual Coordination After Stroke. *Neurorehabilitation and Neural Repair* [online]. 2013, **27**(6), 507-515 [cit. 2019-04-21]. DOI: 10.1177/1545968313478483. ISSN 1545-9683. Dostupné z: <http://journals.sagepub.com/doi/10.1177/1545968313478483>

URBÁNEK, Tomáš. *Základy psychometrie*. Brno: Masarykova univerzita, 2002. ISBN 80-210-2797-5.

ÚZIS ČR. Hospitalizovaní a zemřelí na cévní nemoci mozku v ČR v letech 2003-2010. In: ÚZIS [online]. Praha, 7. 2. 2012 [cit. 2019-03-14]. Dostupné z: [https://webcache.googleusercontent.com/search?q=cache:GxjstuLFeTcJ:https://www.uzis.cz/system/files/03\\_12.pdf+&cd=3&hl=cs&ct=clnk&gl=cz](https://webcache.googleusercontent.com/search?q=cache:GxjstuLFeTcJ:https://www.uzis.cz/system/files/03_12.pdf+&cd=3&hl=cs&ct=clnk&gl=cz)

VAŇÁSKOVÁ, Eva. TESTOVÁNÍ V NEUROREHABILITACI. *Neurologie pro praxi* [online]. 2005, (6), 311-314 [cit. 2019-11-19]. Dostupné z: <https://www.neurologiepropraxi.cz/pdfs/neu/2005/06/06.pdf>

VANÁŠKOVÁ, Eva. *Testování v rehabilitační praxi - cévní mozkové příhody*. Brno: Národní centrum ošetřovatelství a nelékařských zdravotnických oborů, 2004. ISBN 80-7013-398-8.

VELSTRA, Inge-Marie, Carolina Saskia BALLERT a Alarcos CIEZA. A Systematic Literature Review of Outcome Measures for Upper Extremity Function Using the International Classification of Functioning, Disability, and Health as Reference. *PM&R* [online]. 2011, 3(9), 846-860 [cit. 2019-05-28]. DOI: 10.1016/j.pmrj.2011.03.014. ISSN 19341482. Dostupné z: <http://doi.wiley.com/10.1016/j.pmrj.2011.03.014>

VISSERS, Jennifer. Jebsen Hand Function Test (JHFT) In: Stroke Engine [online]. 2012 [cit. 2019-03-08]. Dostupné z: <https://www.strokingengine.ca/en/assess/cahai/>

VOTAVA, J. Rehabilitace osob po cévní mozkové příhodě. 2001. [cit. 2017-11-04] Dostupné z: <http://www.solen.cz/pdfs/neu/2001/04/06.pdf>

VYSKOTOVÁ, Jana a Kateřina MACHÁČKOVÁ. *Jemná motorika: vývoj, motorická kontrola, hodnocení a testování*. Praha: Grada, 2013. ISBN 978-80-247-4698-2.

WAGENAAR, RC. The functional recovery of stroke: a comparison between neuro-developmental treatment and the Brunnstrom method. *Scandinavian journal of rehabilitation medicine* [online]. 1990, 22(1), 1-8 [cit. 2019-05-07]. Dostupné z: <https://www.ncbi.nlm.nih.gov/pubmed/2326602>

WADE, D. T., et al. The hemiplegic arm after stroke: measurement and recovery. *Journal of Neurology, Neurosurgery & Psychiatry* [online]. 1983, roč. 70 46, č. 6, s. 521-524 [cit. 2016-04-02]. Dostupné z: <http://jnnp.bmj.com/content/46/6/521.full.pdf>

WHITALL, Jill et al. Psychometric Properties of a Modified Wolf Motor Function Test for People With Mild and Moderate Upper-Extremity Hemiparesis. *Archives of Physical Medicine and Rehabilitation* [online]. 2006, 87(5), 656-660 [cit. 2019-03-13]. DOI: 10.1016/j.apmr.2006.02.004. ISSN 00039993. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S0003999306001080>

WINCKEL, Ann van der, FEYS, Hilde, KNAAP Suzan van der, et al. Can quality of movement be measured? Rasch analysis and inter-rater reliability of the Motor Evaluation Scale for Upper Extremity in Stroke Patients (MESUPES). *Clinical Rehabilitation* [online]. 2016, 20(10), 871-884 [cit. 2019-03-13]. DOI: 10.1177/0269215506072181. ISSN 0269-2155. Dostupné z: <http://journals.sagepub.com/doi/10.1177/0269215506072181>

WOLF, Steven L., et al. The EXCITE Trial: Attributes of the Wolf Motor Function Test in Patients with Subacute Stroke. *Neurorehabilitation and Neural Repair* [online]. 2005, 19(3), 194-205 [cit. 2019-03-13]. DOI: 10.1177/1545968305276663. ISSN 1545-9683. Dostupné z: <http://journals.sagepub.com/doi/10.1177/1545968305276663>

YOZBATIRAN, Nuray, DER-YEGHIAIAN, Lucy a Steven C., CRAMER. A Standardized Approach to Performing the Action Research Arm Test. *Neurorehabilitation and Neural Repair* [online]. 2008, **22**(1), 78-90 [cit. 2017-11-04]. ISSN 1545-9683. Dostupné z: <http://1url.cz/2tSXf>

ZHAO, Jiang-Li, CHEN, Pei-Ming, LI, Wen-Feng, et al. Translation and Initial Validation of the Chinese Version of the Action Research Arm Test in People with Stroke. *BioMed Research International* [online]. 2019, **2019**, 1-9 [cit. 2019-05-07]. DOI: 10.1155/2019/5416560. ISSN 2314-6133. Dostupné z: <https://www.hindawi.com/journals/bmri/2019/5416560/>

ZIMMERMANN-SCHLATTER, Andrea, et al. Efficacy of motor imagery in post-stroke rehabilitation: a systematic review. *Journal of NeuroEngineering and Rehabilitation* [online]. 2008, **5**(1), 8- [cit. 2018-04-08]. DOI: 10.1186/1743-0003-5-8. ISSN 1743-0003. Dostupné z: <http://jneuroengrehab.biomedcentral.com/articles/10.1186/1743-0003-5-8>

ZVÁROVÁ, Jana. *Základy statistiky pro biomedicínské obory*. 3. vydání. Praha: Karolinum, 2016. Biomedicínská statistika. ISBN 978-80-246-3416-6.

ZVOLSKÝ, Miroslav. Hospitalizovaní a zemřelí na cévní nemoci mozku v ČR v letech 2003–2010. In: *Ústav zdravotnických informací a statistiky ČR* [online]. 2012 [cit. 2019-02-21]. Dostupné z: <http://www.uzis.cz/rychle-informace/hospitalizovani-zemreli-na-cevni-nemoci-mozku-cr-letech-2003-2010>