

ERRATA K DIPLOMOVÉ PRÁCI
„GEOMETRICKO-MORFOMETRICKÝ PŘÍSTUP K VĚKOVÉ A
POHLAVNÍ VARIABILITĚ ACETABULA“

Upravuji odkaz na tabulky:

Str.56

Shrnutí změn ve formě acetabula u obou pohlaví a třech věkových skupin je uvedeno v příloze 3 a 4.

Upravuji popis u následujících třech obrázků:

Str.68

Obrázek 26A-C. Párové rozdíly průměrné formy acetabula mezi věkovými skupinami mužů. Levý sloupec: laterální pohled, pravý sloupec: superiorní pohled. Světle: mladší skupina, tmavě: starší skupina. Rozdíly zvýrazněny 4x.

Str.69

Obrázek 1A-C. Párové rozdíly průměrné formy acetabula mezi věkovými skupinami žen. Levý sloupec: laterální pohled, pravý sloupec: superiorní pohled. Světle: mladší skupina, tmavě: starší skupina. Rozdíly zvýrazněny 4x.

Str.70

Obrázek 2. Párové rozdíly průměrné formy acetabula mezi věkovými skupinami mužů a žen: A) 20–39 let B) 40–64 let, C) nad 65 let. Levý sloupec: laterální pohled, pravý sloupec: superiorní pohled. Světle: ženy, tmavě: muži. Bez zvýraznění rozdílů.

Str. 78

Upravuji formát seznamu použité literatury.

Abegg, C., & Desideri, J. (2018). A probable case of multiple myeloma in a female individual from the Simon Identified Skeletal Collection (late 19th–early 20th century, Vaud, Switzerland). *International Journal of Paleopathology*, 21, 158–165.

- Adams, D., Collyer, M., Kaliontzopoulou, A., & Baken, E. (2021). Geomorph: Software for geometric morphometric analyses. R package version 4.0.2.
- Aiello, L., Dean, C., & Cameron, J. (1990). An introduction to human evolutionary anatomy. *Academic Press*.
- Akiyama, K., Sakai, T., Koyanagi, J., Murase, T., Yoshikawa, H., & Sugamoto, K. (2010). Three-dimensional distribution of articular cartilage thickness in the elderly cadaveric acetabulum: a new method using three-dimensional digitizer and CT. *Osteoarthritis and Cartilage*, 18(6), 795–802.
- Akiyama, K., Sakai, T., Koyanagi, J., Yoshikawa, H., & Sugamoto, K. (2015). Morphological analysis of the acetabular cartilage surface in elderly subjects. *Surgical and Radiologic Anatomy*, 37(8), 963–968.
- Allen, K. D., Chen, J.-C., Callahan, L. F., Golightly, Y. M., Helmick, C. G., Renner, J. B., & Jordan, J. M. (2010). Associations of Occupational Tasks with Knee and Hip Osteoarthritis: The Johnston County Osteoarthritis Project. *The Journal of Rheumatology*, 37(4), 842–850.
- Alves-Cardoso, F., & Assis, S. (2018). Can osteophytes be used as age at death estimators? Testing correlations in skeletonized human remains with known age-at-death. *Forensic Science International*, 288, 59–66.
- Anderson, M. J. (2001). A new method for non-parametric multivariate analysis of variance. *Austral Ecology*, 26(1), 32–46.
- Arsuaga, J. L. (1990). *Antropología del hueso coxal: Evolución, dimorfismo sexual y variabilidad*. [Disertación]. Madrid: Universidad Complutense.
- Aykroyd, R. G., Lucy, D., Pollard, A. M., & Roberts, C. A. (1999). Nasty, Brutish, but Not Necessarily Short: A Reconsideration of the Statistical Methods Used to Calculate Age at Death from Adult Human Skeletal and Dental Age Indicators. *American Antiquity*, 64(01), 55–70.
- Bálint, G., & Szebenyi, B. (2000). Hereditary disorders mimicking and/or causing premature osteoarthritis. *Best Practice & Research Clinical Rheumatology*, 14(2), 219–250.
- Belghith, M., Marchand, E., Ben-Khelil, M., Rougé-Maillart, C., Blum, A., & Martrille, L. (2021). Age estimation based on the acetabulum using global illumination rendering with computed tomography. *International Journal of Legal Medicine*, 135(5), 1923–1934.
- Benazzi, S., Maestri, C., Parisini, S., Vecchi, F., & Gruppioni, G. (2008). Sex assessment from the acetabular rim by means of image analysis. *Forensic Science International*, 180(1), 58.e1–58.e3.
- Bergmann, G., Graichen, F., & Rohlmann, A. (1993). Hip joint loading during walking and running, measured in two patients. *Journal of Biomechanics*, 26, 8, 969–990.
- Berthon, W., Tihanyi, B., Kis, L., Révész, L., Coqueugnot, H., Dutour, O., & Pálfi, G. (2018). Horse Riding and the Shape of the Acetabulum: Insights from the Bioarchaeological Analysis of Early Hungarian Mounted Archers (10th Century). *International Journal of Osteoarchaeology*.

- Bookstein, F. L. (1991). *Morphometric tools for landmark data geometry and biology*. Cambridge University Press.
- Bookstein, F. (2018). *A Course in Morphometrics for Biologists: Geometry and Statistics for Studies of Organismal Form*. Cambridge University Press.
- Botha, D., Pretorius, S., Myburgh, J., & Steyn, M. (2015). Age estimation from the acetabulum in South African black males. *International Journal of Legal Medicine*, 130(3), 809–817.
- Boucher, B. J. (1957). Sex differences in the foetal pelvis. *American Journal of Physical Anthropology*, 15(4), 581–600.
- Brooks, S., & Suchey, J. M. (1990). Skeletal age determination based on the os pubis: A comparison of the Acsádi-Nemeskéri and Suchey-Brooks methods. *Human Evolution*, 5(3), 227–238.
- Browning, R. C., & Kram, R. (2007). Effects of Obesity on the Biomechanics of Walking at Different Speeds. *Medicine & Science in Sports & Exercise*, 39(9), 1632–1641.
- Brůžek, J. (2002). A method for visual determination of sex, using the human hip bone. *American Journal of Physical Anthropology*, 117(2), 157–168.
- Brůžek, J., & Murail, P. (2006). Methodology and Reliability of Sex Determination From the Skeleton. *Forensic Anthropology and Medicine*, 225–242.
- Buckberry, J. L., & Chamberlain, A. T. (2002). Age estimation from the auricular surface of the ilium: A revised method. *American Journal of Physical Anthropology*, 119(3), 231–239.
- Buikstra, J. E., & Ubelaker, D. H. (1994). Standards for data collection from human skeletal remains. *Fayetteville, AK: Arkansas Archeological Survey Research Series*, 44.
- Bullough, P., Goodfellow, J., Greenwald, A. S., & O'Connor, J. (1968). Incongruent Surfaces in the Human Hip Joint. *Nature*, 217(5135), 1290–1290.
- Cabo, L. L., Brewster, C. P., & Luengo Azpiazu, J. (2012). Sexual Dimorphism: Interpreting Sex Markers. *A Companion to Forensic Anthropology*, 248–286.
- Calce, S. E., Kurki, H. K., Weston, D. A., & Gould, L. (2018). The relationship of age, activity, and body size on osteoarthritis in weight-bearing skeletal regions. *International Journal of Paleopathology*, 22, 45–53.
- Calce, S. E., & Rogers, T. L. (2011). Evaluation of Age Estimation Technique: Testing Traits of the Acetabulum To Estimate Age at Death in Adult Males*. *Journal of Forensic Sciences*, 56(2), 302–311.
- Calce, S. E. (2012). A new method to estimate adult age-at-death using the acetabulum. *American Journal of Physical Anthropology*, 148(1), 11–23.
- Campanacho, V. (2016). *The influence of skeletal size on age-related criteria from the pelvic joints in Portuguese and North American samples*. [Disertační práce]. University of Sheffield.

- Campbell, N. A., & Atchley, W. R. (1981). The Geometry of Canonical Variate Analysis. *Systematic Biology*, 30(3), 268–280.
- Cappella, A., Cummaudo, M., Arrigoni, E., Gibelli, D. M., Porta, D., & Cattaneo, C. (2015). The issue of age estimation in a modern skeletal population: are current aging methods satisfactory for the elderly? *Journal of Forensic Sciences*, 62(1), 12-17.
- Carter, D. R. (1987). Mechanical loading history and skeletal biology. *Journal of Biomechanics*, 20(11-12), 1095–1109.
- Ciucci, T., Ibanez, L., Boucoiran, A., Birgy-Barelli, E., Abou-Ezzi, G., Rouleau, M., Blin-Wakkach, C., & Hebuterne, X. (2015). Bone marrow Th17 TNF α cells induce osteoclast differentiation, and link bone destruction to IBD. *Gut*, 64(7), 1072-1081.
- Corner, B. D., Lele, S., & Richtsmeier, J. T. (1992). Measuring precision of three-dimensional landmark data. *Journal of Quantitative Anthropology*, 3, 347-359.
- Couchman, J., Kraus, V., Boyde, A., Baker, N., Barr, E., Lohmander, S., Salter, D., ... Flannery, C. (2009). Past, present and future insights into the understanding and treatment of osteoarthritis: Molecular and mechanical approaches. *International Journal of Experimental Pathology*, 90(1).
- Croft, P., Cooper, C., Wickham, C., & Coggon, D. (1992). Osteoarthritis of the hip and occupational activity. *Scandinavian Journal of Work, Environment & Health*, 18(1).
- Cunha, E., & Wasterlain, S. (2007). The Coimbra identified osteological collections. In: Grupe, G., Peters, J., editors. *Skeletal Series in their Socioeconomic Context. Documenta Archaeobiologiae*. Vol. 5. Rahden: Verlag Marie Leidorf, 23–33.
- Čihák, R. (2011). *Anatomie* (3., upr. a dopl. vyd, Vol. 1). Grada Publishing.
- Daniel, M., Sochor, M., Iglič, A., & Kralj-Iglič, V. (2003). Hypothesis of regulation of hip joint cartilage activity by mechanical loading. *Medical Hypotheses*, 60(6), 936-937.
- Dylevský, I., Druga, R., & Mrázková, O. (2000). *Funkční anatomie člověka*. Grada.
- Dylevský, I., & Ježek, P. (2020). *Základy kineziologie*. <http://vos.palestra.cz/skripta/kineziologie/uvod2.htm>
- Dylevský, I. (1995). *Základy anatomie a fyziologie člověka*. Olomouc: Epava.
- Erickson, J. D., Lee, D. V., & Bertram, J. E. A. (2000). Fourier analysis of acetabular shape in Native American Arikara populations before and after acquisition of horses. *American Journal of Physical Anthropology*, 113(4), 473–480.
- Felson, D. T., & Zhang, Y. (1998). An update on the epidemiology of knee and hip osteoarthritis with a view to prevention. *Arthritis & Rheumatism*, 41(8), 1343–1355.

- Ferreira, M. T., Coelho, C., Makhoul, C., Navega, D., Gonçalves, D., Cunha, E., & Curate, F. (2020). New data about the 21st Century Identified Skeletal Collection (University of Coimbra, Portugal). *International Journal of Legal Medicine*.
- Ghishan, F. K., & Kiela, P. R. (2011). Advances in the understanding of mineral and bone metabolism in inflammatory bowel diseases. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 300(2), G191–G201.
- Godfrey, L., Sutherland, M., Boy, D., & Gomberg, N. (1991). Scaling of limb joint surface areas in anthropoid primates and other mammals. *Journal of Zoology*, 223(4), 603–625.
- Gocha, T. P., Ingvaldstad, M. E., Kolatorowicz, A., Cosgriff-Hernandez, M.-T. J., & Sciulli, P. W. (2015). Testing the applicability of six macroscopic skeletal aging techniques on a modern Southeast Asian sample. *Forensic Science International*, 249, 318.e1–318.e7.
- Govsa, F., Ozer, M. A., & Ozgur, Z. (2005). Morphologic features of the acetabulum. *Archives of Orthopaedic and Trauma Surgery*, 125(7), 453-461.
- Greenwald, A. S., & O'Connor, J. J. (1971). The transmission of load through the human hip joint. *Journal of Biomechanics*, 4(6), 507–528.
- Gunz, P., & Mitteroecker, P. (2013). Semilandmarks: A method for quantifying curves and surfaces. *Hystrix*, 24(1).
- Gupta, V., Choudhry, R., Tuli, A., & Choudhry, S. (2001). Unusual facets on the acetabulum in dry adult human coxal bones A morphological and radiological study. *Surgical and Radiologic Anatomy: Journal of Clinical Anatomy*, 23(4), 263-267.
- Haglund, W. D., Reay, D. T., & Swindler, D. R. (1989). Canid Scavenging/Disarticulation Sequence of Human Remains in the Pacific Northwest. *Journal of Forensic Sciences*, 34(3).
- Hammer, Ø. (2015). *PAST: Paleontological Statistics. Reference Manual*. Natural History Museum, University of Oslo. Oslo, Norway.
- Hesper, T., Buchwald, A., Krauspe, R., Zilkens, C., Bittersohl, B., Schleich, C., Antoch, G., ... Hosalkar, H. S. (2018). T2* Mapping of the Hip in Asymptomatic Volunteers with Normal Cartilage Morphology: An Analysis of Regional and Age-Dependent Distribution. *Cartilage*, 9(1), 30-37.
- Holland, S. M. (2008). *Principal components analysis (PCA)*. Department of Geology, University of Georgia, Athens, GA, 30602-2501.
- Huang, M.-H., Chen, C.-H., Chen, T.-W., Weng, M.-C., Wang, W.-T., & Wang, Y.-L. (2000). The effects of weight reduction on the rehabilitation of patients with knee osteoarthritis and obesity. *Arthritis & Rheumatism*, 13(6), 398–405.
- Hunter, D. J., & Eckstein, F. (2009). *Exercise and osteoarthritis*. Blackwell Science Inc.

- Iannone, F., & Lapadula, G. (2010). Obesity and inflammation--targets for OA therapy. *Current Drug Targets*, 11(5), 586-98.
- Iglic, A., Iglic, V. K., Antolic, V., Srakar, F., & Stanic, U. (1993). Effect of the periacetabular osteotomy on the stress on the human hip joint articular surface. *IEEE Transactions on Rehabilitation Engineering*, 1(4), 207-212.
- Indurjeeth, K., Ishwarkumar, S., De-Gama, B., Ndlazi, Z., & Pillay, P. (2019). Morphometry and Morphology of the Acetabulum Within the Black African Population of South Africa. *International Journal of Morphology*, 37(3), 971-976.
- Inman, V. T., Ralston, H. J., Todd, F., & Lieberman, J. C. (1981). *Human walking*. Baltimore: Williams & Wilkins.
- Jacobsen, S., & Sonne-Holm, S. (2005). Increased body mass index is a predisposition for treatment by total hip replacement. *International Orthopaedics*, 29(4), 229-234.
- Jukes, T. H., & Williams, W. L. (1953). *Nutritional effects of antibiotics*. New York: American Cyanamid.
- Jungers, W. L. (1988). Relative joint size and hominoid locomotor adaptations with implications for the evolution of hominid bipedalism. *Journal of Human Evolution*, 17(1-2), 247-265.
- Kapandji, I. A. (2011). *The physiology of the joints: Vol. 2*. Edinburgh: Churchill Livingstone/Elsevier.
- Kau, A. L., Ahern, P. P., Griffin, N. W., Goodman, A. L., & Gordon, J. I. (2011). Human nutrition, the gut microbiome and the immune system. *Nature*, 474(7351), 327-336.
- Kendall, D. G. (1977). The Diffusion of Shape. *Advances in Applied Probability*, 9(3), 428-430.
- Kim, W. Y., Hutchinson, C. E., Andrew, J. G., & Allen, P. D. (2006). The relationship between acetabular retroversion and osteoarthritis of the hip. *The Journal of Bone and Joint Surgery. British Volume*, 88-B(6), 727-729.
- Klingenberg, C. P. (2010). MorphoJ: an integrated software package for geometric morphometrics. *Molecular Ecology Resources*, 11(2), 353-357.
- Klingenberg, C. P. (2016). Size, shape, and form: concepts of allometry in geometric morphometrics. *Development Genes and Evolution*, 226(3), 113-137.
- Kobayashi, K., Takahashi, N., Jimi, E., Udagawa, N., Takami, M., Kotake, S., Nakagawa, N., ... Suda, T. (2000). Tumor necrosis factor alpha stimulates osteoclast differentiation by a mechanism independent of the ODF/RANKL-RANK interaction. *The Journal of Experimental Medicine*, 191(2), 275-86.
- Köhnlein, W., Ganz, R., Impellizzeri, F. M., & Leunig, M. (2009). Acetabular Morphology: Implications for Joint-preserving Surgery. *Clinical Orthopaedics and Related Research*, 467(3), 682-691.
- Komar, D. A., & Buikstra, J. E. (2008). *Forensic Anthropology: contemporary theory and practice*. New York: Oxford University Press, Inc

Konigsberg, L. W., & Frankenberg, S. R. (2002). Deconstructing death in paleodemography. *American Journal of Physical Anthropology*, 117(4), 297-309.

Kotěřová, A. (2020). *Age-at-death estimation of the adult skeleton: New approaches to the evaluation of senescence indicators*. Praha. [Dizertační práce]. Univerzita Karlova.

Kranioti, E. F., İşcan, M. Y., & Michalodimitrakis, M. (2008). Craniometric analysis of the modern Cretan population. *Forensic Science International*, 180(2-3), 110.e1–110.e5.

Kranioti, E. F., & Michalodimitrakis, M. (2009). Sexual Dimorphism of the Humerus in Contemporary Cretans- A Population-Specific Study and a Review of the Literature. *Journal of Forensic Sciences*, 54(5), 996–1000.

Kudo, O., Fujikawa, Y., Itonaga, I., Sabokbar, A., Torisu, T., & Athanasou, N. A. (2002). Proinflammatory cytokine (TNF α /IL-1 α)-induction of human osteoclast formation. *The Journal of Pathology: a Journal of the Pathological Society of Great Britain and Ireland*, 198, 220-227.

Lajeunesse, D., Delelandre, A., & Fernandes, J. C. (2004). Subchondral osteoblasts from osteoarthritic patients show abnormal expression and production of leptin: Possible role in cartilage degradation. *Journal of Bone and Mineral Research*, 19, 149.

Larsen, C. S. (1997). *Bioarchaeology: interpreting behavior from the human skeleton*. Cambridge, U.K.: Cambridge University Press.

Latham, K. E., Bartelink, E. J., & Finnegan, M. (2018). *New perspectives in forensic human skeletal identification*. Academic Press, an Imprint of Elsevier.

LaVelle, M. (1995). Natural selection and developmental sexual variation in the human pelvis. *American Journal of Physical Anthropology*, 98(1), 59–72.

Lazennec, J. Y., Laudet, C. G., Guérin-Surville, H., Roy-Camille, R., & Saillant, G. (1997). Dynamic anatomy of the acetabulum: an experimental approach and surgical implications. *Surgical and Radiologic Anatomy*, 19(1), 23–30.

Lee, M. C., & Ebersson, C. P. (2006). Growth and Development of the Child's Hip. *Orthopedic Clinics of North America*. 37, 119-132.

Leong, A. (2006). Sexual dimorphism of the pelvic architecture: A struggling response to destructive and parsimonious forces by natural & mate selection. *McGill Journal of Medicine*. 9(1), 61–66.

Lieberman, D. E., Devlin, M. J., & Pearson, O. M. (2001). Articular area responses to mechanical loading: effects of exercise, age, and skeletal location. *American Journal of Physical Anthropology*. 116, 266-277.

Lievense, A., Bierma-Zeinstra, S., Verhagen, A., Verhaar, J., & Koes, B. (2001). Influence of work on the development of osteoarthritis of the hip: a systematic review. *The Journal of Rheumatology*. 28, 2520-8.

Listi, G. A., & Manhein, M. H. (2012). The Use of Vertebral Osteoarthritis and Osteophytosis in Age Estimation*. *Journal of Forensic Sciences*, 57(6), 1537–1540.

- Loeser, R. F. (2010). Age-Related Changes in the Musculoskeletal System and the Development of Osteoarthritis. *Clinics in Geriatric Medicine*, 26(3), 371–386.
- Lovejoy, C. O., Meindl, R. S., Pryzbeck, T. F., & Mensforth, R. P. (1985). Chronological metamorphosis of the auricular surface of the ilium: A new method for the determination of adult skeletal age at death. *American Journal of Physical Anthropology*, 68, 15-28.
- Macaluso, P. J. (2011). Sex discrimination from the acetabulum in a twentieth-century skeletal sample from France using digital photogrammetry. *HOMO*, 62(1), 44-55.
- Mandl, L. A. (2007). Epidemiology of osteoarthritis. In: Sharma L, Berenbaum F, editors. *Osteoarthritis: a companion to rheumatology*. Philadelphia, PA: Mosby, Inc. (Elsevier).
- Maruyama, M., Feinberg, J. R., Capello, W. N., & D'Antonio, J. A. (2001). Morphologic Features of the Acetabulum and Femur. *Clinical Orthopaedics and Related Research*, 393, 52–65.
- Maxwell, S. E., & Delaney, H. D. (2004). *Designing experiments and analyzing data a model comparison perspective*. Mahwah, N.J., Lawrence Erlbaum Associates.
- Mays S. (2012). An investigation of age-related changes at the acetabulum in 18th-19th century AD adult skeletons from Christ Church Spitalfields, London. *American journal of physical anthropology*, 149(4), 485–492.
- Mays, S. (2014). A test of a recently devised method of estimating skeletal age at death using features of the adult acetabulum. *J. Forensic Sci.* 59, 184e187.
- Menschik, F. (1997). The hip joint as a conchoid shape. *Journal of Biomechanics*. 30, 971-3.
- Merritt, C. E. (2017). Inaccuracy and bias in adult skeletal age estimation: assessing the reliability of eight methods on individuals of varying body sizes. *Forensic Sci Int*; 275(315): e1–11.
- Milner, G. R., & Boldsen, J. L. (2012). Transition analysis: A validation study with known-age modern American skeletons. *American Journal of Physical Anthropology*, 148(1), 98–110.
- Milz, S., Valassis, G., Buttner, A., Maier, M., Putz, R., Ralphs, J. R., & Benjamin, M. (2001). Fibrocartilage in the transverse ligament of the human acetabulum. *Journal of Anatomy*, 198(2), 223–228.
- Miranker, M. (2016). A Comparison of Different Age Estimation Methods of the Adult Pelvis. *Journal of Forensic Sciences*, 61(5), 1173–1179.
- Miranker, M. (2015). *A test of the performance of three age indicators of the adult human pelvis and the influence of occupation on morphology*. [Diplomová práce]. New York University.
- Mitteroecker, P. (2020). Morphometrics in evolutionary developmental biology. In Nunja de la Rosa, L. and Muller, G. B., editors, *Evolutionary Developmental Biology*. Springer, Cham.
- Mitteroecker, P., & Gunz, P. (2009). Advances in geometric morphometrics. *Evolutionary Biology*, 36, 235-247.

- Mitteroecker, P., & Bookstein, F. (2011). Linear Discrimination, Ordination, and the Visualization of Selection Gradients in Modern Morphometrics. *Evolutionary Biology*, 38(1), 100–114.
- Müller-Gerbl, M., Putz, R., Kenn, R., & Kierse, R. (1993). People in different age groups show different hip-joint morphology. *Clinical Biomechanics*, 8(2), 66–72.
- Muñoz-Silva, V., Sanabria-Medina, C., & Rissech, C. (2020). Application and analysis of the Rissech acetabular adult aging method in a Colombian sample. *Int J Legal Med* 134, 2261–2273.
- Murphy, A. M. C. (2000). The acetabulum: Sex assessment of prehistoric New Zealand Polynesian innominates. *Forensic Science International*. 108(1), 39–43.
- Nagesh, K. R., Kanchan, T., & Bastia, B. K. (2007). Sexual dimorphism of acetabulum–pubis index in South-Indian population. *Legal Medicine*. 9(6), 305–308.
- Nikita, E. (2017). *Osteoarchaeology. A guide to the macroscopic study of human skeletal remains*. London, UK: Academic Press.
- Nishii, T., Tanaka, H., Sugano, N., Miki, H., Takao, M., & Yoshikawa, H. (2007). Disorders of acetabular labrum and articular cartilage in hip dysplasia: evaluation using isotropic high-resolution CT arthrography with sequential radial reformation. *Osteoarthritis and cartilage*, 15(3), 251–257.
- Noguchi, Y., Miura, H., Takasugi, S., & Iwamoto, Y. (1999). Cartilage and labrum degeneration in the dysplastic hip generally originates in the anterosuperior weight-bearing area: an arthroscopic observation, *J. Arthrosc. Relat. Surg.* 15, 496–506.
- Novais, E. N., Shefelbine, S. J., Kienle, K. P., Miller, P. E., Bowen, G., Kim, Y.-J., & Bixby, S. D. (2018). Body Mass Index Affects Proximal Femoral but Not Acetabular Morphology in Adolescents Without Hip Pathology. *The Journal of Bone and Joint Surgery*, 100(1), 66–74.
- Oliveria, S. A., Felson, D. T., Reed, J. I., Cirillo, P. A., & Walker, A. M. (1995). Incidence of symptomatic hand, hip, and knee osteoarthritis among patients in a health maintenance organization. *Arthritis & Rheumatism*, 38(8), 1134–1141.
- Pacifici, R. (2015). T cells, osteoblasts, and osteocytes: interacting lineages key for the bone anabolic and catabolic activities of parathyroid hormone. *Annals of the New York Academy of Sciences*, 1364(1), 11–24.
- Parmar, G., Ruparelia, S., Patel, S. V., Patel, S. M., & Jethva, N. (2013). Morphology and morphometry of acetabulum. *Int. J. Biol. Med. Res.*, 4(1), 2924–6.
- Perreard, L. G. (2007). *Adaptation structurelle des os du membre supérieur et de la clavicule à l'activité*. [Disertační práce]. University of Geneva.
- Plavcan, J. M. (2011). Understanding dimorphism as a function of changes in male and female traits. *Evol Anthropol* 20, 143–155.

- Presle, N., Pottie, P., Mainard, D., Netter, P., & Terlain, B. (2007). Adipokines in Osteoarthritis. 85-103. In L. Sharma & F. Berenbaum (Eds.), *Osteoarthritis: A companion to rheumatology* (85-103). Philadelphia, PA: Mosby, Inc. (Elsevier).
- Radin, E.L. (1982). Mechanical factors in the causation of osteoarthritis. In M. Schattenkirchner (Ed.), *Rheumatology* (vol. 7) (46-52). Basel, Switzerland: Karger.
- Radin, E. L., & Rose, R. M. (1986). Role of Subchondral Bone in the Initiation and Progression of Cartilage Damage. *Clinical Orthopaedics and Related Research*, 213, 34-40.
- Rajasekhar, S., Vasudha, T. K. & Aravindhana, K. (2017). Sex Determination by biometry of anterior features of human hip bones in South Indian population. *J. Clin. Diagn. Res.*, 11(6):AC13-AC16.
- Recheis, W., Weber, G. W., Schäfer, K., Knapp, R., & Seidler, H. (1999). Virtual reality and anthropology. *European Journal of Radiology*, 31(2), 88-96.
- Resnick, D. & Niwayama, G. (1983). Entheses and enthesopathy. Anatomical, pathological, and radiological correlation. *Radiology* 146, 1-9.
- Rissech, C., Sañudo, J. R., & Malgosa, A. (2001). The acetabular point: a morphological and ontogenetic study, *J. Anat.* 198, 743-748.
- Rissech, C., Estabrook, G. F., Cunha, E., & Malgosa, A. (2007). Estimation of age-at-death for adult males using the acetabulum, applied to four western European populations. *J Forensic Sci* 52, 774-778.
- Rissech, C., Estabrook, G. F., Cunha, E., & Malgosa, A. (2006). Using the Acetabulum to Estimate Age at Death of Adult Males*. *Journal of Forensic Sciences*, 51(2), 213-229.
- Rissech, C., Estabrook, G. F., Cunha, E., & Malgosa, A. (2007). Estimation of Age-at-Death for Adult Males Using the Acetabulum, Applied to Four Western European Populations. *Journal of Forensic Sciences*, 52(4), 774-778. "
- Rodionova, O., Kucheryavskiy, S., & Pomerantsev, A. (2021). Efficient tools for principal component analysis of complex data— a tutorial. *Chemometrics and Intelligent Laboratory Systems*, 213, 104-304.
- Rogers, J., Shepstone, L., & Dieppe, P. (1997). Bone formers: osteophyte and enthesophyte formation are positively associated. *Ann Rheum Dis* 56, 85-90.
- Rogers, J., & Waldron, T. (1995). *A Field Guide to Joint Diseases in Archaeology*. New York: Wiley.
- Rougé-Maillart, C., Jousset, N., Vielle, B., Gaudin, A., & Telmon, N. (2007). Contribution of the study of acetabulum for the estimation of adult subjects. *Forensic Science International*, 171(2-3), 103-110.
- Rougé-Maillart, C., Telmon, N., Rissech, C., Malgosa, A., & Rougé, D. (2004). The Determination of Male Adult Age at Death by Central and Posterior Coxal Analysis: A Preliminary Study. *Journal of Forensic Sciences*, 49(2), 1-7.

- Rougé-Maillart, C., Vielle, B., Jousset, N., Chappard, D., Telmon, N., & Cunha, E. (2009). Development of a method to estimate skeletal age at death in adults using the acetabulum and the auricular surface on a Portuguese population. *Forensic Science International*, 188(1-3), 91–95.
- Ruff, C. B., Scott, W. W., & Liu, A. Y. C. (1991). Articular and diaphyseal remodeling of the proximal femur with changes in body mass in adults. *American Journal of Physical Anthropology*, 86(3), 397–413.
- Ruff, R. (1988). Hindlimb articular surface allometry in Homioidea and Macaca, with comparisons to diaphyseal scaling. *Journal of Human Evolution*. 17, 687-714.
- San Millán, M., Kaliontzopoulou, A., Rissech, C., & Turbón, D. (2015). A geometric morphometric analysis of acetabular shape of the primate hip joint in relation to locomotor behaviour. *Journal of Human Evolution*, 83, 15–27.
- San-Millán, M., Rissech, C., & Turbón, D. (2017a). Shape variability of the adult human acetabulum and acetabular fossa related to sex and age by geometric morphometrics. Implications for adult age estimation. *Forensic Science International*, 272, 50–63.
- San-Millán, M., Rissech, C., & Turbón, D. (2017b). New approach to age estimation of male and female adult skeletons based on the morphological characteristics of the acetabulum. *International Journal of Legal Medicine*, 131(2), 501–525.
- Sariali, E., Veysi, V., & Stewart, T. (2008). Biomechanics of the human hip – consequences for total hip replacement. *Current Orthopaedics*, 22(6), 371–375.
- Scheuer, L. (2002). Application of osteology to forensic medicine. *Clin Anat* 15, 297–312.
- Schlager, S. (2017). Morpho and Rvcg – Shape Analysis in R. *Statistical Shape and Deformation Analysis*, 217–256.
- Schmid, M. R., Nötzli, H. P., Zanetti, M., Wyss, T. F., & Hodler, J. (2003). Cartilage Lesions in the Hip: Diagnostic Effectiveness of MR Arthrography. *Radiology*, 226(2), 382–386.
- Schmitt, A., Murail, P., Cunha, E., & Rougé, D. (2002). Variability of the pattern of aging on the human skeleton: Evidence from bone indicators and implication on age at death estimation. *J Forensic Sci*, 47, 1203–1209.
- Schmitt, A., Wapler, U., Couallier, V., & Cunha, E. (2007). Are bone losers distinguishable from bone formers in a skeletal series? Implications for adult age at death assessment methods. *HOMO – Journal of Comparative Human Biology*, 58(1), 53–66.
- Schmitt, A. (2004). Age-at-death assessment using the os pubis and the auricular surface of the ilium: A test on an identified Asian sample. *Int J Osteoarchaeol*, 14, 1–6.
- Schneider, D. L., Barrett-Connor, E., Morton, D. J., & Weisman, M. (2002). Bone mineral density and clinical hand osteoarthritis in elderly men and women: the Rancho study. *J. Rheumatol.* 29, 1467–1472.

- Slice, D. E. (2007). Geometric Morphometrics. *Annual Review of Anthropology*. 36, 261-81.
- Smalley K. J., Knerr, A. N., Kendrick, Z. V., Colliver, J. A., & Owen, O. E. (1990). Reassessment of body mass indices. *Am J Clin Nutr*; 52, 405–8.
- Sokal, R. R., & Rohlf, F. J. (1995). *Biometry: The Principles and Practices of Statistics in Biological Research*. Freeman, New York, 3rd edition.
- Standing, S. (2016). *Gray's Anatomy: the Anatomical Basis of Clinical Practice*. Elsevier Limited.
- Stewart, T. D. (1979). *Essentials of forensic anthropology, especially as developed in the United States*. Springfield, Ill: Thomas.
- Stull, K. A., & James, D. M. (2010). Determination of age at death using the acetabulum of the os coxa. In: Latham KE, Finnegan M, editors. *Age estimation of the human skeleton*. Springfield, IL: Charles C. Thomas. 134–146.
- Swartz, S. (1989). The functional morphology of weight bearing: Limb joint surface area allometry in anthropoid primates. *Journal of Zoology*, 218, 441-460.
- Tak, E., Staats, P., Van Hespren, A., & Hopman-Rock, M. (2005). The effects of an exercise program for older adults with osteoarthritis of the hip. *J Rheumatol*; 32, 1106–13.
- Theelin, A., & Holmberg, S. (2007). Hip osteoarthritis in a rural male population: A prospective population-based register study. *American Journal of Industrial Medicine*, 50, 604-607.
- Turner, J. R., & Thayer, J. F. (2001). *Introduction to analysis of variance: design, analysis, and interpretation*. Sage Publications, Thousand Oaks, Calif.
- Via, M. (2012). The Malnutrition of Obesity: Micronutrient Deficiencies That Promote Diabetes. *Endocrinology*, 2012, 1–8.
- Videman, T., Nurmine, M., & Troup, J. D. (1990). Volvo Award in clinical sciences. Lumbar spinal pathology in cadaveric material in relation to history of back pain, occupation, and physical loading. *Spine*, 15, 728-740.
- Von Cramon-Taubadel, N., Frazier, B. C., & Lahr, M. M. (2007). The Problem of Assessing Landmark Error in Geometric Morphometrics: Theory, Methods, and Modification. *American journal of physical anthropology* 134, 24–35.
- von Eisenhart, R., Adam, C., Steinlechner, M., Müller-Gerbl, M., & Eckstein, F. (1999). Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human acetabular joint. *J Orthop Res*. 17, 532-539.
- Waldron, T. 1987 The relative survival of the human skeleton: Implications for palaeopathology. In *Death, Decay, and Reconstruction*, A. Boddington, A. N. Garland, and R. C. Janaway, eds., 55–64. Manchester University Press, Manchester.

- Wallace, I. J., Worthington, S., Felson, D. T., Jurmain, R. D., Wren, K. T., Maijanen, H., & Lieberman, D. E. (2017). Knee osteoarthritis has doubled in prevalence since the mid-20th century. *Proceedings of the National Academy of Sciences*, 114(35), 9332–9336.
- Wang, J., Thornton, J. C., Russell, M., Burastero, S., Heymsfield, S., & Pierson, R. N. (1994). Asians have lower body mass index (BMI) but higher percent body fat than do whites: comparisons of anthropometric measurements. *The American Journal of Clinical Nutrition*, 60(1), 23–28.
- Wang, S. C., Brede, C., Lange, D., Poster, C. S., Lange, A. W., Kohoyda-Inglis, C., Sochor, M. R., Ipaktchi, K., Rowe, S. A., Patel, S., & Garton, H. J. (2004). Gender differences in hip anatomy: possible implications for injury tolerance in frontal collisions. Annual proceedings. *Association for the Advancement of Automotive Medicine*, 48, 287–301.
- Wearing, S. C., Hennig, E. M., Byrne, N. M., Steele, J. R., & Hills, A. P. (2006). Musculoskeletal disorders associated with obesity: A biomechanical perspective. *Obesity Reviews*, 7, 239-250.
- Weber, G. W., & Bookstein, F. L. (2017). *Virtual anthropology: a guide to a new interdisciplinary field*. Springer.
- Weber, G. W., Recheis, W., Scholze, T. & Seidler, H. (1998). Virtual anthropology (VA): methodological aspects of linear and volume measurements--first results. *Collegium antropologicum*, 22(2), 575-584.
- Weiss, E. (2003). Understanding muscle markers: Aggregation and construct validity. *American Journal of Physical Anthropology*, 121, 230-240.
- Weiss, E. (2004). Understanding muscle markers: Lower limbs. *American Journal of Physical Anthropology*, 125, 232-238.
- Weiss, E., Corona, L., & Schultz, B. (2012). Sex differences in musculoskeletal stress markers: Problems with activity pattern reconstructions. *International Journal of Osteoarchaeology*, 22, 70-80.
- Weiss, E., & Jurmain, R. (2007). Osteoarthritis revisited: a contemporary review of aetiology. *Int J Osteoarchaeol*; 17, 437–50.
- Wellens, R. I., Roche, A. F., Khamis, H. J., Jackson, A. S., Pollock, M. L., & Siervogel, R. M. (1996). Relationships Between the Body Mass Index and Body Composition. *Obesity Research*, 4(1), 35–44.
- Wescott, D. J., & Drew, J. L. (2014). Effect of obesity on the reliability of age-at-death indicators of the pelvis. *American Journal of Physical Anthropology*, 156(4), 595–605.
- Weston, K. (1997). The virtual anthropologist. In Eds Gupta, A., Ferguson, J. *Anthropological locations: Boundaries and grounds of a field science*, 163-84. Berkeley: University of California Press.
- White, T. D., & Folkens, P. A. (2005). *The Human Bone Manual*. Elsevier Academic.
- White, T. D., Black, M. T., & Folkens, P. A. (2011). *Human osteology*. San Diego, Calif: Academic Press.

- Winburn, A.P. (2008). *A comparison of pelvic age-estimation methods on two modern Iberian populations: bioarchaeological and forensic implications*. [Diplomová práce]. New York University
- Winburn, A. P. (2017). *Skeletal age estimation in modern European-American adults: the effects of activity, obesity, and osteoarthritis on age-related changes in the acetabulum*. [Disertační práce]. University of Florida.
- Winburn, A. P. (2018). Validation of the Acetabulum As a Skeletal Indicator of Age at Death in Modern European-Americans. *Journal of Forensic Sciences*, 64(4), 989–1003.
- Wollheim, F. A., & Lohmander, L. S. (2007). Pathology and animal models of osteoarthritis. In L. Sharma & F. Berenbaum (Eds.), *Osteoarthritis: A companion to rheumatology*, 104-112. Philadelphia, PA: Mosby, Inc. (Elsevier).
- Yatsunencko, T., Rey, F. E., Manary, M. J., Trehan, I., Dominguez-Bello, M. G., Contreras, M., & Gordon, J. I. (2012). Human gut microbiome viewed across age and geography. *Nature*, 486(7402), 222–227.
- Yoshimura, N., Sasaki, S., Iwasaki, K., Danjoh, S., Kinoshita, H., Yasuda, T., Tamaki, T., & Cooper, C. (2000). Occupational lifting is associated with hip osteoarthritis: a Japanese case-control study. *The Journal of Rheumatology*, 27(2), 434-40.
- Yugesh, K., & Kumar, S. S. (2016). Morphometric analysis of acetabulum and its clinical correlation in south Indian population. *Int. J. Appl. Res.*, 2(6), 1011-4.
- Zelditch, M. L., Swiderski, D. L., & Sheets, H. D. (2012). *Geometric morphometrics for biologists: A primer*. Amsterdam: Elsevier Academic Press.
- Zollikofer, C., & Ponce de Leon, M. (2005). *Virtual Reconstruction: a primer in computer-assisted paleontology and biomedicine*. John Wiley & Sons, Hoboken, New Jersey.