ERRATA

page	place	is written	should be written
4	eq. (1.2)	$p_X(x) = \lim_{m \to \infty} \frac{m(X=x) _{t=T}}{m}$ $F(x;T) = p(X < x) _{t=T}$	$p_X(x) = \frac{m(X=x) _{t=T}}{m}$ for big m
5	middle	$F(x;T) = p(X < x) _{t=T}$	$F(x;T) = p(X \le x) _{t=T}$
6	top	$F_{A,B}(a,b;t) = p(A < a, B < b t)$	$F_{A,B}(a,b;t) = p(A \le a, B \le b t)$
7	eq. (1.15)	$\tilde{\sigma}_{X_i}^2 = \frac{1}{m-1} \sum_{j=1} (x_i^{(j)} - \mu_{X_i})^2$	$\tilde{\sigma}_{X_i}^2 = \frac{1}{m-1} \sum_{j=1}^m (x_i^{(j)} - \tilde{\mu}_{X_i})^2$
10	eq. (1.25)	$f_j(x) = \exp\left(i2\pi \frac{n}{\tau}x\right),$	$f_j(x) = \exp\left(i2\pi \frac{j}{\tau}x\right), j = 1, 2, \dots, \infty$
10	eq. (1.26)		$c_j = \frac{1}{\tau} \int_a^b y(x) f_j(x) dx$
		contributions can be considered independent	contributions can be considered independent and have
13	bottom	independent	finite variance σ^2
15	bottom	more than useful measurement	more than one useful measurement
20	middle	See figure 3.2	See figure 3.3
22	top	distribution of data	distribution of errors
28	eq. 5.3	$R_{\rm appx}(t) = \dots$	$R_{\rm appx}(t) = \frac{1}{n-t-1} \dots$
30	eq. 6.3	$F_{\text{appx}}(y) = \dots$	$F_{\xi_i} \doteq \dots$
31	top	Results are shown on figure 6	Results are shown on figure 6.1
32	pictures	color scale missing description	negative logarithm of likelihood, dark means low, scale is arbitrary
32	caption	Probability density	Likelihood probability density