

7 Seznam literatury

- Barry, E. M., Weiss, A. A., Ehrmann, I. E., Gray, M. C., Hewlett, E. L. and Goodwin, M. S. (1991). Bordetella pertussis adenylate cyclase toxin and hemolytic activities require a second gene, *cyaC*, for activation. *Journal of bacteriology*, 173(2), 720–726.
- Basler, M., Knapp, O., Masin, J., Fiser, R., Maier, E., Benz, R., Sebo, P. and Osicka, R. (2007). Segments crucial for membrane translocation and pore-forming activity of Bordetella adenylate cyclase toxin. *The Journal of Biological Chemistry*, 282(17), 12419–12429.
- Bellalou, J., Sakamoto, H., Ladant, D., Geoffroy, C. and Ullmann, A. (1990). Deletions affecting hemolytic and toxin activities of Bordetella pertussis adenylate cyclase. *Infection and immunity*, 58(10), 3242–3247.
- Benz, Maier, Ladant, D., Ullmann, A. and Sebo, P. (1994). Adenylate Cyclase Toxin (CyaA) of Bordetella pertussis. Evidence for the formation of small ion-permeable channels and comparison with HlyA of Escherichia coli. *The Journal of Biological Chemistry*, 269(44), 27231–27239.
- Benz, R., Schmid, A., Wagner, W. and Goebel, W. (1989). Pore formation by the Escherichia coli hemolysin: Evidence for an association-dissociation equilibrium of the pore-forming aggregates. *Infection and immunity*, 57(3), 887–895.
- Berridge, M. J., Bootman, M. D. and Roderick, H. L. (2003). Calcium signalling: dynamics, homeostasis and remodelling. *Nature reviews. Molecular cell biology*, 4(7), 517–529.
- Boehm, D. F., Welch, R. A. and Snyder, I. S. (1990). Domains of Escherichia coli hemolysin (HlyA) involved in binding of calcium and erythrocyte membranes. *Infection and immunity*, 58(6), 1959–1964.
- Branch, M., and Wright, S. (2007). The Nernst/Goldman equation simulator. Retrieved from <http://www.nernstgoldman.physiology.arizona.edu/>
- Bumba, L., Masin, J., Fiser, R. and Sebo, P. (2010). Bordetella adenylate cyclase toxin mobilizes its beta2 integrin receptor into lipid rafts to accomplish translocation across target cell membrane in two steps. *PLoS pathogens*, 6(5), e1000901.
- Cacas, J.-L., Furt, F., Le Guédard, M., Schmitter, J.-M., Buré, C., Gerbeau-Pissot, P., Moreau, P., Bessoule, J.-J., Simon-Plas, F. and Mongrand, S. (2012). Lipids of plant membrane rafts. *Progress in lipid research*, 51(3), 272–299.
- Confer, D. L. and Eaton, J. W. (1982). Phagocyte impotence caused by an invasive bacterial adenylate cyclase. *Science (New York, N.Y.)*, 217(4563), 948–950.
- Dietrich, C., Bagatolli, L. A., Volovyk, Z. N., Thompson, N. L., Levi, M., Jacobson, K. and Gratton, E. (2001). Lipid rafts reconstituted in model membranes. *Biophysical journal*, 80(3), 1417–1428.

- Ehrmann, I. E., Gray, M. C., Gordon, V. M., Gray, L.S. and Hewlett, E.L. (1991). Hemolytic activity of adenylate cyclase toxin from *Bordetella pertussis*. *FEBS letters*, 278(1), 79–83.
- El-Azami-El-Idrissi, M., Bauche, C., Loucka, J., Osicka, R., Sebo, P., Ladant, D. and Leclerc, C. (2003). Interaction of *Bordetella pertussis* adenylate cyclase with CD11b/CD18: Role of toxin acylation and identification of the main integrin interaction domain. *The Journal of Biological Chemistry*, 278(40), 38514–38521.
- Fabiánová, K., Zavadilová, J., Beneš, Č. and Kříž, B. (2011). Pertuse a parapertuse v České republice v roce 2011. Státní zdravotní ústav Praha. Zprávy Epidemiologie a Mikrobiologie, 21(3), 97-102.
- Fiser, R., Masin, J., Basler, M., Krusek, J., Spulakova, V., Konopasek, I. and Sebo, P. (2007). Third activity of *Bordetella* adenylate cyclase (AC) toxin-hemolysin. Membrane translocation of AC domain polypeptide promotes calcium influx into CD11b+ monocytes independently of the catalytic and hemolytic activities. *The Journal of Biological Chemistry*, 282(5), 2808–2820.
- Fiser, R. (2003). Adenylátcyklázový toxin bakterie *Bordetella pertussis* a jeho interakce s biologickou membránou (2003), Praha. Diplomová práce. Karlova Univerzita v Praze, Přírodovědecká fakulta, Katedra genetiky a mikrobiologie.
- Gangola, P. and Rosen, B. P. (1987). Maintenance of intracellular calcium in *Escherichia coli*. *The Journal of Biological Chemistry*, 262(26), 12570–12574.
- Gentile, F., Raptis, A, Knipling, L. G. and Wolff, J. (1988). *Bordetella pertussis* adenylate cyclase. Penetration into host cells. *European journal of biochemistry / FEBS*, 175(3), 447–453.
- Glaser, P, Elmaoglou-Lazaridou, A, Krin, E., Ladant, D., Bârzú, O. and Danchin, A. (1989). Identification of residues essential for catalysis and binding of calmodulin in *Bordetella pertussis* adenylate cyclase by site-directed mutagenesis. *The EMBO journal*, 8(3), 967–972.
- Glaser, P., Danchin, A., Ladant, D., Barzu, O. and Ullmann, A. (1988). *Bordetella pertussis* adenylate cyclase: the gene and the protein. *The Tokai journal of Experimental and Clinical Medicine*, 13, 239–252.
- Glaser, P., Sakamoto, H., Belialou, J., Ullmann, A. and Danchin, A. (1988). Secretion of cyclolysin, the calmodulin-sensitive adenylate cyclase - haemolysin bifunctional protein of *Bordetella pertussis*, *The EMBO Journal*, 7(12), 3997–4004.
- Goodwin, M. S. and Weiss, A. A. (1990). Adenylate cyclase toxin is critical for colonization and pertussis toxin is critical for lethal infection by *Bordetella pertussis* in infant mice. *Infection and immunity*, 58(10), 3445–3457.

- Gordon, V. M., Young, W. W., Lechlerg, S. M., Gray, M. C., Leppall, S. H. and Hewlett, L. (1989). Adenylate Cyclase Toxins from *Bacillus anthracis* and *Bordetella pertussis*, *The Journal of Biological Chemistry*, 264(25), 14792–14796.
- Gray, M., Szabo, G., Otero, A. S. and Hewlett, E. (1998). Distinct mechanisms for K⁺ efflux, intoxication, and hemolysis by *Bordetella pertussis* AC toxin. *The Journal of Biological Chemistry*, 273(29), 18260–18267.
- Guermontprez, P., Khelef, N., Blouin, E., Rieu, P., Ricciardi-Castagnoli, P., Guiso, N., Ladant, D. and Leclerc, C., (2001). The adenylate cyclase toxin of *Bordetella pertussis* binds to target cells via the alpha(M)beta(2) integrin (CD11b/CD18). *The Journal of experimental medicine*, 193(9), 1035–1044.
- Guermontprez, P., Ladant, D., Karimova, G., Ullmann, A. and Leclerc, C. (1999). Direct delivery of the *Bordetella pertussis* adenylate cyclase toxin to the MHC class I antigen presentation pathway. *Journal of immunology*, 162(4), 1910–1916.
- Guo, Q., Shen, Y., Lee, Y., Gibbs, C. S., Mrksich, M. and Tang, W. (2005). Structural basis for the interaction of *Bordetella pertussis* adenylate cyclase toxin with calmodulin. *The EMBO Journal*, 24 (18), 3190-3201.
- Hackett, M., Guo, L., Shabanowitz, J., Hunt, D. F. and Hewlett, E. L. (1994). Internal lysine palmitoylation in adenylate cyclase toxin from *Bordetella pertussis*. *Science*, 266(5184), 433–435.
- Hanski, E. *pertussis* I. A. C. and Farfel, Z. (1985). *Bordetella pertussis* invasive adenylate cyclase. partial resolution and properties of its cellular penetration. *The Journal of Biological Chemistry*, 290(9), 5526–5532.
- Havlík, J. (2008). Je černý kašel stále závažné onemocnění? *Medical Tribune*, 12/2008, (C2).
- Hewlett, Gray, L., Allietall, M., Ehrmann, I., Gordon, V. M. and Gray, M. C. (1991). Adenylate Cyclase Toxin from *Bordetella pertussis*. Conformational change associated with toxin activity. *The Journal of Biological Chemistry*, 266, 17503–17508.
- Hille, B. (1971). The permeability of the sodium channel to organic cations in myelinated nerve. *The Journal of general physiology*, 58(6), 599–619.
- Hille, B. (1972). The permeability of the sodium channel to metal cations in myelinated nerve. *The Journal of general physiology*, 59(6), 637–58.
- Hui, D., Morden, C., Zhang, F. and Ling, V. (2000). Combinatorial analysis of the structural requirements of the *Escherichia coli* hemolysin signal sequence. *The Journal of Biological Chemistry*, 275(4), 2713–2720.
- Karimova, G., Fayolle, C., Gmira, S., Ullmann, A., Leclerc, C. and Ladant, D. (1998). Charge-dependent translocation of *Bordetella pertussis* adenylate cyclase toxin into

eukaryotic cells: Implication for the in vivo delivery of CD8+ T cell epitopes into antigen-presenting cells. *Proceedings of the National Academy of Sciences of the United States of America*, 95(21), 12532–12537.

Knapp, O., Maier, E., Masín, J., Sebo, P. and Benz, R. (2008). Pore formation by the Bordetella adenylate cyclase toxin in lipid bilayer membranes: role of voltage and pH. *Biochimica et biophysica acta*, 1778(1), 260–269.

Knapp, O., Maier, E., Polleichtner, G., Masín, J., Sebo, P. and Benz, R. (2003). Channel formation in model membranes by the adenylate cyclase toxin of Bordetella pertussis: effect of calcium. *Biochemistry*, 42(26), 8077–8084.

Lally, E. T., Hill, R. B., Kieba, I. R. and Korostoff, J. (1999). The interaction between RTX toxins and target cells. *Trends in microbiology*, 7(9), 356–361.

Lodish, H., Berk, A. and Kaiser, C. A. (2008). *Molecular Cell Biology* (6th ed., p. 1150). New York: Freeman.

Ludwig, A, Garcia, F., Bauer, S., Jarchau, T., Benz, R., Hoppe, J. and Goebel, W. (1996). Analysis of the in vivo activation of hemolysin (HlyA) from Escherichia coli. *Journal of bacteriology*, 178(18), 5422–5430.

Masin, J., Basler, M., Knapp, O., El-azami-el-idrissi, M., Maier, E., Konopasek, I., Benz, R., Leclerc, C. and Sebo, P. (2005). Acylation of lysine 860 allows tight binding and cytotoxicity of Bordetella adenylate cyclase on CD11b-expressing cells. *Biochemistry*, 44(38), 12759–12766.

Mattoo, S. and Cherry, J. D. (2005). Molecular pathogenesis, epidemiology, and clinical manifestations of respiratory infections due to Bordetella pertussis and other Bordetella subspecies. *Clinical Microbiology Reviews*, 18(2), 326–382.

Menestrina, G. and Ropele, M. (1989). Voltage-dependent gating properties of the channel formed by E. coli hemolysin in planar lipid membranes. *Bioscience reports*, 9(4), 465–473.

Milescu, L. S., Nicolai, C. and Bannen, J. (2013). QuB Software. Retrieved from <http://www.qub.buffalo.edu/>

Moayeri, M. and Welch, R. A. (1997). Prelytic and lytic conformations of erythrocyte-associated Escherichia coli hemolysin. *Infection and immunity*, 65(6), 2233–2239.

Mobberley-schuman, P. S. and Weiss, A. A. (2005). Influence of CR3 (CD11b / CD18) expression on phagocytosis of Bordetella pertussis by human neutrophils. *Infection and Immunity*, 73(11), 7317–7323.

Mueller, P., Rudin, D., Tien, H. and Wescott, W. (1962). Reconstitution of excitable cell membrane structure in vitro. *Circulation*, 26, 1167–1171.

- Munier, H., Gilles, A., Glaser, P., Krin, E., Danchin, A. and Sarfati, R. (1991). Isolation and characterization of catalytic and calmodulin-binding domains of Bordetella pertussis adenylate cyclase. *European Journal of Biochemistry*, 469–474.
- Nicaud, J. M., Mackman, N., Gray, L. and Holland, I. B. (1985). Characterisation of HlyC and mechanism of activation and secretion of haemolysin from E. coli 2001. *FEBS letters*, 187(2), 339–344.
- Osicková, A., Osicka, R., Maier, E., Benz, R. and Sebo, P. (1999). An amphipathic alpha-helix including glutamates 509 and 516 is crucial for membrane translocation of adenylate cyclase toxin and modulates formation and cation selectivity of its membrane channels. *The Journal of Biological Chemistry*, 274(53), 37644–37650.
- Otero, A. S., Yi, X. B., Gray, M. C., Szabo, G. and Hewlett, E. L. (1995). Membrane depolarization prevents cell invasion by Bordetella pertussis adenylate cyclase toxin. *The Journal of Biological Chemistry*, 270(17), 9695-9697.
- Parekh, A. B. and Putney, J. W. (2005). Store-operated calcium channels. *Physiological reviews*, 85(2), 757–810.
- Pospíšilová, E. (2010). Adenylát cyklázový toxin bakterie Bordetella pertussis : mechanismus úniku draselných iontů z makrofágů, Praha. Diplomová práce. Karlova Univerzita v Praze, Přírodovědecká fakulta, Katedra genetiky a mikrobiologie.
- Rogel, A., Meller, R. and Hanski, E. (1991). Adenylate Cyclase Toxin from Bordetella pertussis. The relationship between induction of cAMP and hemolysis, *The Journal of Biological Chemistry*, 266(15), 3154–3161.
- Rose, T., Sebo, P., Bellalou, J. and Ladant, D. (1995). Interaction of calcium with Bordetella pertussis adenylate cyclase toxin. Characterization of multiple calcium-binding sites and calcium-induced conformational changes. *The Journal of Biological Chemistry*, 270(44), 26370–26376.
- Sakamoto, Bellalou, J., Sebo, P. and Ladant, D. (1992). Structural and functional independence of the catalytic and hemolytic activities. *The Journal of Biological Chemistry*, 267(19), 13598–13602.
- Sergent, O., Djoudi-aliche, F. and Lagadic-gossmann, D. (2012). Up-to-date insight about membrane remodeling as a mechanism of action for ethanol-induced liver toxicity. *Trends in Alcoholic Liver Disease Research - Clinical and Scientific Aspects*, Dr. Ichiro Schimizu (Ed.), ISBN: 978-953-307-958, InTech.
- Short Jr., E. C. and Kurtz, H. J. (1971). Properties of the hemolytic activities of Escherichia coli. *Infection and Immunity*, 3(5): 678-687.
- Simons, K. and Ikonen, E. (1997). Functional rafts in cell membranes. *Nature*, 387(6633), 569–572.

- Simons, K. and Toomre, D. (2000). Lipid rafts and signal transduction. *Nature reviews. Molecular cell biology*, 1(1), 31–39.
- Simsova, M. Sebo, P., and Leclerc, C. (2004). The adenylate cyclase toxin from *Bordetella pertussis* - a novel promising vehicle for antigen delivery to dendritic cells. *International journal of medical microbiology*, 293(7-8), 571–576.
- Sobko, A. A, Kotova, E. A, Antonenko, Y. N., Zakharov, S. D. and Cramer, W. A. (2006). Lipid dependence of the channel properties of a colicin E1-lipid toroidal pore. *The Journal of Biological Chemistry*, 281(20), 14408–14416.
- Szabo, G., Gray, C. and Hewlett, E. L. (1994). Adenylate Cyclase Toxin from *Bordetella pertussis* produces ion conductance across artificial lipid bilayers in a calcium- and polarity-dependent manner. *The Journal of Biological Chemistry*, 269(36), 22496–22499.
- TranVan Nhieu, G., Clair, C., Grompone, G. and Sansonetti, P. (2004). Calcium signalling during cell interactions with bacterial pathogens. *Biology of the Cell*, 96(1), 93–101.
- Tweten, R. (2005). Cholesterol-dependent cytolysins, a family of versatile pore-forming toxins. *Infection and immunity*, 73(10).
- Valeva, A., Walev, I., Kemmer, H., Weis, S., Siegel, I., Boukhallouk, F., Wassenaar, T. M., Chavakis, T. and Bhakdi, S. (2005). Binding of *Escherichia coli* hemolysin and activation of the target cells is not receptor-dependent. *The Journal of Biological Chemistry*, 280(44), 36657–36663.
- Vojtova-Vodolanova, J., Basler, M., Osicka, R., Knapp, O., Maier, E., Cerny, J., Benada, O., Benz, R. and Sebo, P. (2009). Oligomerization is involved in pore formation by *Bordetella* adenylate cyclase toxin. *FASEB journal*, 23(9), 2831–2843.
- Weingart, C. L. and Weiss, A A. (2000). *Bordetella pertussis* virulence factors affect phagocytosis by human neutrophils. *Infection and immunity*, 68(3), 1735–1749.
- Wolff, J., Cook, G. H., Goldhammer, A. R. and Berkowitz, S. A. (1980). Calmodulin activates prokaryotic adenylate cyclase. *Biochemistry*, 77(7), 3841–3844.
- Zhao, J., Wu, J., Heberle, F. A, Mills, T. T., Klawitter, P., Huang, G., Costanza and Feigenson, G. W. (2007). Phase studies of model biomembranes: complex behavior of DSPC/DOPC/cholesterol. *Biochimica et Biophysica Acta*, 1768(11), 2764–2776.