

ERRATA

Opravené citace:

- Abel, T., & Lattal, M. L. (2001). Molecular mechanisms of memory acquisition, consolidation and retrieval. *Current Opinion in Neurobiology*, 11 (2), 180–187.
- Abraham, U., Julie L. Prior, Daniel Granados-Fuentes, David R. Piwnica-Worms, and Erik D. Herzog (2005). Independent Circadian Oscillations of Period1 in Specific Brain Areas In Vivo and In Vitro. *Journal of Neuroscience*, 25 (38), 8620–8626.
- Abrahamson, E. E., & Moore, R. Y. (2001). Suprachiasmatic nucleus in the mouse: Retinal innervation, intrinsic organization and efferent projections. *Brain Research*, 916 (1-2), 172–191.
- Akashi, M., Tsuchiya, Y., Yoshino, T., & Nishida, E. (2002). Control of intracellular dynamics of mammalian period proteins by casein kinase I epsilon (CKIepsilon) and CKIdelta in cultured cells. *Molecular and Cellular Biology*, 22 (6), 1693–703.
- Akirav, I., & Richter-Levin, G. (2002). Mechanisms of amygdala modulation of hippocampal plasticity. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 22 (22), 9912–9921.
- Akiyama M., Kouzu Y., Takahashi S., Wakamatsu H., Moriya T., Maetani M., Shigenori W., Tei H., Sakaki Y., and Shibata S. (1999). Inhibition of light- or glutamate-induced mPer1 expression represses the phase shifts into the mouse circadian locomotor and suprachiasmatic firing rhythms. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 19 (3), 1115–1121.
- Albrecht, U., & Eichele, G. (2003). The mammalian circadian clock. *Current Opinion in Genetics & Development*, 13 (3), 271–277.
- Amaral, D. G., Scharfman, H. E., & Lavenex, P. (2007). The dentate gyrus: fundamental neuroanatomical organization (dentate gyrus for dummies). *Progress in Brain Research*, 163, 3–22.
- Aton, S. J., Colwell, Ch. S., Hattar, A. J., Waschek, J. Herzog, E. D. (2005). Vasoactive intestinal polypeptide mediates circadian rhythmicity and synchrony in mammalian clock neurons. *Nature Neuroscience*, 8(4), 476-483.
- Baddeley, A. D., & Hitch, G. (1974). Working memory. *The Psychology of Learning and Motivation Advances in Research and Theory*, 8, 47-89.
- Barnard, A. R., & Nolan, P. M. (2008). When clocks go bad: Neurobehavioural consequences of disrupted circadian timing. *PLoS Genetics*, 4 (5), 1-8.
- Berson, D. M., Dunn, A. F., & Takao, M. (2002). Phototransduction by Retinal Ganglion Cells That Set the Circadian Clock. *Science*, 295 (5557), 1070–1073.
- Bhargava, A., Herzel, H., & Ananthasubramanian, B. (2015). Mining for novel candidate clock genes in the circadian regulatory network. *BMC Systems Biology*, 9 (1), 1-14.
- Bliss, T. V. P., & Collingridge, G. L. (1993). A synaptic model of memory: long-term potentiation in the hippocampus. *Nature*, 361 (7), 31-39.
- Boulos, Z., & Terman, M. (1980). Food availability and daily biological rhythms. *Neuroscience and Biobehavioral Reviews*, 4 (2), 119–131.
- Bozek, K., Relogio, A., Kielbasa, S. M., Heine, M., Dame, C., Kramer, A., & Herzel, H. (2011). Regulation of Clock-Controlled Genes in Mammals. *Current Science*, 101 (11), 1435–1439.
- Broadbent, N. J., Squire, L. R., & Clark, R. E. (2004). Spatial memory, recognition memory, and the

- hippocampus. *Proceedings of the National Academy of Sciences of the United States of America*, *101* (40), 14515–20.
- Caruana, D. A., Alexander, G. M., & Dudek, S. D. (2012). New insights into the regulation of synaptic plasticity from an unexpected place: Hippocampal area CA2. *Learning & Memory*, *19*(9), 391–400.
- Cohen Neal, & Larry, S. (1980). Preserved learning and retention of pattern-analyzing Skill in Amnesia, *Science*, *210* (4466), 207-210.
- Craik, F. I. M., & Lockhart, R. S. (1972). Levels of processing: A framework for memory research. *Journal of Verbal Learning and Verbal Behavior*, *11* (6), 671–684.
- Damiola, F., Le Minli, N., Preitner, N., Kornmann, B., Fleury-Olela, F., & Schibler, U. (2000). Restricted feeding uncouples circadian oscillators in peripheral tissues from the central pacemaker in the suprachiasmatic nucleus. *Genes and Development*, *14* (23), 2950–2961.
- DeBruyne, J. P., Weaver, D. R., & Reppert, S. M. (2007). CLOCK and NPAS2 have overlapping roles in the suprachiasmatic circadian clock. *Nature Neuroscience*, *10* (5), 543–545.
- Delwig, A., Larsen, D. D., Yasumura, D., Yang, C. F., Shah, N. M., & Copenhagen, D. R. (2016). Retinofugal Projections from Melanopsin-Expressing Retinal Ganglion Cells Revealed by Intraocular Injections of Cre-Dependent Virus. *Plos One*, *11* (2), 1-14.
- Duvernoy, C. S. (2005). The human hippocampus: functional anatomy, vascularization and serial sections with MRI, Chapter3, 20.
- Eckel-Mahan, K. L. (2012). Circadian Oscillations within the Hippocampus Support Memory Formation and Persistence. *Frontiers in Molecular Neuroscience*, *5*, 1-4.
- Eckel-Mahan, K. L., Phan, T., Han, S., Wang, H., Chan, G. C. K., Scheiner, Z. S., & Storm, D. R. (2008). Circadian oscillation of hippocampal MAPK activity and cAMP: implications for memory persistence. *Nature Neuroscience*, *11* (9), 1074–1082.
- Eckel-Mahan, K. L., & Storm, D. R. (2009). Circadian rhythms and memory: not so simple as cogs and gears. *EMBO Reports*, *10* (6), 584–591.
- Eide, E. J., Vielhaber, E. L., Hinz, W. A., & Virshup, D. M. (2002). The circadian regulatory proteins BMAL1 and cryptochromes are substrates of casein kinase. *Journal of Biological Chemistry*, *277* (19), 17248–17254.
- Eichenbaum, H., Otto, T., & Cohen, N. J. (1994). 2 Functional Components of the Hippocampal Memory System. *Behavioral and Brain Sciences*, *17* (3), 449–472.
- Fekete, M., van Ree, J. M., Niesink, R. J. M., & de Wied, D. (1985). Disrupting circadian rhythms in rats induces retrograde amnesia. *Physiology and Behavior*, *34* (6), 883–887.
- Folkard, S., Monk, T., Bradbury, R., & Rosenthal, J. (1977). Time of day effects in school children's immediate and delayed recall of meaningful material. *British Journal of Psychology*, 45-50.
- Frey, U., Krug, M., Reymann, K. G., & Matthies, H. (1988). Anisomycin, an inhibitor of protein synthesis, blocks late phases of LTP phenomena in the hippocampal CA1 region in vitro. *Brain Research*, *452*(1-2), 57–65.
- Gerstner, J. R., & Yin, J. C. P. (2010). Circadian rhythms and memory formation. *Nature Reviews. Neuroscience*, *11*(8), 577–588.
- Giap, B., Jong, C., Ricker, J., Cullen, N., & Zafonte, R. (2000). The Hippocampus: Anatomy, Pathophysiology, and Regenerative Capacity. *J Head Trauma Rehabil*, *15* (3), 875-894.
- Gould, J. L. (1987). Honey bees store learned flower-landing behaviour according to time of day.

Animal Behaviour, 35(5), 1579–1581.

- Graybiel, A. M. (2003). The Basal Ganglia. *Science*, 10 (4), 509- 511.
- Guillaumond, F., Dardente, H., Giguere, V., & Cermakian, N. (2005). Differential Control of Bmal1 Circadian Transcription by REV-ERB and ROR Nuclear Receptors. *Journal of Biological Rhythms*, 20(5), 391–403.
- Harmar, A. J., Marston, H. M., Shen, S., Spratt, C., West, K. M., Sheward, W. J., Morrison, Ch. F., Dorin, J. R., Piggins H. D., Reubi, J.C., Kelly, J. S., Maywood, E. S., Hastings, M. H. (2002). The VPAC2 receptor is essential for circadian function in the mouse suprachiasmatic nuclei. *Cell Press*, 109(4), 497–508.
- Herzog, E. D., Aton, S. J., Numano, R., Sakaki, Y., & Tei, H. (2004). Temporal Precision in the Mammalian Circadian System: A Reliable Clock from Less Reliable Neurons. *Journal of Biological Rhythms*, 19(1), 35–46.
- Huang, N., Chelliah, Y., Shan, Y., Taylor, C. A., Yoo, S.-H., Partch, C., Green, C. B., Zhang, H., Takahashi, J. S. (2012). Crystal structure of the heterodimeric CLOCK:BMAL1 transcriptional activator complex. *Science (New York, N.Y.)*, 337(6091), 189–94.
- Chaudhury, D., & Colwell, C. S. (2002). Circadian modulation of learning and memory in fear-conditioned mice. *Behavioural Brain Research*, 133(1), 95–108.
- Chaudhury, D., Wang, L. M., & Colwell, C. S. (2005). Circadian Regulation of Hippocampal Long-Term Potentiation. *J Biol Rhythms*, 28(2), 225–236.
- Chen, D., Buchanan, G. F., Ding, J. M., Hannibal, J., & Gillette, M. U. (1999). Pituitary adenylyl cyclase-activating peptide: a pivotal modulator of glutamatergic regulation of the suprachiasmatic circadian clock. *Proceedings of the National Academy of Sciences of the United States of America*, 96(23), 13468–13473.
- Ji, J., & Maren, S. (2008). Differential roles for hippocampal areas CA1 and CA3 in the contextual encoding and retrieval of extinguished fear. *Learning & Memory (Cold Spring Harbor, N.Y.)*, 15(4), 244–51.
- Jilg, A., Lesny, S., Peruzki, N., Schwegler, H., Selbach, O., Dehghani, F., & Stehle, J. H. (2010). Temporal dynamics of mouse hippocampal clock gene expression support memory processing. *Hippocampus*, 20(3), 377–388.
- Jones, K. H. S., Ellis, J., Von Schantz, M., Skene, D. J., Dijk, D. J., & Archer, S. N. (2007). Age-related change in the association between a polymorphism in the PER3 gene and preferred timing of sleep and waking activities. *Journal of Sleep Research*, 16(1), 12–16.
- Kalska, H. (2006). Kun muisti pettää, mikä muisteista pettää? *Duodecim*, 122, 1313–1320.
- Kandel, E. R. (2001). The molecular biology of memory storage: A dialogue between gene and synapses. *Science*, 294(5544), 1030–1038.
- Kandel, E. R., Spencer, W. A. (1962). Hippocampal neuron responses in relation to normal and abnormal function. *Collq.Intern. Centre Natl. Rech. Sci. Paris.*,107, 71-103.
- Kim, J. J., & Diamond, D. M. (2002). The stressed hippocampus, synaptic plasticity and lost memories. *Nature Reviews. Neuroscience*, 3(6), 453–62.
- Ko, C. H., & Takahashi, J. S. (2006). Molecular components of the mammalian circadian clock. *Human Molecular Genetics*, 15(2), 271–277.
- Kondratov, R. V., Kondratova, A. A., Gorbacheva, V. Y., Vykhovanets, O. V., & Antoch, M. P. (2006). Early aging and age-related pathologies in mice deficient in BMAL1, the core

- component of the circadian clock. *Genes and Development*, 20(14), 1868–1873.
- Korte, M., Carroll, P., Wolf, E., Brem, G., Thoenen, H., & Bonhoeffer, T. (1995). Hippocampal long-term potentiation is impaired in mice lacking brain-derived neurotrophic factor. *Proceedings of the National Academy of Sciences of the United States of America*, 92(19), 8856–8860.
- Lamont, E. W., Robinson, B., Stewart, J., & Amir, S. (2005). The central and basolateral nuclei of the amygdala exhibit opposite diurnal rhythms of expression of the clock protein Period2. *Proc Natl Acad Sci U S A*, 102(11), 4180–4184.
- Landgraf, D., Wang, L. L., Diemer, T., & Welsh, D. K. (2016). NPAS2 Compensates for Loss of CLOCK in Peripheral Circadian Oscillators. *PLOS Genetics*, 12(2), 160-190.
- Langmeier, M., Marešová, D., Mourek, J., & Trojan, S. (2006). *Psychiatrie*, 10, 32–34.
- Leak, R. K., Card, J. P., & Moore, R. Y. (1999). Suprachiasmatic pacemaker organization analyzed by viral transynaptic transport. *Brain Research*, 819(1-2), 23–32.
- Lecompte, D. C. (1999). Seven , Plus or Minus Two , Is Too Much To Bear : Three (or Fewer) Is the Real Magic Number. *Proceeding of the Human Factors and Ergonomics Society 43rd Annual Meeting*, 289–292.
- Lee, I., & Kesner, R. P. (2002). Differential contribution of NMDA receptors in hippocampal subregions to spatial working memory. *Nature Neuroscience*, 5(2), 162–168.
- Lehman, M. N., Silver, R., Gladstone, W. R., Kahn, R. M., Gibson, M., & Bittman, E. L. (1987). Circadian rhythmicity restored by neural transplant. Immunocytochemical characterization of the graft and its integration with the host brain. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 7(6), 1626–1638.
- Lehman, M. N., & Winans, S. S. (1982). Vomeronasal and olfactory pathways to the amygdala controlling male hamster sexual behavior: Autoradiographic and behavioral analyses. *Brain Research*, 240(1), 27–41.
- Lepage, M., & Achim, A. M. (1993). Episodic memory-related activation in schizophrenia : meta-analysis, *BRITISH JOURNAL OF PSYCHCHIATRY* (187), 500-509.
- Lewis, S. (2014). Circadian rhythms: Remembering night and day. *Nature Reviews Neuroscience*, 1.
- Lu, Y., Christian, K., & Lu, B. (2008). BDNF: A key regulator for protein synthesis-dependent LTP and long-term memory? *Neurobiology of Learning and Memory*, 89(3), 312–323.
- Luca, B., Bassermann, F., Maiolica, A., Lee, Ch., Nolan, P. M., Godinho, S. I. H., Draetta, G. F., Pagano, M.(2007). SCFFbx13 Controls the Oscillation of the Circadian Clock by Directing the Degradation of Cryptochrome Proteins, *Science*, 316, 900–905.
- Malenka, R. C., & Nicoll, R. A. (1993). NMDA-receptor-dependent synaptic plasticity: multiple forms and mechanisms. *Trends in Neurosciences*, 16(12), 521–527.
- Maren, S. (1999). Long-term potentiation in the amygdala: a mechanism for emotional learning and memory. *Elsevier Science*, 99, 561-567.
- Martin-Fairey, C. A., & Nunez, A. A. (2014). Circadian modulation of memory and plasticity gene products in a diurnal species. *Brain Research*, 1581(517), 30–39.
- McNab, F., & Klingberg, T. (2008). Prefrontal cortex and basal ganglia control access to working memory. *Nature Neuroscience*, 11(1), 103–107.
- Miller, G. A. (1956). The magical number seven, plus or minus two: some limits on our capacity for processing information. *Psychological Review*, 63(2), 81-97.
- Miyamoto, Y., & Sancar, A. (1998). Vitamin B2-based blue-light photoreceptors in the

- retinohypothalamic tract as the photoactive pigments for setting the circadian clock in mammals. *Proc. Natl. Acad. Sci. U.S.A.*, 95(11), 6097–6102.
- Moga, M. M., & Moore, R. Y. (1997). Organization of neural inputs to the suprachiasmatic nucleus in the rat. *Journal of Comparative Neurology*, 389(3), 508–534.
- Moore, R. Y., Speh, J. C., & Card, J. P. (1995). The retinohypothalamic tract originates from a distinct subset of retinal ganglion cells. *Journal of Comparative Neurology*, 352(3), 351–366.
- Mulder, C. K., Gerkema, M. P., & Van der Zee, E. A. (2013). Circadian clocks and memory: time-place learning. *Frontiers in Molecular Neuroscience*, (6), 1–10.
- Mulder, C., Van Der Zee, E. A., Hut, R. A., & Gerkema, M. P. (2013). Time-place learning and memory persist in mice lacking functional *Per1* and *Per2* clock genes. *Journal of Biological Rhythms*, 28(6), 367–79.
- Nesca, M., & Koulack, D. (1994). Recognition memory, sleep and circadian rhythms. *Canadian Journal of Experimental Psychology = Revue Canadienne de Psychologie Expérimentale*, 48(3), 359–79.
- O'Keefe, J., Burgess, N., Donnett, J. G., Jeffery, K. J., & Maguire, E. A. (1998). Place cells, navigational accuracy, and the human hippocampus. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 353(1373), 1333–40.
- O'Mara, S. M., Commins, S., Anderson, M., & Gigg, J. (2001). The subiculum: A review of form, physiology and function. *Progress in Neurobiology*, 64(2), 129–155.
- Packard, M. G., & Knowlton, B. J. (2002). Learning and memory Functions of the Basal Ganglia. *Annual Review of Neuroscience*, (1), 32, 563-586.
- Phelps, E. A. (2004). Human emotion and memory: Interactions of the amygdala and hippocampal complex. *Current Opinion in Neurobiology*, 14(2), 198–202.
- Pickard, G. E. (1982). The afferent connections of the suprachiasmatic nucleus of the golden hamster with emphasis on the retinohypothalamic projection. *J.Comp.Neurol.*, 211, 65–83.
- Preckel, F., Lipnevich, A. A., Schneider, S., & Roberts, R. D. (2011). Chronotype, cognitive abilities, and academic achievement: A meta-analytic investigation. *Learning and Individual Differences*, 21(5), 483–492.
- Preitner, N., Damiola, F., Luis-Lopez-Molina, Zakany, J., Duboule, D., Albrecht, U., & Schibler, U. (2002). The orphan nuclear receptor REV-ERB controls circadian transcription within the positive limb of the mammalian circadian oscillator. *Cell Press*, 110(2), 251–260.
- Ralph, M. R., Foster, R. G., Davis, F. C., & Menaker, M. (1990). Transplanted suprachiasmatic nucleus determines circadian period. *Science (New York, N.Y.)*, 247(4945), 975–978.
- Reick, M., Garcia, J. A., Dudley, C., & McKnight, S. L. (2001). NPAS2: An analog of clock operative in the mammalian forebrain. *Science*, 293(5529), 506–509.
- Reiter, R. J., Tan, D.-X., Korkmaz, A., Erren, T. C., Piekarski, C., Tamura, H., & Manchester, L. C. (2007). Light at Night, Chronodisruption, Melatonin Suppression, and Cancer Risk: A Review. *Critical Reviews TM in Oncogenesis*, 13(4), 303–328.
- Richter-levin, G., & Akirav, I. (2001). Amygdala-Hippocampus Dynamic Interaction in Relation to Memory Gal Richter-Levin and Irit Akirav, *Molecular Neurobiology*, 22, 11–20.
- Roldan-Valadez, E., García-Lázaro, H., Lara-Romero, R., & Ramirez-Carmona, R. (2012). Neuroanatomy of episodic and semantic memory in humans: A brief review of neuroimaging studies. *Neurology India*, 60(6), 613-17.

- Ruby, N. F., Hwang, C. E., Wessells, C., Fernandez, F., Zhang, P., Sapolsky, R., & Heller, H. C. (2008). Hippocampal-dependent learning requires a functional circadian system. *Proceedings of the National Academy of Sciences of the United States of America*, 105(40), 15593–8.
- Rusina, R. (2004). Paměť a její poruchy. *Neurologie pro Praxi*, 205–207.
- Savalli, G., Diao, W., Schulz, S., Todtova, K., & Pollak, D. D. (2015). Diurnal Oscillation of Amygdala Clock Gene Expression and Loss of Synchrony in a Mouse Model of Depression, *International Journal of Neuropsychopharmacology*, 1–11.
- Scoville, W. B., & Milner, B. (1957). Loss of recent memory after bilateral hippocampal lesions. *The Journal of Neuropsychiatry and Clinical Neurosciences (2000)*, 12(1), 103–113.
- Sherry, D. F., & Schacter, D. L. (1987). The evolution of multiple memory systems. *Psychological Review*, 94(4), 439–454.
- Smarr, B. L., Jennings, K. J., Driscoll, J. R., Kriegsfeld, L. J. (2010). A Time to Remember: The Role of Circadian Clocks in Learning and Memory, *Behav Neurosci*, 128(3), 283–303.
- Srinivasan, V., Singh, J., Pandi-Perumal, S. R., Brown, G. M., Spence, D. W., & Cardinali, D. P. (2010). Jet lag, circadian rhythm sleep disturbances, and depression: The role of melatonin and its analogs. *Advances in Therapy*, 27(11), 796–813.
- Stephan, F. K., & Zucker, I. (1972). Circadian rhythms in drinking behavior and locomotor activity of rats are eliminated by hypothalamic lesions. *Proceedings of the National Academy of Sciences of the United States of America*, 69(6), 1583–1586.
- Šťastný, F., Vrajlová, M., Tejkalová, S., Peková, S., Mareš, V., Kozmíková, I., Jirásková J., Höschl, C., Balcar, V. J. (2003). Stavba a funkcia NMDA receptoru u Schizofrenie, *Psychiatrie*, 10, 7–14.
- Takumi, T., Taguchi, K., Miyake, S., Sakakida, Y., Takashima, N., Matsubara, C., Matsubara, Ch., Maebayashi, Y., Okumura, K., Takekida, S., Yamamoto, S., Yagita, K., Yan, K., Young, W. M., Okamura, H. (1998). A light-independent oscillatory gene mPer3 in mouse SCN and OVLT. *EMBO Journal*, 17(16), 4753–4759.
- Thorpe, C. M., & Wilkie, D. M. (2002). Unequal interval time-place learning. *Behavioural Processes*, 58(3), 157–166.
- Toh, K. L., Jones, C. R., He, Y., Eide, E. J., Hinz, W. A., Virshup, D. M., Ptáček, L. J., Fu, Y.-H. (2001). An hPer2 phosphorylation site mutation in familial advanced sleep phase syndrome. *Science (New York, N.Y.)*, 291(5506), 1040–1043.
- Toshiyuki, H., LeSauter, J., Silver, R., & Venuti, J. M. (2001). Expression of Period Genes Rhythmic and Nonrhythmic Compartments of the Suprachiasmatic Nucleus Pacemaker, *The Journal of Neuroscience*, 21(19), 7742-7750.
- Tulving, E. (1972). Episodic and semantic memory. *Organization of Memory*. 381-403
- Tulving, E. (1993). What is episodic memory? *Current Directions in Psychological Science*. 2 (3) 67-70.
- Tulving, E. (1995). Organization of Memory: Quo Vadis? *The Cognitive Neurosciences*.1, 839-847.
- Tulving, E. (1987). Multiple memory systems and consciousness. *Human Neurobiol*, 6, 67-80.
- Tulving, E., & Schacter, D. L. (1990). Priming and Human Memory Systems, *Science*, 247(4940), 301–306.
- Valdez, P., Ramírez, C., & García, A. (2014). Circadian Rhythms in Cognitive Processes: Implications for School Learning. *Mind, Brain, and Education*, 8(4), 161–168.

- Valentinuzzi, V. S., Menna-Barreto, L., & Xavier, G. F. (2004). Effect of circadian phase on performance of rats in the Morris water maze task. *Journal of Biological Rhythms*, *19*(4), 312–24.
- Van der Zee, E. A., Havekes, R., Barf, R. P., Hut, R. A., Nijholt, I. M., Jacobs, E. H., & Gerkema, M. P. (2008). Circadian Time-Place Learning in Mice Depends on Cry Genes. *Current Biology*, *18*(11), 844–848.
- Van der Zee, E. A., Gerkema M. P., Mulder C. K. (2013) Circadian clock and memory: time-place learning, *Molecular neuroscience*, *6*, 1-10.
- Wagner, S., Castel, M., Gainer, H., & Yarom, Y. (1997). GABA in the mammalian suprachiasmatic nucleus and its role in diurnal rhythmicity. *Nature*, *387*(6633), 598–603.
- Wang, L. M.-C., Dragich, J. M., Kudo, T., Odom, I. H., Welsh, D. K., O'Dell, T. J., & Colwell, C. S. (2009). Expression of the circadian clock gene *Period2* in the hippocampus: possible implications for synaptic plasticity and learned behaviour. *ASN Neuro*, *1*(3), 139–152.
- Wardlaw, S. M., Phan, T. H., Saraf, A., Chen, X., & Storm, D. R. (2014). Genetic disruption of the core circadian clock impairs hippocampus-dependent memory. *Learning & Memory (Cold Spring Harbor, N.Y.)*, *21*(8), 417–23.
- Watkins, M. J. (1977). The intricacy of memory span. *Memory & Cognition*, *5*(5), 529–34.
- Willingham, D. B., Greenberg, A. R., & Thomas, C. R. (1997). Response-to-stimulus interval does not affect implicit motor sequence learning, but does affect performance. *Memory & Cognition*, *25*(4), 534–42.
- Wyse, C. A., & Coogan, A. N. (2010). Impact of aging on diurnal expression patterns of *CLOCK* and *BMAL1* in the mouse brain. *Brain Research*, *1337*, 21–31.
- Ye, H., Yang, K., Tan, X.-M., Fu, X.-J., & Li, H. X. (2015). Daily rhythm variations of the clock gene *PER1* and cancer-related genes during various stages of carcinogenesis in a golden hamster model of buccal mucosa carcinoma. *Oncotargets and Therapy*, *8*, 1419–1426.
- Ylinen A, Sirviö J. (1977). Muistin biologinen perusta. *Duodecim*, *113*, 1729– 36.
- Yoo, S. H., Mohawk, J. A., Siepkka, S. M., Shan, Y., Huh, S. K., Hong, H. K., Kornblum, I., Kumar, V., Koike, N., Xu, M., Nuaabaum, J., Liu, X., Chen, Z., Chen, Z. J., Green, C. B. Takahashi, J. S. (2013). Competing E3 ubiquitin ligases govern circadian periodicity by degradation of *CRY* in nucleus and cytoplasm. *Cell*, *152*(5), 1091–1105.
- Zola-Morgan, S., Squire, L. R., & Amaral, D. G. (1986). Human amnesia and the medial temporal region: enduring memory impairment following a bilateral lesion limited to field CA1 of the hippocampus. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, *6*(10), 2950–2967.
- Zueger, M., Urani, A., Chourbaji, S., Zacher, C., Lipp, H. P., Albrecht, U., Spanagel, R., Wolfer, D. P., Gass, P. (2006). *mPer1* and *mPer2* mutant mice show regular spatial and contextual learning in standardized tests for hippocampus-dependent learning. *Journal of Neural Transmission*, *113*(3), 347–356.

Kap. 2.1. str. 4

Chybně:

Tyto CCG potom zajišťují tkáňově specifické funkce a jsou základním převodem mezi cirkadiánním mechanismem a konkrétními fyziologickými procesy (Jain, 2011).

Správně:

Tyto CCG potom zajišťují tkáňově specifické funkce a jsou základním převodem mezi cirkadiánním mechanismem a konkrétními fyziologickými procesy (Bozek et al., 2011).

Kap. 2.1. str. 4

Chybně:

U periferních tkání k této vzájemné náhradě CLOCK/BMAL1 za NPAS2/BMAL1 nedochází (Landgraf et al., 2016)

Správně:

NPAS2 může nahradit CLOCK v periferních tkáních tak, jak je to možné v SCN. (Landgraf et al., 2016)

Kap. 2.2. str. 5

Centrální cirkadiánní pacemaker v suprachiasmatických jádrech (SCN) je ovlivňován pomocí světelných cyklů přes retinohypothalamický trakt (RHT) (Damiola et al., 2000).

Zkratky:

CK1ε Kasein kináza1 epsilon